



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.



About Google Book Search


Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>





Ced
sa2.3
h





HORTUS PADDINGTONENSIS:

OR,

A CATALOGUE

OF

PLANTS

CULTIVATED IN THE GARDEN

OF

J. SYMONS, Esq.

Paddington-house.

BY W. SALISBURY, GARDENER.

I cannot but think the very Complacency, and Satisfaction which a Man takes in these Works of Nature, to be a laudable, if not a virtuous Habit of Mind.

ADDISON.

London:

PRINTED BY STEPHEN COUCHMAN,
FOR SHEPPERSON AND REYNOLDS, N^o 137, OXFORD-STREET;
AND SOLD BY MOST OF THE NURSERY AND SEEDS-MEN,
IN AND ABOUT LONDON.


1797.

July 1910

22704

Ced
Sa 3.3

n



Sanfina dell'et. ar. p.

T O

JOHN SYMMONS, Esq. F. R. S.

S I R,

ANXIOUS to gratify the wishes of several persons, occasional visitants of your Garden, illustrious in rank, and eminent in superior talents, who have been pleased to think, that a Catalogue of the Plants in your extensive collection, would, at the same time

DEDICATION.

time as it displayed your vegetable riches, which your liberality renders accessible to every one, in some degree contribute to diffuse a more general knowledge of Plants; I have presumed to lay before the Public, the following Catalogue. And if the present work, should hereafter excite some person of superior abilities, to undertake a general one, on a similar plan, which, I am truly sensible, would be of material service to Botanic Science, my humble endeavours will be amply repaid; as well by deriving the peculiar satisfaction of not having wholly misemployed my time, as by affording me an opportunity, highly gratifying to my feelings, of testifying the happiness I have experienced in your service, where the opportunities I have enjoyed, have afforded me ample means, of enlarging my small stock of botanic knowledge.

Accept, Sir, the effusions of a sincere and grateful heart; wishing you health, long to enjoy that complacency and satisfaction, your elegant and scientific mind must feel, in contemplating the beauties of a vegetable world; formed under your fostering hand, and supported by your generous bounty.

With the highest respect,

I am,

S I R,

Your obliged and obedient Servant,

W. SALISBURY.

PADDINGTON-HOUSE,

Sept. 25, 1797.



A

CATALOGUE

OF

PLANTS, &c.



A BRUS precatarius —	Jamaica wild Liquorice —	S. h.
Acanthus Dioscoridis —	Prickly-edged Bear's-breech —	H. 2.
— mollis — —	Smooth ditto — —	H. 2.
— spinosus — —	Prickly ditto — —	H. 2.
Acer campestre — —	Common Maple — —	H. h.
— creticum — —	Cretan ditto — —	H. h.
— monspessulanum —	Montpelier ditto — —	H. h.
— montanum — —	Mountain ditto — —	H. h.
— Negundo — —	Ash-leav'd ditto — —	H. h.
— Opalus — —	Italian ditto — —	H. h.
— pensylvanicum —	Pennsylvanian ditto — —	H. h.
— Pseudoplatanus —	Sycamore ditto — —	H. h.
— Platanoides — —	Norway ditto — —	H. h.
— v. laciniatum —	Cut-leav'd ditto — —	H. h.
— rubrum — —	Scarlet-flowered ditto —	H. h.
— v. pallidum — —	Pale-flower'd ditto — —	H. h.
— saccharinum — —	Sugar ditto — —	H. h.
— tataricum — —	Tartarian ditto — —	H. h.
Achania Malvaviscus —	Scarlet Achania — —	S. h.
— mollis — —	Woolly ditto — —	S. h.
Achillea abrotanifolia —	Southernwood-leaved Milfoil —	H. 2.
— ægyptiaca — —	Egyptian ditto — —	G. 2.
— Ageratum — —	Sweet ditto, or Maudlin —	H. 2.
— alpina — —	Alpine ditto — —	H. 2.
— Clavennæ — —	Silvery-leav'd ditto — —	H. 2.
— cristata — —	Slender-branch'd ditto —	H. 2.
— græca — —	Grecian ditto — —	H. 2.
— impatiens — —	Italian ditto — —	H. 2.

B

<i>Achillea macrophylla</i> —	Feverfew-leav'd Milfoil —	H. ʒ.
— <i>Millefolium</i> —	Common Yarrow —	H. ʒ.
— <i>v. flore purpureo</i> —	<i>Purple-flowered ditto</i> —	H. ʒ.
— <i>montana</i> —	Mountain Milfoil —	H. ʒ.
— <i>nobilis</i> —	Shewy ditto —	H. ʒ.
— <i>Ptarmica</i> —	Sneezewort —	H. ʒ.
— <i>v. flore pleno</i> —	<i>Double-flower'd ditto</i> —	H. ʒ.
— <i>pubescens</i> —	Downy Milfoil —	H. ʒ.
— <i>Santolina</i> —	Lavender-cotton-leav'd ditto —	H. ʒ.
— <i>ferrata</i> —	Notch-leav'd ditto —	H. ʒ.
— <i>tomentosa</i> —	Woolly ditto —	H. ʒ.
<i>Achras Sapota</i> —	Common Sapota —	S. h.
<i>Achyranthes aspera</i> —	Spreading Achyranthes —	S. h.
— <i>lappacea</i> —	Upright ditto —	S. h.
<i>Aconitum Anthora</i> —	Wholesome Wolfsbane —	H. ʒ.
— <i>album</i> —	White ditto —	H. ʒ.
— <i>Cammarum</i> —	Purple-flowered ditto —	H. ʒ.
— <i>japonicum</i> —	Japan ditto —	H. ʒ.
— <i>lycoctonum</i> —	Great yellow-flowered ditto —	H. ʒ.
— <i>Napellus</i> —	Common ditto, or Monk's-hood —	H. ʒ.
— <i>variegatum</i> —	Variegated ditto —	H. ʒ.
— <i>uncinatum</i> —	American ditto —	H. ʒ.
<i>Acorus Calamus</i> —	Sweet Acorus, or Flag —	H. ʒ.
— <i>gramineus</i> —	Chinese ditto —	H. ʒ.
<i>Acrostichum ilvense</i> —	Hairy Acrostichum —	H. ʒ.
— <i>septentrionale</i> —	Forked ditto —	H. ʒ.
<i>Actæa racemosa</i> —	American Herb-Christopher —	H. ʒ.
— <i>spicata</i> —	Common ditto —	H. ʒ.
<i>Adelia Acidoton</i> —	Box-leav'd Adelia —	S. h.
<i>Adiantum Capillus Veneris</i> , —	Common Maiden-hair —	H. ʒ.
— <i>pedatum</i> —	Canadian ditto —	H. ʒ.
<i>Adonis æstivalis</i> —	Tall Flos Adonis —	H. ○.
— <i>autumnalis</i> —	Autumnal ditto —	H. ○.
— <i>vernalis</i> —	Spring ditto —	H. ʒ.
<i>Adoxa Moschatellina</i> —	Tuberous Moschatel —	H. ʒ.
<i>Ægilops ovata</i> —	Oval-spik'd Hard-Grass —	H. ○.
— <i>triuncialis</i> —	Long-spik'd ditto —	H. ○.
<i>Ægopodium Podagraria</i> —	Gout-Weed —	H. ʒ.
<i>Æschynomene Sefban</i> —	Egyptian Æschynomene —	S. ♂.
<i>Æsculus flava</i> —	Yellow-flowered Horse-Chestnut —	H. h.
— <i>Hippocastanum</i> —	Common ditto —	H. h.
— <i>Pavia</i> —	Scarlet-flowered ditto —	H. h.
<i>Æthusa Cynapium</i> —	Common Fool's Parsley —	H. ○.
— <i>fatua</i> —	Fine-leav'd ditto —	H. ʒ.
— <i>Meum</i> —	Spignel, or Bawd-money —	H. ʒ.
<i>Agapanthus umbellatus</i> —	Blue african Lily —	G. ʒ.
<i>Agave americana</i> —	Great american Agave —	G. ʒ.
— <i>v. fol. variegatis</i> —	<i>Striped-leaved ditto</i> —	G. ʒ.

Agave vivipara — —	Viviparous Agave — —	G. ʒ.
— virginica — —	Virginian ditto — —	G. ʒ.
Agrimonia Agrimonoides — —	Three-leaved Agrimony — —	H. ʒ.
— Eupatoria — —	Common ditto — —	H. ʒ.
— odorata — —	Sweet-scented ditto — —	H. ʒ.
— repens — —	Creeping ditto — —	H. ʒ.
Agrostemma Cœli rosa — —	Smooth-leaved Rose-campion — —	H. ʘ.
— coronaria — —	Common ditto — —	H. ♂.
— v. flore pleno — —	Double-flowered ditto — —	H. ♂.
— Flos Jovis — —	Umbelled ditto — —	H. ʒ.
— Githago — —	Common Cockle — —	H. ʘ.
Agrostis alba — —	White Bent-grass — —	H. ʒ.
— capillaris — —	Fine-leaved ditto — —	H. ʒ.
— Cornucopiæ — —	Frazer's ditto — —	H. ʘ.
— littoralis — —	Sea ditto — —	H. ʒ.
— mexicana — —	Mexican ditto — —	H. ʒ.
— miliacea — —	Millet ditto — —	H. ʒ.
— minima — —	Least ditto — —	H. ʘ.
— palustris — —	Marsh ditto — —	H. ʒ.
— repens* — —	Couchy ditto — —	H. ʒ.
— rubra — —	Brown ditto — —	H. ʒ.
— Spica venti — —	Silky ditto — —	H. ʘ.
— tenuifolia — —	Small-leaved ditto — —	H. ʒ.
— verticillata — —	Whorl-spiked ditto — —	H. ʒ.
Ailanthus glandulosa — —	Tall Ailanthus — —	H. ʒ.
Aira aquatica — —	Water Hair-grass — —	H. ʒ.
— canescens — —	Grey ditto — —	H. ʒ.
— caryophyllea — —	Silver-leaved ditto — —	H. ʘ.
— caespitosa — —	Turfy ditto — —	H. ʒ.
— v. vivipara — —	Viviparous ditto — —	H. ʒ.
— flexuosa — —	Heath ditto — —	H. ʒ.
— præcox — —	Early ditto — —	H. ʘ.
Ajuga genevensis — —	Flesh-coloured Bugle — —	H. ʒ.
— orientalis — —	Oriental ditto — —	H. ʒ.
— pyramidalis — —	Mountain ditto — —	H. ʒ.
— reptans — —	Common ditto — —	H. ʒ.
— v. flore albo — —	White-flowered ditto — —	H. ʒ.
Albuca altissima — —	Tall Albuca — —	G. ʒ.
— coarctata — —	Channel-leaved ditto — —	G. ʒ.
— fastigiata — —	Upright flowered ditto — —	G. ʒ.
— major — —	Great ditto — —	G. ʒ.
— minor — —	Small ditto — —	G. ʒ.
— parviflora — —	Small-flowered ditto — —	G. ʒ.
— viscosa — —	Viscous ditto — —	G. ʒ.
Alcea ficifolia — —	Fig-leaved Hollyhock — —	H. ♂.
— rosea — —	Common ditto — —	H. ♂.

* Curtis.

Alchemilla alpina	—	Alpine Ladies-Mantle	—	H.	γ.
— v. argentata	—	Silver-leaved ditto	—	H.	γ.
— pentaphylla	—	Five-leaved ditto	—	H.	γ.
— vulgaris	—	Common ditto	—	H.	γ.
— v. hybrida	—	Pubescent ditto	—	H.	γ.
Aletris capensis	—	Wave-leaved Aletris	—	G.	γ.
— farinosa	—	American ditto	—	H.	γ.
— fragrans	—	Sweet-scented ditto	—	S.	γ.
— glauca	—	Glaucous ditto	—	G.	γ.
— hyacinthoides	—	Ceylon Aloe	—	S.	γ.
— v. guineensis	—	Guinea ditto	—	S.	γ.
— Uvaria	—	Great orange-flowered Aletris	—	G.	γ.
Alisma Damafonium	—	Star-headed Water Plantain	—	H.	⊙.
— Plantago	—	Greater ditto	—	H.	γ.
— Ranunculoides	—	Lesser ditto	—	H.	⊙.
Allium Ampeloprasum	—	Great round-headed Garlick	—	H.	γ.
— arenarium	—	Sand ditto	—	H.	γ.
— alpinum	—	Alpine ditto	—	H.	γ.
— angulosum	—	Angular-stalked ditto	—	H.	γ.
— ascalonicum	—	Shallot	—	H.	γ.
— canadense	—	Tree-Onion	—	H.	γ.
— carinatum	—	Mountain Garlick	—	H.	γ.
— Cepa	—	Common Onion	—	H.	γ.
— Chamæmoly	—	Bastard Moly	—	G.	γ.
— descendens	—	Purple-headed Onion	—	H.	γ.
— fistulosum	—	Welsh ditto	—	H.	γ.
— flavum	—	Sulphur-coloured ditto	—	H.	γ.
— inodorum	—	Carolina ditto	—	H.	γ.
— magicum	—	Homer's ditto, or Moly	—	H.	γ.
— Moly	—	Yellow ditto	—	H.	γ.
— nigrum	—	Broad-leaved ditto	—	H.	γ.
— nutans	—	Flat-stalked ditto	—	H.	γ.
— obliquum	—	Oblique-leaved ditto	—	H.	γ.
— odorum	—	Sweet ditto	—	H.	γ.
— oleraceum	—	Purple-striped ditto	—	H.	γ.
— pallens	—	Pale-flowered ditto	—	H.	γ.
— paniculatum	—	Panicled ditto	—	H.	γ.
— roseum	—	Rose ditto	—	H.	γ.
— sativum	—	Cultivated ditto	—	H.	γ.
— senescens	—	Narcissus-leaved ditto	—	H.	γ.
— sphenoprasum	—	Common Cives	—	H.	γ.
— scorodoprasum	—	Rocambole Garlick	—	H.	γ.
— sphaerocephalon	—	Small round-headed ditto	—	H.	γ.
— subhirsutum	—	Hairy ditto	—	H.	γ.
— tataricum	—	Tartarian ditto	—	H.	γ.
— triquetrum	—	Triangular ditto	—	H.	γ.
— Victorialis	—	Long-rooted ditto	—	H.	γ.
— vineale	—	Crow ditto	—	H.	γ.

<i>Allium ursinum</i>	— —	Bear's Garlick, or Ramsons	— H. ʒ.
<i>Aloe arachnoides</i>	—	Common Cobweb Aloe	— S. h.
— <i>carinata</i>	— —	Keel-leaved ditto	— S. h.
— <i>lingua</i>	— —	Narrow-leaved Tongue ditto	— S. h.
— <i>v. crassifolia</i>	— —	Thick-leaved Tongue ditto	— S. h.
— <i>maculata</i>	— —	Narrow-leaved spotted ditto	— S. h.
— <i>v. obliqua</i>	— —	Broad-leaved spotted ditto	— S. h.
— <i>margaritifera</i>	— —	Great Pearl ditto	— S. h.
— <i>v. minor</i>	— —	Small Pearl ditto	— S. h.
— <i>v. minima</i>	— —	Least Pearl ditto	— S. h.
— <i>nigrita</i>	— —	Black ditto	— S. h.
— <i>perfoliata</i>	— —	Narrow-leaved Sword ditto	— S. h.
— <i>v. barbadensis</i>	— —	Barbadoes ditto	— S. h.
— <i>v. succotrina</i>	— —	Succotrine ditto	— S. h.
— <i>v. purpurascens</i>	— —	White-spined glaucous ditto	— S. h.
— <i>v. glauca</i>	— —	Red-spined glaucous ditto	— S. h.
— <i>v. ferox</i>	— —	Great Hedge-hog ditto	— S. h.
— <i>v. japonaria</i>	— —	Great Soap ditto	— S. h.
— <i>v. obscura</i>	— —	Common Soap ditto	— S. h.
— <i>v. ferrulata</i>	— —	Hollow-leaved perfoliate ditto	— S. h.
— <i>v. subrepens</i>	— —	Upright perfoliate ditto	— S. h.
— <i>v. depressa</i>	— —	Short-leaved perfoliate ditto	— S. h.
— <i>v. humilis</i>	— —	Dwarf Hedge-hog ditto	— S. h.
— <i>v. mitriformis</i>	— —	Great Mitre ditto	— S. h.
— <i>v. brevifolia</i>	— —	Small Mitre ditto	— S. h.
— <i>plicatilis</i>	— —	Fan ditto	— S. h.
— <i>retusa</i>	— —	Cushion ditto	— S. h.
— <i>spiralis pentagona</i>	— —	Five-sided spiral ditto	— S. h.
— <i>variegata</i>	— —	Partridge-breast ditto	— S. h.
— <i>verrucosa</i>	— —	Warted ditto	— S. h.
— <i>viscosa</i>	— —	Upright triangular ditto	— S. h.
<i>Alopecurus agrestis</i>	— —	Field Foxtail-grass	— H. ○.
— <i>bulbosus</i>	— —	Bulbous ditto	— H. ʒ.
— <i>geniculatus</i>	— —	Flote ditto	— H. ʒ.
— <i>monspeliensis</i>	— —	Montpelier ditto	— H. ○.
— <i>pratensis</i>	— —	Meadow ditto	— H. ʒ.
<i>Alfne media</i>	— —	Common Chickweed	— H. ○.
<i>Alstroemeria Ligtu</i>	— —	Striped-flowered Alstroemeria	— S. ʒ.
— <i>Pelegrina</i>	— —	Spotted-flowered ditto	— G. ʒ.
<i>Althæa cannabina</i>	— —	Hemp-leaved Marsh-mallow	— H. ʒ.
— <i>hirsuta</i>	— —	Hairy ditto	— H. ♂.
— <i>narbonensis</i>	— —	Narbonne ditto	— H. ʒ.
— <i>officinalis</i>	— —	Common ditto	— H. ʒ.
<i>Alyssum clypeatum</i>	— —	Upright Alyssum	— H. ○.
— <i>creticum</i>	— —	Cretan ditto	— H. ♂.
— <i>deltoideum</i>	— —	Purple ditto	— H. ʒ.
— <i>halimifolium</i>	— —	Sweet-scented ditto	— H. h.
— <i>incanum</i>	— —	Hoary ditto	— H. ♂.

<i>Alyssum minimum</i>	—	Small Alyssum	—	H. ☉.
— <i>montanum</i>	—	Mountain ditto	—	H. ♀.
— <i>saxatile</i>	—	Shrubby ditto	—	H. ♀.
— <i>sinuatum</i>	—	Sinuuated ditto	—	H. ♂.
— <i>utriculatum</i>	—	Bladder ditto	—	H. ♀.
<i>Amaranthus albus</i>	—	White Amaranthus, or Blite	—	H. ☉.
— <i>Blitum</i>	—	Leaf ditto	—	H. ☉.
— <i>caudatus</i>	—	Love lies Bleeding	—	H. ☉.
— <i>hypochondriacus</i>	—	Prince's Feather	—	H. ☉.
— <i>lividus</i>	—	Livid Amaranthus	—	H. ☉.
— <i>melancholicus</i>	—	Two-coloured ditto	—	S. ☉.
— <i>spinofus</i>	—	Prickly ditto	—	S. ☉.
— <i>tricolor</i>	—	Three-coloured ditto	—	S. ☉.
— <i>viridis</i>	—	Green ditto	—	H. ☉.
<i>Amaryllis Atamafco</i>	—	Atamafco Lily	—	H. ♀.
— <i>aurea</i>	—	Golden Amaryllis	—	S. ♀.
— <i>Belladonna</i>	—	Belladonna Lily	—	H. ♀.
— <i>ciliaris</i>	—	Fringed ditto	—	G. ♀.
— <i>equestris</i>	—	Barbadoes ditto	—	G. ♀.
— <i>falcata</i>	—	Sickle-leaved ditto	—	G. ♀.
— <i>formosissima</i>	—	Jacobeia ditto	—	S. ♀.
— <i>longifolia</i>	—	Long-leaved Amaryllis	—	G. ♀.
— <i>lutea</i>	—	Yellow ditto	—	H. ♀.
— <i>ornata</i>	—	Cape-Coast Lily	—	S. ♀.
— <i>radiata</i>	—	Snowdrop-leaved Amaryllis	—	G. ♀.
— <i>revoluta</i>	—	Revolute ditto	—	S. ♀.
— <i>reginæ</i>	—	Mexican Lily	—	S. ♀.
— <i>sarniensis</i>	—	Guernsey ditto	—	G. ♀.
— <i>vittata</i>	—	Superb Amaryllis	—	S. ♀.
— <i>undulata</i>	—	Waved-flowered African ditto	—	G. ♀.
<i>Amellus lychnitis</i>	—	Trailing Amellus	—	G. ♀.
<i>Amethysfea cærulea</i>	—	Blue Amethysfea	—	H. ☉.
<i>Ammi majus</i>	—	Common Bishops-weed	—	H. ☉.
<i>Amomum Grana paradisi</i>	—	Grains of Paradise	—	S. ♀.
— <i>Zerumbet</i>	—	Broad-leaved Ginger	—	S. ♀.
— <i>Zingiber</i>	—	Narrow-leaved ditto	—	S. ♀.
<i>Amorpha fruticosa</i>	—	Shrubby Bastard-Indigo	—	H. ♀.
<i>Amygdalus communis</i>	—	Sweet Almond	—	H. ♀.
— <i>nana</i>	—	Common dwarf ditto	—	H. ♀.
— <i>orientalis</i>	—	Silver-leaved ditto	—	H. ♀.
— <i>pumila</i>	—	Double-flowered ditto	—	H. ♀.
— <i>Perfica</i>	—	Common Peach	—	H. ♀.
— <i>v. Neffarina</i>	—	Common Neffarine	—	H. ♀.
— <i>v. fl. pleno</i>	—	Double-flowering Peach	—	H. ♀.
<i>Anacyclus valentinus</i>	—	Fine-leaved Anacyclus	—	G. ☉.
<i>Anagyris fetida</i>	—	Stinking Bean-trefoil	—	H. ♀.
<i>Anagallis arvensis</i>	—	Red Pimpernel	—	H. ☉.

<i>Anagallis v. flore cœrulea</i>	- Blue Pimpernel	— —	H. ☉.
— latifolia	Broad-leaved ditto	— —	H. ☉.
— Monelli	Italian Blue ditto	— —	G. ʒ.
— tenella	Creeping ditto	— —	H. ʒ.
<i>Anastatica hierochuntica</i>	- Common Rose of Jericho	— —	H. ☉.
<i>Anchusa angustifolia</i>	- Narrow-leaved Bugloss	— —	H. ♂.
— italica	Italian ditto	— —	H. ʒ.
— officinalis	Official ditto	— —	H. ♂.
— sempervirens	Evergreen ditto, or Alkanet	— —	H. ʒ.
<i>Ancistrum latebrosum</i>	- Hairy Ancistrum	— —	G. ʒ.
— lævigatum	Smooth ditto	— —	H. ʒ.
— Sanguiforbæ	Shining ditto	— —	H. ʒ.
<i>Andromeda acuminata</i>	- Acute-leaved Andromeda	— —	H. ♀.
— arborea	Tree ditto	— —	H. ♀.
— axillaris	Notched-leaved ditto	— —	H. ♀.
— calyculata	Globe-flowered Box-leaved ditto	— —	H. ♀.
— v. angustifolia	Narrow-leaved ditto	— —	H. ♀.
— Daboecia	Irish Heath, or Trailing ditto	— —	H. ♀.
— mariana	Oval-leaved ditto	— —	H. ♀.
— paniculata	Panicled ditto	— —	H. ♀.
— polifolia	Broad-leaved marsh ditto	— —	H. ♀.
— v. media	Common marsh ditto	— —	H. ♀.
— v. angustifolia	Narrow-leaved marsh ditto	— —	H. ♀.
— racemosa	Branching ditto	— —	H. ♀.
<i>Andropogon barbatum</i>	- Bearded Andropogon	— —	S. ☉.
— pubescens	Ciliated ditto	— —	S. ʒ.
<i>Androsace carnea</i>	- Awl-leaved Androsace	— —	H. ☉.
— elongata	Cluster-flowered ditto	— —	H. ʒ.
— maxima	Oval-leaved ditto	— —	H. ☉.
— lactea	Grass-leaved ditto	— —	H. ʒ.
— septentrionalis	Toothed-leaved ditto	— —	H. ☉.
— sericea	Silky ditto	— —	H. ʒ.
— villosa	Villous ditto	— —	H. ʒ.
<i>Andryala cheiranthifolia</i>	- Various-leaved Andryala	— —	H. ♂.
— integrifolia	Hoary ditto	— —	H. ♂.
— lanata	Woolly ditto	— —	H. ʒ.
<i>Anemone alpina</i>	- Alpine Anemone	— —	H. ʒ.
— apennina	Mountain Wood ditto	— —	H. ʒ.
— baldensis	Mount Baldus ditto	— —	H. ʒ.
— coronaria	Poppy ditto	— —	H. ʒ.
— dichotoma	Dichotomous ditto	— —	H. ʒ.
— Hepatica	Single blue Hepatica	— —	H. ʒ.
— v. fl. cœruleo pleno	Double blue ditto	— —	H. ʒ.
— v. fl. rubro simplici	Single red ditto	— —	H. ʒ.
— v. fl. rubro pleno	Double red ditto	— —	H. ʒ.
— v. fl. albo simplici	White ditto	— —	H. ʒ.
— hortensis	Star Anemone	— —	H. ʒ.

Anemone narcissiflora	—	Narcissus-flowered Anemone	—	H.	γ.
— nemorosa	—	Wood ditto	—	H.	γ.
— palmata	—	Palmate-leaved ditto	—	H.	γ.
— patens	—	Woolly-leaved ditto	—	H.	γ.
— pensylvanica	—	Pennsylvanian ditto	—	H.	γ.
— Pulsatilla	—	Pasque-flower ditto	—	H.	γ.
— ranunculoides	—	Yellow-wood ditto	—	H.	γ.
— sylvestris	—	Snow-drop ditto	—	H.	γ.
— thalicteroides	—	Meadow-rue-leaved ditto	—	H.	γ.
— virginiana	—	Virginian ditto	—	H.	γ.
Anethum Fœniculum	—	Common Fennel	—	H.	γ.
— graveolens	—	Common Dill	—	H.	○.
Angelica Archangelica	—	Garden Angelica	—	H.	δ.
— atropurpurea	—	Dark-purple ditto	—	H.	γ.
— sylvestris	—	Wild ditto	—	H.	δ.
— verticillaris	—	Whorled-flowered ditto	—	H.	γ.
Annona triloba	—	Trifid-fruited Custard-Apple	—	H.	h.
Anthemis arvensis	—	Corn Chamomile	—	H.	○.
— chia	—	Cut-leaved ditto	—	H.	○.
— Cötula	—	Stinking ditto, or May-weed	—	H.	○.
— maritima	—	Sea ditto	—	H.	γ.
— nobilis	—	Common ditto	—	H.	γ.
— tinctoria	—	Yellow ditto	—	H.	γ.
Anthericum alooides	—	Aloe-leaved Anthericum	—	G.	γ.
— albucoides	—	Stripe-flowered ditto	—	G.	γ.
— annuum	—	Annual ditto	—	H.	○.
— asphodeloides	—	Glaucous-leaved ditto	—	G.	γ.
— calyculatum	—	Scotch ditto	—	H.	γ.
— elatum	—	Tall ditto	—	G.	γ.
— frutescens	—	Shrubby ditto	—	G.	h.
— Liliago	—	Grass-leaved ditto	—	H.	γ.
— Liliastrum	—	Savoy ditto	—	H.	γ.
— ossifragum	—	Lancashire ditto	—	H.	γ.
— ramosum	—	Branching ditto	—	H.	γ.
— revolutum	—	Curled-flowered ditto	—	G.	γ.
Antholyza æthiopica	—	Broad-leaved Antholyza	—	G.	γ.
— Cunonia	—	Scarlet-flowered ditto	—	G.	γ.
— elata	—	Tall ditto	—	G.	γ.
— Meriana	—	Red-flowered ditto	—	G.	γ.
— Merianella	—	Dwarf ditto	—	G.	γ.
— plicata	—	Plated ditto	—	G.	γ.
Anthospermum æthiopicum	—	Amber Tree	—	G.	h.
Anthoxanthum odoratum	—	Sweet-scented Vernal-Grass	—	H.	γ.
Anthyllis Barba jovis	—	Jupiter's Beard	—	G.	h.
— cytisoides	—	Downy-leaved Anthyllis	—	G.	h.
— montana	—	Mountain ditto	—	H.	γ.
— tetraphylla	—	Four-leaved ditto	—	H.	○.
— vulneraria	—	Common Yellow ditto	—	H.	γ.

Antirrhinum arvense	—	Corn Toad-flax	—	—	H. ☉.
— Afarina	—	Heart-leaved ditto	—	—	G. ♀.
— bipunctatum	—	Dotted-flowered ditto	—	—	H. ☉.
— chalepense	—	White-flowered ditto	—	—	H. ☉.
— Cymbalaria	—	Ivy-leaved ditto	—	—	H. ♀.
— Elatine	—	Sharp-pointed ditto	—	—	H. ☉.
— genitifolium	—	Broom-leaved ditto	—	—	H. ♀.
— Linaria	—	Common yellow Toad-flax	—	—	H. ♀.
— v. <i>Peloria</i>	—	<i>Peloria Variety</i>	—	—	H. ♀.
— macrocarpon	—	Large-fruited Toad-flax	—	—	G. ♂.
— majus	—	Common Snapdragon	—	—	H. ♂.
— medium	—	Middle ditto	—	—	H. ☉.
— minus	—	Least Toad-flax	—	—	H. ☉.
— molle	—	Woolly ditto	—	—	G. ♀.
— monspessulanum	—	Montpelier ditto	—	—	H. ♀.
— Orontium	—	Small ditto	—	—	H. ☉.
— purpureum	—	Purple ditto	—	—	H. ♀.
— repens	—	Creeping ditto	—	—	H. ♀.
— sparteum	—	Branching ditto	—	—	H. ☉.
— spurium	—	Round-leaved ditto	—	—	H. ☉.
— triphyllum	—	Three-leaved ditto	—	—	H. ☉.
— villosum	—	Villous ditto	—	—	G. ♀.
— viscosum	—	Viscous ditto	—	—	H. ☉.
Aphanes arvensis	—	Parley-piert	—	—	H. ☉.
Apium graveolens	—	Celery	—	—	H. ♂.
— Petroselinum	—	Common Parsley	—	—	H. ♂.
Apocynum androsæmifol.	—	Tutsan-leaved Dog's-bane	—	—	H. ♀.
— cannabinum	—	Hemp ditto	—	—	H. ♀.
— hypericifolium	—	St. John's-wort-leaved ditto	—	—	H. ♀.
— venetum	—	Spear-leaved ditto	—	—	H. ♀.
Aquilegia alpina	—	Alpine Columbine	—	—	H. ♀.
— canadensis	—	Canadian ditto	—	—	H. ♀.
— viridiflora	—	Green-flowered ditto	—	—	H. ♀.
— vulgaris	—	Common ditto	—	—	H. ♀.
— v. <i>speciosa</i>	—	<i>Large-flowered ditto</i>	—	—	H. ♀.
Arachis hypogæa	—	American Earth-nut	—	—	S. ♀.
Arabis alpina	—	Alpine Wall-crefs	—	—	H. ♀.
— bellidifolia	—	Daisy-leaved ditto	—	—	H. ♀.
— hispida	—	Rough ditto	—	—	H. ♂.
— pendula	—	Pendulous ditto	—	—	H. ☉.
— thaliana	—	Common ditto	—	—	H. ☉.
— turrita	—	Tower ditto	—	—	H. ☉.
Aralia nudicaulis	—	Naked-stalked Aralia	—	—	H. ♀.
— racemosa	—	Berry-bearing ditto	—	—	H. ♀.
— spinosa	—	Thorny ditto	—	—	H. ♀.
Arbutus Andrachne	—	Oriental Strawberry-Tree	—	—	H. ♀.
— thymifolia	—	Thyme-leaved ditto	—	—	H. ♀.
— Unedo	—	Common ditto	—	—	H. ♀.

<i>Arbutus v. flore pleno</i>	—	<i>Double-flowered Strawberry Tree</i>	H. h.
— <i>v. flore rubro</i>	—	<i>Red-flowered ditto</i>	H. h.
— <i>Uva ursi</i>	—	<i>Trailing ditto</i>	H. h.
<i>Arctium Lappa</i>	—	<i>Common Burdock</i>	H. ♂.
<i>Arctotis acaulis</i>	—	<i>Dwarf Arctotis</i>	G. γ.
— <i>aspera</i>	—	<i>Rough ditto</i>	G. h.
— <i>calendulacea</i>	—	<i>Marigold-flowered ditto</i>	G. ⊙.
— <i>grandiflora</i>	—	<i>Great-flowered ditto</i>	G. h.
— <i>paleacea</i>	—	<i>Chaffy ditto</i>	G. h.
— <i>plantaginea</i>	—	<i>Plantain-leaved ditto</i>	G. γ.
— <i>scariofa</i>	—	<i>Southernwood-leaved ditto</i>	G. h.
<i>Arduina bispinosa</i>	—	<i>Two-spined Arduina</i>	G. h.
<i>Arenaria balearica</i>	—	<i>Balearic Sandwort</i>	H. γ.
— <i>fasciculata</i>	—	<i>Cluster-flowering ditto</i>	H. ⊙.
— <i>grandiflora</i>	—	<i>Great-flowered ditto</i>	H. γ.
— <i>laricifolia</i>	—	<i>Larch-leaved ditto</i>	H. γ.
— <i>maritima</i>	—	<i>Sea ditto</i>	H. ⊙.
— <i>peplodes</i>	—	<i>Thick-leaved ditto</i>	H. γ.
— <i>rubra</i>	—	<i>Red-flowered ditto</i>	H. ⊙.
— <i>striata</i>	—	<i>Striated ditto</i>	H. γ.
— <i>tenuifolia</i>	—	<i>Fine-leaved ditto</i>	H. γ.
— <i>tetraquetra</i>	—	<i>Square ditto</i>	H. γ.
— <i>trinervia</i>	—	<i>Plantain-leaved ditto</i>	H. ⊙.
— <i>verna</i>	—	<i>Spring ditto</i>	H. γ.
<i>Aretia vitaliana</i>	—	<i>Grass-leaved Aretia</i>	H. γ.
<i>Argemone mexicana</i>	—	<i>Prickly Poppy, or Devil's fig</i>	H. ⊙.
<i>Aristolochia Clematidis</i>	—	<i>Upright Birthwort</i>	H. γ.
— <i>longa</i>	—	<i>Long-rooted ditto</i>	G. γ.
— <i>sempervirens</i>	—	<i>Evergreen ditto</i>	H. h.
— <i>sipho</i>	—	<i>Broad-leaved ditto</i>	H. h.
<i>Aristotelia Macqui</i>	—	<i>Shining-leaved Aristotelia</i>	H. h.
<i>Arnica montana</i>	—	<i>Mountain Arnica</i>	H. γ.
— <i>scorpioides</i>	—	<i>Alternate-leaved ditto</i>	H. γ.
<i>Artemisia Abrotanum</i>	—	<i>Common Southernwood</i>	H. h.
— <i>Abinthium</i>	—	<i>Common Wormwood</i>	H. γ.
— <i>annua</i>	—	<i>Annual ditto</i>	H. ⊙.
— <i>argentea</i>	—	<i>Broad-leaved Tree ditto</i>	G. h.
— <i>campestris</i>	—	<i>Field Southernwood</i>	H. γ.
— <i>cœrulefcens</i>	—	<i>Lavender-leaved Wormwood</i>	H. h.
— <i>Dracunculus</i>	—	<i>Tarragon</i>	H. γ.
— <i>glacialis</i>	—	<i>Silky Wormwood</i>	H. γ.
— <i>maritima</i>	—	<i>Sea ditto</i>	H. γ.
— <i>pontica</i>	—	<i>Roman ditto</i>	H. γ.
— <i>Santonica</i>	—	<i>Tartarian ditto</i>	H. h.
— <i>spicata</i>	—	<i>Spiked-flowered ditto</i>	H. γ.
— <i>vallefica</i>	—	<i>Downy ditto</i>	H. γ.
— <i>vulgaris</i>	—	<i>Mugwort</i>	H. γ.

Arum Arifarum	—	Hooded Arum, or Friar's Cowl,	S.	γ.
— auritum	—	Ear-leaved ditto	S.	h.
— bicolor	—	Painted ditto	S.	γ.
— bulbiferum	—	Bulb-bearing ditto	S.	γ.
— Co. ocafia	—	Egyptian ditto	S.	γ.
— Dracunculus	—	Long-sheathed ditto	H.	γ.
— esculentum	—	Eatable ditto	S.	γ.
— italicum	—	Italian ditto	H.	γ.
— maculatum	—	Common ditto, or Wake Robin,	H.	γ.
— sagittæfolium	—	Arrow-leaved ditto	S.	γ.
— tenuifolium	—	Grass-leaved ditto	H.	γ.
— triphyllum	—	Three-leaved ditto	H.	γ.
— trilobatum	—	Three-lobed ditto	S.	γ.
Arundo arenaria	—	Sea Reed-grass	H.	γ.
— Bambos	—	Bamboo ditto, or Cane	S.	h.
— Calamagrostis	—	Wood ditto	H.	γ.
— epigejos	—	Small ditto	H.	γ.
— Donax	—	Manured ditto	H.	γ.
— v. varicolor	—	Striped-leaved ditto	G.	γ.
— phragmitis	—	Common ditto	H.	γ.
Asarum canadense	—	Canadian Asarabacca	H.	γ.
— europæum	—	Common ditto	H.	γ.
— virginicum	—	Sweet-scented ditto	H.	γ.
Asclepias amœna	—	Oval-leaved Swallow-wort	S.	h.
— curassavica	—	Curassavian ditto	H.	γ.
— exaltata	—	Tall ditto	H.	γ.
— fruticosa	—	Willow-leaved ditto	G.	h.
— incarnata	—	Flesh-coloured ditto	H.	γ.
— nigra	—	Black ditto	H.	γ.
— parviflora	—	Small-flowered ditto	S.	h.
— syriaca	—	Syrian ditto	H.	γ.
— Vincetoxicum	—	White officinal ditto	H.	γ.
Ascyron Crux Andreæ	—	St. Andrew's Cross	G.	h.
Aspalathus cretica	—	Cretan Aspalathus	G.	h.
— pedunculata	—	Small-leaved ditto	G.	h.
Asparagus officinalis	—	Common Asparagus	H.	γ.
— retrofractus	—	Larch-leaved shrubby ditto	G.	h.
Asperugo ægyptiaca	—	Egyptian Asperugo	H.	○.
— procumbens	—	Procumbent ditto	H.	○.
Asperula arvensis	—	Field Woodroof	H.	○.
— crassifolia	—	Thick-leaved ditto	H.	γ.
— cynanchica	—	Small ditto	H.	γ.
— lævigata	—	Shining ditto	H.	γ.
— odorata	—	Sweet-scented ditto	H.	γ.
— taurina	—	Broad-leaved ditto	H.	γ.
— tinctoria	—	Narrow-leaved ditto	H.	γ.
Asphodelus fistulosus	—	Onion-leaved Asphodel	G.	γ.

<i>Asphodelus luteus</i>	—	Yellow Asphodel	—	H. ȳ.
— <i>ramosus</i>	—	Branching ditto, or King's spear,	—	H. ȳ.
<i>Asplenium Adiantum nigrum</i>	—	Black Maiden-hair	—	H. ȳ.
— <i>Ceterach</i>	—	Common Spleen-wort	—	H. ȳ.
— <i>lanceolatum</i>	—	Spear-leaved ditto	—	H. ȳ.
— <i>marinum</i>	—	Sea ditto	—	H. ȳ.
— <i>rhizophyllum</i>	—	Rooted-leaved Spleen-wort	—	G. ȳ.
— <i>Ruta muraria</i>	—	Wall Rue	—	H. ȳ.
— <i>Scolopendrium</i>	—	Common Hart's-tongue	—	H. ȳ.
— <i>v. crispum</i>	—	Curled ditto	—	H. ȳ.
— <i>v. multifidum</i>	—	Clustered ditto	—	H. ȳ.
— <i>v. ramosum</i>	—	Branching ditto	—	H. ȳ.
— <i>v. undulatum</i>	—	Wave-leaved ditto	—	H. ȳ.
— <i>Trichomanes</i>	—	Common Maiden-hair	—	H. ȳ.
— <i>viride</i>	—	Green Spleen-wort	—	H. ȳ.
<i>After acris</i>	—	Biting After	—	H. ȳ.
— <i>æstivus</i>	—	Labrador ditto	—	H. ȳ.
— <i>alpinus</i>	—	Alpine ditto	—	H. ȳ.
— <i>Amellus</i>	—	Plain-leaved ditto	—	H. ȳ.
— <i>annuus</i>	—	American annual ditto	—	H. ○.
— <i>capensis</i>	—	Cape ditto	—	G. ȳ.
— <i>chinenfis</i>	—	Chinese ditto	—	H. ○.
— <i>concolor</i>	—	Uniform ditto	—	H. ȳ.
— <i>cordifolius</i>	—	Heart-leaved ditto	—	H. ȳ.
— <i>corymbosus</i>	—	Heart-leaved purple-stalked ditto,	—	H. ȳ.
— <i>Cymbalaria</i>	—	Cymbalaria-leaved ditto	—	G. ȳ.
— <i>diffusus</i>	—	Diffuse-red-flowered ditto	—	H. ȳ.
— <i>divaricatus</i>	—	Divaricating ditto	—	H. ȳ.
— <i>divergens</i>	—	Spreading downy-stalked ditto	—	H. ȳ.
— <i>dumosus</i>	—	Bushy ditto	—	H. ȳ.
— <i>ericoides</i>	—	Heath-leaved ditto	—	H. ȳ.
— <i>foliosus</i>	—	Leafy ditto	—	H. ȳ.
— <i>fruticosus</i>	—	Shrubby ditto	—	G. ȳ.
— <i>grandiflorus</i>	—	Large-flowered ditto	—	H. ȳ.
— <i>hyssopifolius</i>	—	Hyssop-leaved ditto	—	H. ȳ.
— <i>lævis</i>	—	Smooth ditto	—	H. ȳ.
— <i>linarifolius</i>	—	Savory-leaved ditto	—	H. ȳ.
— <i>linifolius</i>	—	Flax-leaved ditto	—	H. ȳ.
— <i>macrophyllum</i>	—	Broad-leaved ditto	—	H. ȳ.
— <i>miser</i>	—	Small white-flowered ditto	—	H. ȳ.
— <i>multiflorus</i>	—	Small-leaved ditto	—	H. ȳ.
— <i>mutabilis</i>	—	Variable ditto	—	H. ȳ.
— <i>novæ anglizæ</i>	—	New-England ditto	—	H. ȳ.
— <i>novi Belgii</i>	—	New-Holland ditto	—	H. ȳ.
— <i>paludosus</i>	—	Marsh ditto	—	G. ȳ.
— <i>paniculatus</i>	—	Smooth-stalked panicled ditto	—	H. ȳ.
— <i>patens</i>	—	Spreading ditto	—	H. ȳ.
— <i>pendulus</i>	—	Pendulous ditto	—	H. ȳ.

After puniceus	—	Purple-stalked After	—	H. ʒ.
— Radula	—	Rough ditto	—	H. ʒ.
— rigidus	—	Rigid ditto	—	H. ʒ.
— salicifolius	—	Willow-leaved ditto	—	H. ʒ.
— sibiricus	—	Siberian broad-leaved ditto	—	H. ʒ.
— spectabilis	—	Shewy ditto	—	H. ʒ.
— tardiflorus	—	Spear-leaved ditto	—	H. ʒ.
— tenellus	—	Dwarf ditto	—	G. ♂.
— Tradescanti	—	Tradescant's dwarf ditto	—	H. ʒ.
— Tripolium	—	Radiated sea ditto	—	H. ʒ.
— umbellatus	—	Umbelled ditto	—	H. ʒ.
— undulatus	—	Wave-leaved ditto	—	H. ʒ.
Astragalus Alopecuroides	—	Foxtail Milk-vetch	—	H. ʒ.
— alpinus	—	Alpine ditto	—	H. ʒ.
— austriacus	—	Austrian ditto	—	H. ʒ.
— boeticus	—	Triangular-podded ditto	—	H. ☉.
— campestris	—	Field ditto	—	H. ʒ.
— canadensis	—	Woolly ditto	—	H. ʒ.
— carolinianus	—	Carolina ditto	—	H. ʒ.
— Cicer	—	Bladdered ditto	—	H. ʒ.
— contortuplicatus	—	Twisted-podded ditto	—	H. ☉.
— epiglottis	—	Heart-podded ditto	—	H. ☉.
— exscapus	—	Hairy-podded ditto	—	H. ʒ.
— galegiformis	—	Goat's rue-leaved ditto	—	H. ʒ.
— glycyphyllos	—	Liquorice ditto	—	H. ʒ.
— hamosus	—	Dwarf yellow-flowered ditto	—	H. ☉.
— hypoglottis	—	Purple mountain ditto	—	H. ʒ.
— leucophæus	—	Grey-flowered ditto	—	H. ʒ.
— microphyllus	—	Small round-podded ditto	—	H. ʒ.
— monspessulanus	—	Montpelier ditto	—	H. ʒ.
— Onobrychis	—	Purple-spiked ditto	—	H. ʒ.
— fulcatus	—	Furrowed ditto	—	H. ʒ.
— tenuifolius	—	Upright ditto	—	H. ʒ.
— Tragacantha	—	Goat's Thorn ditto	—	H. h.
— Tragacanthoides	—	Tragacantha-like ditto	—	H. ʒ.
— trimestris	—	Egyptian ditto	—	H. ☉.
— virescens	—	Green-flowered ditto	—	H. ʒ.
— uliginosus	—	Violet-coloured ditto	—	H. ʒ.
— uralensis	—	Silky ditto	—	H. ʒ.
Astrantia major	—	Great Black-Masterwort	—	H. ʒ.
— minor	—	Small ditto	—	H. ʒ.
Athamanta Cervaria	—	Broad-leaved Spignel	—	H. ʒ.
— condensata	—	Clofe-headed ditto	—	H. ʒ.
— Libanotis	—	Mountain ditto	—	H. ʒ.
— Matthioli	—	Matthioli's ditto	—	H. ʒ.
— Oreofelinum	—	Divaricated ditto	—	H. ʒ.
— sibirica	—	Siberian ditto	—	H. ʒ.
Athanasia annua	—	Annual Athanasia	—	H. ☉.

<i>Athanasia capitata</i>	—	Hairy <i>Athanasia</i>	—	G. h.
— <i>crithmifolia</i>	—	Sapphire-leaved ditto	—	G. h.
— <i>dentata</i>	—	Notched-leaved ditto	—	G. h.
— <i>filiformis</i>	—	Fine-leaved ditto	—	G. h.
— <i>maritima</i>	—	Sea ditto	—	H. y.
— <i>trifurcata</i>	—	Trifid-leaved ditto	—	G. h.
<i>Atragene alpina</i>	—	Alpine <i>Atragene</i>	—	H. h.
<i>Atraphaxis undulata</i>	—	Wave-leaved <i>Atraphaxis</i>	—	G. h.
<i>Atriplex Halimus</i>	—	Tall shrubby Orach	—	H. h.
— <i>haftata</i>	—	Wild ditto	—	H. o.
— <i>hortensis</i>	—	White garden ditto	—	H. o.
— <i>v. rubra</i>	—	Red garden ditto	—	H. o.
— <i>laciniata</i>	—	Jagged sea ditto	—	H. o.
— <i>littoralis</i>	—	Grass-leaved sea ditto	—	H. o.
— <i>patula</i>	—	Spreading ditto	—	H. o.
— <i>Portulacoides</i>	—	Dwarf shrubby ditto	—	H. h.
— <i>pedunculata</i>	—	Peduncled ditto	—	H. o.
— <i>marina</i>	—	Serrated ditto	—	H. o.
<i>Atropa Belladonna</i>	—	Deadly Nightshade	—	H. y.
— <i>Mandragora</i>	—	Mandrake	—	H. y.
— <i>phytalodes</i>	—	Blue-flowered <i>Atropa</i>	—	H. o.
<i>Aucuba japonica</i>	—	Japanese <i>Aucuba</i>	—	H. y.
<i>Avena elatior</i>	—	Tall Oat-grass	—	H. y.
— <i>fatua</i>	—	Wild ditto	—	H. o.
— <i>flavescens</i>	—	Yellow ditto	—	H. y.
— <i>nuda</i>	—	Naked Oats	—	H. o.
— <i>penfylvanica</i>	—	Pennsylvanian Oat-grass	—	H. o.
— <i>pratensis</i>	—	Meadow ditto	—	H. y.
— <i>pubescens</i>	—	Soft ditto	—	H. y.
— <i>fativa</i>	—	Cultivated black Oats	—	H. o.
— <i>v. alba</i>	—	Cultivated white ditto	—	H. o.
— <i>sterilis</i>	—	Bearded or Cricket ditto	—	H. o.
— <i>strigosa</i>	—	Scraggy ditto	—	H. o.
<i>Axyris Ceratoides</i>	—	Shrubby <i>Axyris</i>	—	H. h.
<i>Azalea nudiflora</i>	—	Deep-scarlet-flowered <i>Azalea</i>	—	H. h.
— <i>v. rutilans</i>	—	Deep red ditto	—	H. h.
— <i>v. carnea</i>	—	Pale red ditto	—	H. h.
— <i>v. bicolor</i>	—	Red and white ditto	—	H. h.
— <i>v. papilionacea</i>	—	Variegated ditto	—	H. h.
— <i>viscosa</i>	—	Common white ditto	—	H. h.
— <i>v. vittata</i>	—	White striped flowered ditto	—	H. h.
— <i>v. fissa</i>	—	Narrow-petaled white ditto	—	H. h.
— <i>v. floribunda</i>	—	Cluster-flowered white ditto	—	H. h.
— <i>v. glauca</i>	—	Glaucous ditto	—	H. h.
— <i>procumbens</i>	—	Procumbent ditto	—	H. h.
<i>Baccharis halimifolia</i>	—	Sea-purslane leaved <i>Baccharis</i>	—	H. h.
— <i>ivazifolia</i>	—	Notched-leaved ditto	—	G. h.
— <i>neriifolia</i>	—	Oleander-leaved ditto	—	G. h.

Ballota alba	—	White-flowered Black Horehound,	H.	γ.
— lanata	—	Woolly ditto	H.	γ.
— nigra	—	Black-flowered ditto	H.	γ.
Bankfia pubescens	—	Downy Bankfia	G.	h.
— ferrata	—	Serrated ditto	G.	h.
Basella alba	—	White Malabar Nightshade	S.	δ.
— lucida	—	Shining ditto	S.	δ.
— rubra	—	Red ditto	S.	δ.
Begonia acuminata	—	Rough-leaved Begonia	S.	h.
— nitida	—	Shining-leaved ditto	S.	h.
Bellis lusitanica	—	Great Portugal Daisy	H.	γ.
— perennis	—	Common ditto	H.	γ.
— v. fistulosa	—	Quilled ditto	H.	γ.
— v. hortensis	—	Double ditto	H.	γ.
— v. prolifera	—	Hen and Chicken ditto	H.	γ.
Bellium minus	—	Bastard Daisy	H.	γ.
Berberis cretica	—	Cretan Barberry	H.	h.
— vulgaris	—	Common ditto	H.	h.
— v. canadensis	—	Canada ditto	H.	h.
Beta Cicla	—	White Beet	H.	δ.
— hybrida	—	Mangold Wurzel	H.	δ.
— maritima	—	Sea Beet	H.	δ.
— vulgaris	—	Common ditto	H.	δ.
Betonica alopecuroides	—	Fox-tail Betony	H.	γ.
— hirsuta	—	Hairy ditto	H.	γ.
— officinalis	—	Wood ditto	H.	γ.
— orientalis	—	Oriental ditto	H.	γ.
— stricta	—	Danish ditto	H.	γ.
Betula alba	—	Common Birch	H.	h.
— v. pendula	—	Weeping ditto	H.	h.
— Alnus	—	Common Alder	H.	h.
— v. laciniata	—	Cut-leaved ditto	H.	h.
— excelsa	—	Tall Birch	H.	h.
— incana	—	Glaucous-leaved Alder	H.	h.
— v. angulata	—	Elm-leaved ditto	H.	h.
— lenta	—	Soft Birch	H.	h.
— nana	—	Smooth dwarf ditto	H.	h.
— nigra	—	Black ditto	H.	h.
— oblongata	—	Oblong-leaved Turkey Alder	H.	h.
— papyracea	—	Paper Birch	H.	h.
— populifolia	—	Poplar ditto	H.	h.
— pumila	—	Hairy dwarf ditto	H.	h.
— ferrulata	—	Notched-leaved Alder	H.	h.
Bidens cernua	—	Nodding-flowered Bidens	H.	○.
— pilosa	—	Hairy ditto	H.	○.
— tripartita	—	Trifid ditto	H.	○.
Bignonia capreolata	—	Four-leaved Trumpet-flower	H.	h.
— Catalpa	—	Common Catalpa	H.	h.

Bignonia radicans —	Great Ash-leaved Trumpet-flower, H. h.
— <i>v. minor</i> —	<i>Small Ash-leaved ditto</i> — H. h.
— <i>sempervirens</i> —	Evergreen ditto — G. h.
— <i>flans</i> —	Branching-flowered ditto — S. h.
Biscutella apula —	Spear-leaved Biscutella — H. o.
— <i>auriculata</i> —	Ear-podded ditto — H. o.
— <i>coronopifolia</i> —	Crowfoot-leaved ditto — G. h.
Biferrula Pelecina —	Bastard Hatchet-Vetch — H. o.
Bixa Orellana —	Heart-leaved Bixa — S. h.
Blechnum australe —	Cape Blechnum — G. y.
— <i>occidentale</i> —	South-American ditto — S. y.
— <i>radicans</i> —	Rooted-leaved ditto — H. y.
Blitum capitatum —	Berry-headed Strawberry-blite — H. o.
— <i>virgatum</i> —	Slender-branched ditto — H. o.
Bocconia frutescens —	Shrubby Bocconia — S. h.
Boltonia asteroides —	Starwort-flowered Boltonia — H. y.
— <i>glatifolia</i> —	Glaucous-leaved ditto — H. y.
Borago officinalis —	Common Borage — H. o.
— <i>orientalis</i> —	Oriental ditto — H. y.
Borbonia crenata —	Heart-leaved Borbonia — G. h.
— <i>lanceolata</i> —	Spear-leaved ditto — G. h.
Bosea Yervamora —	Golden-rod-tree — G. h.
Brassica Eruca —	Garden Rocket — H. o.
— <i>muralis</i> —	Wall ditto — H. y.
— <i>Napus</i> —	Rape — H. o.
— <i>oleracea</i> —	White Cabbage — H. o.
— <i>v. botrytis</i> —	<i>Cauliflower</i> — H. o.
— <i>v. Napobrassica</i> —	<i>Turnip-rooted Cabbage</i> — H. o.
— <i>v. rubra</i> —	<i>Red ditto</i> — H. o.
— <i>v. sabauda</i> —	<i>Savoy ditto</i> — H. o.
— <i>v. fabellica</i> —	<i>Borecole</i> — H. o.
— <i>orientalis</i> —	Perfoliate ditto — H. o.
— <i>Rapa</i> —	Turnip — H. o.
Briza maxima —	Great Quaking-grass — H. o.
— <i>media</i> —	Middle ditto — H. y.
— <i>minor</i> —	Small ditto — H. o.
Bromelia Ananas —	Pine Apple — S. y.
— <i>v. fol. variegat.</i> —	<i>Striped-leaved ditto</i> — S. y.
— <i>Pinguin</i> —	Wild ditto — S. y.
Bromus arvensis —	Corn Brome-grass — H. y.
— <i>asper</i> —	Wood ditto — H. y.
— <i>diandrus</i> —	Diandrous ditto — H. o.
— <i>erectus</i> —	Upright ditto — H. y.
— <i>giganteus</i> —	Tall ditto — H. y.
— <i>gracilis</i> —	Slender ditto — H. o.
— <i>mollis</i> —	Soft ditto — H. o.
— <i>purgans</i> —	Purgative ditto — H. y.

<i>Bromus secalinus</i>	—	Field Brome-grass	—	H. ☉.
— <i>squarrosus</i>	—	Corn ditto	—	H. ☉.
— <i>sterilis</i>	—	Barren ditto	—	H. ☉.
— <i>stipoides</i>	—	Stipa-like ditto	—	H. ☉.
— <i>tectorum</i>	—	Nodding-panicled ditto	—	H. ☉.
<i>Browallia elata</i>	—	Upright Browallia	—	S. ☉.
<i>Brunia lanuginosa</i>	—	Heath-leaved Brunia	—	G. h.
— <i>nodiflora</i>	—	Imbricated ditto	—	G. h.
<i>Brunsfelsia americana</i>	—	Spear-leaved Brunsfelsia	—	S. h.
<i>Bryonia alba</i>	—	White Bryony	—	H. ♀.
<i>Bubon gummiiferum</i>	—	Gum-bearing Bubon	—	G. h.
— <i>macedonicum</i>	—	Macedonian ditto, or Parsly	—	G. ♂.
<i>Buchnera viscosa</i>	—	Clammy Buchnera	—	G. h.
<i>Buddlea globosa</i>	—	Round-headed Buddlea	—	H. h.
— <i>salvifolia</i>	—	Sage-leaved ditto	—	G. h.
<i>Bufonia tenuifolia</i>	—	Fine-leaved Bufonia	—	H. ☉.
<i>Bulbocodium vernum</i>	—	Spring-flowering Bulbocodium	—	H. ♀.
<i>Bunias ægyptiaca</i>	—	Egyptian Bunias	—	H. ☉.
— <i>balearica</i>	—	Minorca ditto	—	H. ☉.
— <i>Cakile</i>	—	Sea ditto	—	H. ☉.
— <i>orientalis</i>	—	Oriental ditto	—	H. ♀.
<i>Bunium Bulbocastanum</i>	—	Earth Nut	—	H. ♀.
<i>Bupthalmum arborefcens</i>	—	Tree Ox-eye	—	G. h.
— <i>frutescens</i>	—	Shrubby ditto	—	G. h.
— <i>grandiflorum</i>	—	Great flowered ditto	—	H. ♀.
— <i>helianthoides</i>	—	Sun-flower-leaved ditto	—	H. ♀.
— <i>maritimum</i>	—	Sea ditto	—	H. ♀.
— <i>salicifolium</i>	—	Willow-leaved ditto	—	H. ♀.
— <i>sericeum</i>	—	Silky ditto	—	G. h.
<i>Bupleurum angulosum</i>	—	Angular-leaved Hare's Ear	—	H. ♀.
— <i>fruticosum</i>	—	Common shrubby ditto	—	H. h.
— <i>juncum</i>	—	Linear-leaved ditto	—	H. ☉.
— <i>longifolium</i>	—	Long-leaved ditto	—	H. ♀.
— <i>petraeum</i>	—	Rock ditto	—	H. ♀.
— <i>ranunculoides</i>	—	Ranunculus-leaved ditto	—	H. ♀.
— <i>rotundifolium</i>	—	Round-leaved ditto	—	H. ☉.
— <i>stellatum</i>	—	Starry ditto	—	H. ♀.
— <i>tenuissimum</i>	—	Least ditto	—	H. ☉.
<i>Butomus umbellatus</i>	—	Flowering Rush	—	H. ♀.
<i>Buxus sempervirens</i>	—	Common Box-tree	—	H. h.
— <i>v. angustifolia</i>	—	Narrow-leaved ditto	—	H. h.
— <i>v. suffruticosa</i>	—	Dwarf ditto	—	H. h.
<i>Byttropogon canariense</i>	—	Canary Byttropogon	—	G. h.
— <i>punctatum</i>	—	Cluster-flowered ditto	—	G. h.
<i>Cacalia alpina</i>	—	Alpine Cacalia	—	H. ♀.
— <i>Anteuphorbium</i>	—	Oval-leaved ditto	—	S. h.
— <i>articulata</i>	—	Jointed-stalked ditto	—	S. h.
— <i>Ficoides</i>	—	Flat-leaved ditto	—	S. h.

Cacalia hastata —	Spear-leaved Cacalia	—	H. γ .
— Kleinia —	Oleander-leaved ditto	—	S. h .
— laciniata —	Cut-leaved ditto	—	S. h .
— papillaris —	Rough-stalked ditto	—	S. h .
— repens —	Glaucous-leaved ditto	—	S. h .
— suaveolens —	Sweet-scented ditto	—	H. γ .
Cactus cochenillifer —	Cochineal Fig	—	S. h .
— curassavicus —	Small Indian ditto	—	S. h .
— Ficus indica —	White-spined ditto	—	S. h .
— flagelliformis —	Small creeping Cereus	—	S. h .
— grandiflorus —	Great night-flowering ditto	—	S. h .
— heptagonus —	Seven-angled Torch-thistle	—	S. h .
— hexagonus —	Six-angled ditto	—	S. h .
— mamillaris —	Red-spined small Melon-thistle	—	S. h .
— v. prolifer —	White-spined small ditto	—	S. h .
— Melo-cactus —	Common ditto	—	S. h .
— Opuntia —	Common Indian Fig	—	S. h .
— pendulus —	Slender Cereus	—	S. h .
— Pereikia —	Barbadoes Gooseberry	—	S. h .
— pentagonus —	Five-angled Torch-thistle	—	S. h .
— Phyllanthus —	Spleen-wort-leaved Indian Fig	—	S. h .
— repandus —	Wavy angled Torch-thistle	—	S. h .
— Royeni —	Nine-angled ditto	—	S. h .
— spinossissimus —	Cluster-spined Indian Fig	—	S. h .
— tetragonus —	Four-angled Torch-thistle	—	S. h .
— triangularis —	Three-angled ditto	—	S. h .
— Tuna —	Yellow-spined Indian Fig	—	S. h .
Cæsalpinia brasiliensis —	Smooth Brailetto	—	S. h .
Calceolaria Fothergillii —	Fothergill's Slipperwort	—	H. γ .
— pinnata —	Winged ditto	—	H. \odot .
Calendula arvensis —	Field Marigold	—	H. \odot .
— fruticosa —	Shrubby ditto	—	G. h .
— graminifolia —	Grass-leaved ditto	—	G. h .
— hybrida —	Great Cape ditto	—	H. \odot .
— officinalis —	Common ditto	—	H. \odot .
— pluvialis —	Small Cape ditto	—	H. \odot .
— tomentosa —	Woolly ditto	—	H. \odot .
— Tragus —	Bending-stalked ditto	—	G. h .
Calla æthiopica —	Ethiopian Calla	—	G. γ .
— palustris —	Marsh ditto	—	H. γ .
Callitriche autumnalis —	Autum ^l Star-headed Chick-weed	—	H. \odot .
— verna —	Vernal ditto	—	H. \odot .
Caltha palustris —	Marsh-Marigold	—	H. γ .
Calycanthus floridus —	Long-leaved Carolina Allspice	—	H. h .
— v. ovatus —	Round-leaved ditto	—	H. h .
— præcox —	Japanese ditto	—	G. h .
Camellia japonica —	Japan Rose	—	H. h .
Campanula americana —	American Bell-flower	—	H. γ .

Campanula aurea	—	Golden Bell-flower	—	G. h.
— barbata	—	One-leaved ditto	—	H. ʒ.
— carpatica	—	Heart-leaved ditto	—	H. ʒ.
— Erinus	—	Forked ditto	—	H. ○.
— glomerata	—	Clustered ditto	—	H. ʒ.
— hederacea	—	Ivy-leaved ditto	—	H. ʒ.
— hybrida	—	Corn ditto	—	H. ○.
— latifolia	—	Broad-leaved ditto	—	H. ʒ.
— lilifolia	—	Lily ditto	—	H. ʒ.
— Lobelioides	—	Small-flowered ditto	—	H. ○.
— Medium	—	Canterbury ditto	—	H. ♂.
— mollis	—	Soft ditto	—	G. ʒ.
— nitida	—	Shining ditto	—	H. ʒ.
— patula	—	Spreading ditto	—	H. ♂.
— pentagona	—	Pentagonal ditto	—	H. ○.
— perfoliata	—	Perfoliate ditto	—	H. ○.
— persicifolia	—	Peach-leaved ditto	—	H. ʒ.
— pumila	—	Dwarf ditto	—	H. ʒ.
— v. fl. alb.	—	White-flowered dwarf ditto	—	H. ʒ.
— pyramidalis	—	Upright ditto	—	H. ʒ.
— rapunculoides	—	Nettle-leaved ditto	—	H. ʒ.
— Rapunculus	—	Rampions	—	H. ♂.
— rotundifolia	—	Round-leaved ditto	—	H. ʒ.
— speculum	—	Venus's Looking-glass	—	H. ○.
— tenella	—	Tender ditto	—	G. ʒ.
— Trachelium	—	Great Throat-wort	—	H. ʒ.
— v. flore pleno	—	Double-flowered ditto	—	H. ʒ.
— verticillata	—	Whorl-leaved Bell-flower	—	H. ʒ.
Camphorosma monspeliaca,	—	Hairy Camphorosma	—	G. h.
Canarina Campanula	—	Canary Bell-Flower	—	G. ʒ.
Canna flaccida	—	Yellow-flowered Indian Reed	—	S. ʒ.
— glauca	—	Glaucous-leaved ditto	—	S. ʒ.
— indica	—	Common ditto	—	S. ʒ.
Cannabis sativa	—	Common Hemp	—	H. ○.
Capparis spinosa	—	Prickly Caper Bush	—	G. h.
Capraria lanceolata	—	Willow-leaved Capraria	—	G. h.
— undulata	—	Wave-leaved ditto	—	G. h.
Capficum annuum	—	Long-podded Capficum	—	S. ○.
— baccatum	—	Small-fruited do. or Bird-Pepper,	—	S. h.
— frutescens	—	Shrubby Capficum	—	S. h.
— grossum	—	Heart-shaped ditto	—	S. ʒ.
Cardamine amara	—	Bitter Lady's Smock	—	H. ʒ.
— asarifolia	—	Heart-leaved ditto	—	H. ʒ.
— bellidifolia	—	Daisy-leaved ditto	—	H. ʒ.
— hirsuta	—	Hairy ditto	—	H. ○.
— impatiens	—	Impatient ditto	—	H. ○.
— parviflora	—	Small-flowered ditto	—	H. ○.

Cardamine petraea	—	Mountain Lady's-Smock	—	H. ʒ.
— pratensis	—	Common ditto	—	H. ʒ.
— trifolia	—	Three-leaved ditto	—	H. ʒ.
Cardiosperm ^m -Halicacabum,	—	Smooth-leaved Heart-Seed	—	S. ○.
Carduus acanthoides	—	Wetted Thistle	—	H. ○.
— acaulis	—	Dwarf ditto	—	H. ʒ.
— argentatus	—	Silver-leaved ditto	—	H. ○.
— canus	—	Hoary ditto	—	H. ʒ.
— Casabonæ	—	Fish ditto	—	G. ♂.
— ciliatus	—	Fringe-cupped ditto	—	H. ʒ.
— crispus	—	Curled ditto	—	H. ○.
— defloratus	—	Small-headed ditto	—	H. ʒ.
— eriophorus	—	Woolly-headed ditto	—	H. ○.
— helenioides	—	Melancholy ditto	—	H. ʒ.
— heterophyllus	—	Various-leaved ditto	—	H. ʒ.
— lanceolatus	—	Spear ditto	—	H. ♂.
— marianus	—	Milk ditto	—	H. ○.
— nutans	—	Musk ditto	—	H. ♂.
— palustris	—	Marsh ditto	—	H. ʒ.
— pycnocephalus	—	Italian ditto	—	H. ○.
— pratensis	—	Meadow ditto	—	H. ʒ.
— tataricus	—	Tartarian ditto	—	H. ʒ.
— tenuiflorus	—	Slender-flowered ditto	—	H. ʒ.
Carex ampullacea	—	Bottle Carex	—	H. ʒ.
— axillaris	—	Slender ditto	—	H. ʒ.
— arenaria	—	Sea ditto	—	H. ʒ.
— atrata	—	Black ditto	—	H. ʒ.
— canescens	—	Grey ditto	—	H. ʒ.
— cæspitosa	—	Turfy ditto	—	H. ʒ.
— clandestina	—	Hidden ditto	—	H. ʒ.
— curta	—	Short ditto	—	H. ʒ.
— digitata	—	Fingered ditto	—	H. ʒ.
— dioica	—	Small ditto	—	H. ʒ.
— distans	—	Distant-flowering ditto	—	H. ʒ.
— divisa	—	Marsh ditto	—	H. ʒ.
— divulsa	—	Grey ditto	—	H. ʒ.
— filiformis	—	Thread ditto	—	H. ʒ.
— flava	—	Yellow ditto	—	H. ʒ.
— gracilis	—	Slender ditto	—	H. ʒ.
— hirta	—	Hairy ditto	—	H. ʒ.
— incurva	—	Curved ditto	—	H. ʒ.
— intermedia	—	Middle ditto	—	H. ʒ.
— limosa	—	Creeping bog ditto	—	H. ʒ.
— muricata	—	Prickly ditto	—	H. ʒ.
— ovalis	—	Oval ditto	—	H. ʒ.
— paludosa	—	Small marsh ditto	—	H. ʒ.
— panicea	—	Pink ditto	—	H. ʒ.
— paniculata	—	Panicled ditto	—	H. ʒ.

Carex pendula	—	Great pendulous Carex	—	H. ʒ.
— præcox	—	Early-flowering ditto	—	H. ʒ.
— Pseudo-cyperus	—	Baltard Cyperus	—	H. ʒ.
— pulicaris	—	Flea Carex	—	H. ʒ.
— remota	—	Remote ditto	—	H. ʒ.
— rigida	—	Hard ditto	—	H. ʒ.
— riparia	—	Great marsh ditto	—	H. ʒ.
— stellulata	—	Starry ditto	—	H. ʒ.
— stricta	—	Upright ditto	—	H. ʒ.
— strigosa	—	Loose ditto	—	H. ʒ.
— sylvatica	—	Wood ditto	—	H. ʒ.
— teretifuscula	—	Cylindrical ditto	—	H. ʒ.
— ventricosa	—	Turgid ditto	—	H. ʒ.
— vesicaria	—	Bladder ditto	—	H. ʒ.
— vulpina	—	Great ditto	—	H. ʒ.
Carlina acaulis	—	Dwarf Carlina	—	H. ʒ.
— vulgaris	—	Common ditto	—	H. ♂.
Carpinus Betulus	—	Common Horn-Beam	—	H. ♀.
— v. incisa	—	Cut-leaved ditto	—	H. ♀.
— Ostrya	—	Hop ditto	—	H. ♀.
— virginiana	—	Flowering ditto	—	H. ♀.
Carthamus corymbosus	—	Umbelled Carthamus	—	H. ʒ.
— creticus	—	Cretan ditto	—	H. ♂.
— lanatus	—	Woolly ditto	—	H. ♂.
— salicifolius	—	Willow-leaved ditto	—	G. ♀.
— tinctorius	—	Baltard Saffron	—	H. ♂.
Carum Carui	—	Common Caraway	—	H. ♂.
Cassia auriculata	—	Eared Cassia	—	S. ♀.
— biflora	—	Two-flowered ditto	—	S. ♀.
— Fistula	—	Purging ditto	—	S. ♀.
— ligustrina	—	Privet-leaved ditto	—	S. ♀.
— marilandica	—	Maryland ditto	—	H. ʒ.
— multiglandulosa	—	Glandulous ditto	—	G. ♀.
Cassine capensis	—	Cape Cassine, or Phillyrea	—	G. ♀.
— Maurecenia	—	Great Hottentot Cherry	—	G. ♀.
Casuarina equisetifolia	—	Horse-tail Casuarina	—	G. ♀.
— stricta	—	Upright ditto	—	G. ♀.
— torulosa	—	Cork-barked ditto	—	G. ♀.
Catananche cerulea	—	Blue Catananche	—	H. ʒ.
— lutea	—	Yellow ditto	—	H. ♂.
Catechæ spinosa	—	Lily Thorn	—	S. ♀.
Caucalis Anthriscus	—	Hedge Caucalis	—	H. ♂.
— arvensis	—	Corn ditto	—	H. ♂.
— daucoides	—	Small ditto	—	H. ♂.
— leptophylla	—	Fine-leaved ditto	—	H. ♂.
— latifolia	—	Broad-leaved ditto	—	H. ♂.
— nodosa	—	Knotted ditto	—	H. ♂.
Ceanothus africanus	—	African Ceanothus	—	G. ♀.

<i>Ceanothus americanus</i>	—	American Ceanothus	—	H.	h.
<i>Cedrela odorata</i>	—	Barbadoes Bastard-cedar	—	S.	h.
<i>Celastrus buxifolius</i>	—	Box-leaved Staff-tree	—	G.	h.
— <i>Cassinoides</i>	—	Crenated ditto	—	G.	h.
— <i>Pyracanthus</i>	—	Pyracantha-leaved ditto	—	G.	h.
— <i>scandens</i>	—	Climbing ditto	—	H.	h.
<i>Celofia argentea</i>	—	Silver-spiked Celofia	—	S.	○.
— <i>castrensis</i>	—	Branched ditto	—	S.	○.
— <i>criftata</i>	—	Common Coxcomb	—	S.	○.
<i>Celsia Arcturus</i>	—	Scollop-leaved Celsia	—	G.	♂.
— <i>cretica</i>	—	Great-flowered ditto	—	G.	♂.
— <i>linearis</i>	—	Linear-leaved ditto	—	G.	h.
<i>Celtis occidentalis</i>	—	American Nettle-tree	—	H.	h.
— <i>orientalis</i>	—	Oriental ditto	—	H.	♂.
<i>Centaurea ægyptiaca</i>	—	Egyptian Centaury	—	G.	γ.
— <i>alata</i>	—	Upright Wing-stalked ditto	—	H.	γ.
— <i>alba</i>	—	White-flowered ditto	—	H.	γ.
— <i>alpina</i>	—	Alpine ditto	—	H.	γ.
— <i>aspera</i>	—	Rough-leaved ditto	—	H.	γ.
— <i>aurea</i>	—	Golden-flowered ditto	—	H.	γ.
— <i>benedicta</i>	—	Blessed Thistle	—	H.	○.
— <i>Calcitrapa</i>	—	Common Star ditto	—	H.	○.
— <i>Centaureum</i>	—	Great Centaury	—	H.	γ.
— <i>Cineraria</i>	—	White-leaved Mountain ditto	—	G.	h.
— <i>Crocodilium</i>	—	Blush ditto	—	H.	○.
— <i>crupina</i>	—	Black-seeded ditto	—	H.	○.
— <i>Cyanus</i>	—	Blue-bottle, or Corn ditto	—	H.	○.
— <i>criophora</i>	—	Woolly-headed ditto	—	H.	○.
— <i>ferox</i>	—	Formidable ditto	—	H.	♂.
— <i>galactites</i>	—	White-veined ditto	—	H.	○.
— <i>glastifolia</i>	—	Woad-leaved ditto	—	H.	γ.
— <i>jacea</i>	—	Common ditto, or Knapweed	—	H.	γ.
— <i>Isnardi</i>	—	Isnard's ditto	—	H.	γ.
— <i>Lippii</i>	—	Egyptian ditto	—	H.	○.
— <i>melitenfis</i>	—	Cluster-headed ditto	—	H.	○.
— <i>montana</i>	—	Mountain ditto	—	H.	γ.
— <i>moschata</i>	—	Purple ditto, or Sweet-Sultan	—	H.	○.
— <i>v. amberboi</i>	—	Yellow ditto	—	H.	○.
— <i>muricata</i>	—	Prickly-headed ditto	—	H.	○.
— <i>napifolia</i>	—	Turnip-leaved ditto	—	H.	○.
— <i>nigra</i>	—	Black ditto, or Knapweed	—	H.	γ.
— <i>orientalis</i>	—	Oriental ditto	—	H.	γ.
— <i>paniculata</i>	—	Panicled ditto	—	H.	♂.
— <i>phrygia</i>	—	Austrian ditto	—	H.	γ.
— <i>ragulina</i>	—	Cretan ditto	—	G.	γ.
— <i>rhapontica</i>	—	Swiss ditto	—	H.	γ.
— <i>salmantica</i>	—	Lyre-leaved ditto	—	H.	♂.
— <i>Scabiosa</i>	—	Scabious do. or Great Knapweed,	H.	γ.	

<i>Centaurea sempervirens</i>	—	Evergreen Centaury	—	—	G. ♀.
— <i>senecioides</i>	—	Groundsel-leaved ditto	—	—	H. ♂.
— <i>fibirica</i>	—	Siberian ditto	—	—	H. ♀.
— <i>ficula</i>	—	Sicilian ditto	—	—	H. ♂.
— <i>folstitialis</i>	—	St. Barnaby's ditto, or Thistle	—	—	H. ♂.
— <i>sonchifolia</i>	—	Sow-thistle-leaved ditto	—	—	H. ♀.
— <i>spinosa</i>	—	Prickly-branched ditto	—	—	G. ♀.
— <i>splendens</i>	—	Shining ditto	—	—	H. ♂.
<i>Centunculus minimus</i>	—	Small Centunculus	—	—	H. ♂.
<i>Cephalanthus occidentalis</i>	—	American Button-wood	—	—	H. ♀.
<i>Cerastium alpinum</i>	—	Alpine Cerastium	—	—	H. ♀.
— <i>aquaticum</i>	—	Water ditto	—	—	H. ♀.
— <i>arvense</i>	—	Corn ditto	—	—	H. ♀.
— <i>dichotomum</i>	—	Forked ditto	—	—	H. ♂.
— <i>dioicum</i>	—	Dioicous ditto	—	—	H. ♀.
— <i>latifolium</i>	—	Broad-leaved ditto	—	—	H. ♀.
— <i>perfoliatum</i>	—	Perfoliate ditto	—	—	H. ♂.
— <i>pumilum</i>	—	Dwarf ditto	—	—	H. ♂.
— <i>repens</i>	—	Creeping ditto	—	—	H. ♀.
— <i>semidecandrum</i>	—	Leaf ditto	—	—	H. ♂.
— <i>suffruticosum</i>	—	Suffruticose ditto	—	—	H. ♀.
— <i>tomentosum</i>	—	White ditto	—	—	H. ♀.
— <i>viscosum</i>	—	Clammy ditto	—	—	H. ♂.
— <i>vulgatum</i>	—	Common ditto	—	—	H. ♂.
— <i>umbellatum</i>	—	Umbelled ditto	—	—	H. ♂.
<i>Ceratonia filiqua</i>	—	St. John's Bread	—	—	G. ♀.
<i>Ceratophyllum demersum</i>	—	Prickly-seeded Horn-wort	—	—	H. ♀.
— <i>submersum</i>	—	Smooth-seeded ditto	—	—	H. ♀.
<i>Cerbera Thevetia</i>	—	Linear-leaved Cerbera	—	—	S. ♀.
<i>Cercis canadensis</i>	—	American Judas-Tree	—	—	H. ♀.
— <i>Siliquastrum</i>	—	European ditto	—	—	H. ♀.
<i>Cerinthe major</i>	—	Great purple Honey-wort	—	—	H. ♂.
— <i>minor</i>	—	Small ditto	—	—	H. ♂.
<i>Cestrum diurnum</i>	—	Day-scented Cestrum	—	—	S. ♀.
— <i>nocturnum</i>	—	Night-scented ditto	—	—	S. ♀.
<i>Chærophyllum aromaticum</i>	—	Aromatic Chærophyllum	—	—	H. ♀.
— <i>bulbosum</i>	—	Bulbous-rooted ditto	—	—	H. ♂.
— <i>hirsutum</i>	—	Hairy ditto	—	—	H. ♀.
— <i>sylvestre</i>	—	Common Cow-weed	—	—	H. ♀.
— <i>temulum</i>	—	Rough Chærophyllum	—	—	H. ♂.
<i>Chamærops humilis</i>	—	Dwarf Fan-Palm	—	—	S. ♀.
<i>Chara hispida</i>	—	Prickly Chara	—	—	H. ♂.
— <i>vulgaris</i>	—	Common ditto	—	—	H. ♂.
<i>Cheiranthus alpinus</i>	—	Alpine Stock	—	—	H. ♀.
— <i>annuus</i>	—	Ten-week ditto	—	—	H. ♂.
— <i>Cheiri</i>	—	Wall-flower	—	—	H. ♂.
— <i>v. fl. pleno</i>	—	Double garden ditto	—	—	H. ♂.
— <i>erysimoides</i>	—	Wild Stock	—	—	H. ♂.

Cheiranthus feneſtralis —	Cluster-leaved Stock — —	G. ♂.
— fruticulofus —	Shrubby ditto — —	H. ♂.
— helveticus —	Switzerland ditto —	H. ♀.
— ineanus —	Queen Stock-Gillyflower —	H. ♂.
— v. <i>albus</i> —	White-flowered ditto —	H. ♂.
— v. <i>coccineus</i> —	Brompton ditto —	H. ♂.
— v. <i>glaber</i> —	Wall-flower-leaved ditto —	H. ♂.
— maritimus —	Dwarf annual ditto —	H. ♂.
— mutabilis —	Changeable-flowered ditto —	G. ♀.
— ſinuatus —	Great ſea ditto —	H. ♂.
— tricufpidatus —	Trifid ditto —	H. ♂.
Chelidonium corniculatum ,	Red-horned Poppy —	H. ♂.
— Glaucium —	Yellow ditto —	H. ♀.
— hybridum —	Violet-coloured ditto —	H. ♂.
— laciniatum —	Cut-leaved Celandine —	H. ♀.
— majus —	Common ditto —	H. ♀.
Chelone glabra —	White Chelone —	H. ♀.
— obliqua —	Red ditto —	H. ♀.
Chenopodium album —	White Goose-foot —	H. ♂.
— ambroſioides —	Mexican ditto —	H. ♂.
— anthelminticum —	Shrubby ditto —	G. ♀.
— ariſtatum —	Bearded ditto —	H. ♂.
— Bonus Henricus —	Angular-leaved ditto —	H. ♀.
— Botrys —	Cut-leaved ditto —	H. ♂.
— caudatum —	Tailed ditto —	G. ♂.
— glaucum —	Oak-leaved ditto —	H. ♂.
— hybridum —	Baſtard ditto —	H. ♂.
— maritimum —	Sea ditto —	H. ♂.
— murale —	Wall ditto —	H. ♂.
— olidum —	Stinking ditto —	H. ♂.
— polyſpermum —	Round-leaved ditto, or Allſeed —	H. ♂.
— rubrum —	Red ditto —	H. ♂.
— Scoparia —	Summer Cypreſs —	H. ♂.
— urbicum —	Upright ditto —	H. ♂.
— viride —	Green Goose-foot —	H. ♂.
Cherleria ſedoides —	Stone-Crop Cherleria —	H. ♀.
Chiopanthus virginica —	Broad-leaved Fringe-tree —	H. ♀.
— v. <i>angustiſolia</i> —	Narrow-leaved ditto —	H. ♀.
Chironia baccifera —	Berry-bearing Chironia —	G. ♀.
— Centaurium —	Common Centaury —	H. ♂.
— fruteſcens —	Shrubby Chironia —	G. ♀.
— linoides —	Flax-leaved ditto —	G. ♀.
Chlora perfoliata —	Yellow-wort —	H. ♂.
Chloranthus inconſpicuus —	Tea-leaved Chloranthus —	S. ♀.
Chryſanthemum alpinum —	Alpine Chryſanthemum —	H. ♀.
— atratum —	Fleſhy-leaved ditto —	H. ♀.
— coronarium —	Common Garden ditto —	H. ♂.
— corymbofum —	Corymbſe-flowered ditto —	H. ♀.

<i>Chrysanthemum frutescens</i>	Shrubby Chrysanthemum	—	G. h.
— <i>indicum</i>	Indian ditto	— —	G. y.
— <i>italicum</i>	Italian ditto	— — —	H. y.
— <i>Leucanthemum</i>	Great Ox-eye daisy	—	H. y.
— <i>millefoliatum</i>	Yarrow-leaved Chrysanthemum	—	H. y.
— <i>montanum</i>	Mountain ditto	—	H. y.
— <i>pinnatifidum</i>	Cut-leaved ditto	— —	G. y.
— <i>segetum</i>	Common Corn ditto	—	H. o.
— <i>serotinum</i>	Creeping-rooted ditto	—	H. y.
<i>Chrysocoma biflora</i>	Two-flowered Goldy-locks	—	H. y.
— <i>cernua</i>	Small shrubby ditto	—	G. h.
— <i>Coma aurea</i>	Great shrubby ditto	—	G. h.
— <i>Linofyris</i>	German ditto	—	H. y.
<i>Chrysophyllum Cainito</i>	Broad-leaved Star-Apple	—	S. h.
<i>Chrysoplenium alternifolium</i>	Alternate-leav'd Golden Saxifrage	—	H. y.
— <i>oppositifolium</i>	Opposite-leaved ditto	—	H. y.
<i>Cicer arietinum</i>	Chick-Pea	— —	H. o.
<i>Cichorium Endivia</i>	Common Endive	—	H. o.
— <i>Intybus</i>	Wild ditto	— — —	H. y.
<i>Cicuta virofa</i>	Water Hemlock	— —	H. y.
<i>Cimicifuga foetida</i>	Fœtid Bug-bane	—	H. y.
<i>Cineraria alpina</i>	Mountain Cineraria	—	H. y.
— <i>amelloides</i>	Blue-flowered Cape Aster	—	G. h.
— <i>cruenta</i>	Purple-leaved Cineraria	—	G. y.
— <i>geifolia</i>	Kidney-leaved ditto	—	G. h.
— <i>lanata</i>	Woolly ditto	— —	G. h.
— <i>lobata</i>	Lobe-leaved ditto	— —	G. h.
— <i>maritima</i>	Sea Rag-wort	— —	H. h.
— <i>palustris</i>	Marsh Cineraria	— —	H. o.
— <i>populifolia</i>	Poplar-leaved ditto	—	G. h.
— <i>fibrica</i>	Siberian ditto	—	H. y.
<i>Circæa alpina</i>	Mountain Enchanter's Nightshade	—	H. y.
— <i>lutetiana</i>	Common ditto	—	H. y.
<i>Cissampelos capensis</i>	Cape Cissampelos	—	G. h.
— <i>smilacina</i>	Smilax-leaved ditto	—	H. h.
<i>Cissus acida</i>	Three-leaved Cissus	—	S. h.
— <i>quadrangularis</i>	Four-angled ditto	— —	S. h.
— <i>Sicyoides</i>	Heart-leaved ditto	— —	S. h.
— <i>vitiginea</i>	Vine-leaved ditto	— —	S. h.
<i>Cistus albidus</i>	White-leaved Cistus	— —	H. h.
— <i>anglicus</i>	Hairy ditto	— —	H. h.
— <i>apenninus</i>	Apennine ditto	— —	H. h.
— <i>creticus</i>	Cretan ditto	— —	G. h.
— <i>crispus</i>	Curled-leaved ditto	— —	G. h.
— <i>formosus</i>	Beautiful ditto	— —	G. h.
— <i>Fumana</i>	Heath-leaved ditto	— —	G. h.
— <i>guttatus</i>	Annual spotted-flowered ditto	—	H. o.
— <i>halimifolius</i>	Sea-purslane-leaved ditto	—	H. h.

Cistus Helianthemum	—	Yellow-flowered Dwarf Cistus	—	H. h.
— incanus	—	Hairy-leaved ditto	—	G. h.
— ladaniferus	—	Common Gum ditto	—	H. h.
— laevipes	—	Cluster-leaved ditto	—	G. h.
— laurifolius	—	Laurel-leaved ditto	—	H. h.
— ledifolius	—	Ledum-leaved ditto	—	H. ♂.
— Libanotis	—	Rosemary-leaved ditto	—	G. h.
— marifolius	—	Marum-leaved ditto	—	H. h.
— monspeliensis	—	Montpelier ditto	—	H. h.
— polifolius	—	Mountain ditto	—	H. h.
— populifolius	—	Poplar-leaved ditto	—	H. h.
— v. minor	—	Small poplar-leaved ditto	—	H. h.
— salicifolius	—	Willow-leaved ditto	—	H. ♂.
— falvifolius	—	Sage-leaved ditto	—	H. h.
— surrejanus	—	Small-flowered ditto	—	H. h.
— syriacus	—	Syrian ditto	—	G. h.
— Tuberaria	—	Plantain-leaved ditto	—	H. ♀.
— umbellatus	—	Umbelled ditto	—	H. h.
— vaginatus	—	Oblong-leaved ditto	—	G. h.
— villosus	—	Villous ditto	—	G. h.
Citharexylum quadrangulare	—	Square-stalked Fiddle-wood	—	S. h.
Citrus Aurantium	—	Orange-Tree	—	G. h.
— Medica	—	Lemon-Tree	—	G. h.
Claytonia perfoliata	—	Perfoliate Claytonia	—	H. ♂.
Clematis cirrhosa	—	Evergreen Virgin's Bower	—	H. h.
— crispa	—	Curled ditto	—	H. h.
— Flammula	—	Sweet-scented ditto	—	H. h.
— florida	—	Japan ditto	—	G. h.
— integrifolia	—	Entire-leaved ditto	—	H. ♀.
— ochroleuca	—	Yellow-flowered ditto	—	H. ♀.
— orientalis	—	Oriental ditto	—	H. h.
— recta	—	Upright ditto	—	H. ♀.
— Viorna	—	Leathery-flowered ditto	—	H. h.
— virginiana	—	Virginian ditto	—	H. h.
— Vitalba	—	Common do. or Traveller's Joy	—	H. h.
— Viticella	—	Purple ditto	—	H. h.
— v. flore pleno	—	Double Purple ditto	—	H. h.
Cleome gigantea	—	Gigantic Cleome	—	S. h.
— pentaphylla	—	Five-leaved ditto	—	S. ♂.
— spinosa	—	Prickly ditto	—	S. ♂.
— viscosa	—	Viscous ditto	—	S. ♂.
Clerodendrum fortuneatum	—	Entire-leaved Clerodendrum	—	S. h.
Clethra alnifolia	—	Alder-leaved Clethra	—	H. h.
— v. pubescens	—	Woolly Alder-leaved ditto	—	H. h.
— arborea	—	Tree ditto	—	G. h.
— paniculata	—	Panicled ditto	—	H. h.
Cliffortia cuneata	—	Wedge-leaved Cliffortia	—	G. h.
— ilicifolia	—	Ilex-leaved ditto	—	G. h.

<i>Clinopodium vulgare</i> —	Common Clinopod. or Wild Basil	H.	γ.
<i>Clusia flava</i> —	Succulent-leaved Balfam-Tree	S.	h.
<i>Chytia alternoides</i> —	Narrow-leaved Cluytia	G.	h.
— <i>polygonoides</i> , —	Knot-grafs ditto	G.	h.
— <i>pulchella</i> —	Broad-leaved ditto	G.	h.
<i>Cneorum tricoccon</i> —	Widow-Wail	G.	h.
<i>Cnicus cernuus</i> —	Siberian Cnicus	H.	γ.
— <i>oleraceus</i> —	Pale-flowered ditto	H.	γ.
<i>Cochlearia anglica</i> —	Sea Scurvy-grafs	H.	δ.
— <i>Armoracia</i> —	Horfe-Radish	H.	γ.
— <i>Coronopus</i> —	Swines-Crefs	H.	⊙.
— <i>danica</i> —	Danish Scurvy-grafs	H.	δ.
— <i>glastifolia</i> —	Woad-leaved ditto	H.	δ.
— <i>greenlandica</i> —	Greenland ditto	H.	δ.
— <i>officinalis</i> —	Common ditto	H.	δ.
<i>Coffea arabica</i> —	Coffee-Tree	S.	h.
<i>Coix Lachryma Jobi</i> —	Job's Tears	S.	γ.
<i>Colchicum autumnale</i> —	Common Meadow Saffron	H.	γ.
— <i>v. flore pleno</i> —	Double-flowerrd ditto	H.	γ.
— <i>variegatum</i> —	Variegated ditto	H.	γ.
<i>Collinsonia canadensis</i> —	Nettle-leaved Collinsonia	H.	γ.
<i>Columnnea hirsuta</i> —	Hairy Columnnea	S.	h.
<i>Colutea arborefcens</i> —	Common Bladder Senna	H.	h.
— <i>cruenta</i> —	Oriental ditto	H.	h.
— <i>frutescens</i> —	Scarlet-flowered ditto	G.	h.
— <i>perennans</i> —	Perennial ditto	G.	γ.
— <i>Pocockii</i> —	Pocock's ditto	H.	h.
<i>Comarum palustre</i> —	Marsh Cinquefoil	H.	γ.
<i>Commelina africana</i> —	African Commelina	S.	γ.
— <i>erecta</i> —	Upright Virginian ditto	H.	γ.
— <i>tuberosa</i> —	Tuberous-rooted ditto	S.	γ.
— <i>Zanonia</i> —	Gentian-leaved ditto	S.	h.
<i>Comptonia asplenifolia</i> —	Fern-leaved Gale	H.	h.
<i>Conium maculatum</i> —	Hemlock	H.	δ.
<i>Convallaria bifolia</i> —	Least Solomon's Seal	H.	γ.
— <i>japonica</i> —	Grass-leaved Lily of the Valley,	G.	γ.
— <i>majalis</i> —	Sweet-scented ditto	H.	γ.
— <i>v. flore pleno</i> —	Double-flowered ditto	H.	γ.
— <i>v. flore rubro</i> —	Red-flowered ditto	H.	γ.
— <i>multiflora</i> —	Dwarf broad Solomon's Seal	H.	γ.
— <i>Polygonatum</i> —	Common ditto	H.	γ.
— <i>racemosa</i> —	Cluster-flowered ditto	H.	γ.
— <i>stellata</i> —	Star-flowered ditto	H.	γ.
— <i>verticillata</i> —	Whorl-leaved ditto	H.	γ.
<i>Convolvulus althæoides</i> —	Silky-leaved Bind-Weed	G.	γ.
— <i>arvensis</i> —	Small ditto	H.	γ.
— <i>biflorus</i> —	Two-flowered ditto	S.	γ.
— <i>canariensis</i> —	Canary ditto	G.	h.

Convolvulus Cneorum	—	Silvery-leaved Bind-Weed	—	G. h.
— linearis	—	Upright Flax-leaved ditto	—	G. h.
— lineatus	—	Dwarf ditto	—	H. ½.
— Nil	—	Blue ditto	—	S. ①.
— prostratus	—	Prostrate ditto	—	H. ①.
— purpureus	—	Purple-flowered ditto	—	H. ①.
— v. flore incarnato	—	Flesh-coloured ditto	—	H. ①.
— Scammonia	—	Scammony ditto	—	H. ½.
— sepium	—	Great ditto	—	H. ½.
— ficulus	—	Small-flowered ditto	—	H. ①.
— Soldanella	—	Sea ditto	—	H. ½.
— speciosus	—	Broad-leaved ditto	—	S. h.
— tricolor	—	Trailing ditto, or Conv. minor	—	H. ①.
Conyza asteroides	—	Star-wort Flea-bane	—	H. ½.
— bifrons	—	Oval-leaved ditto	—	H. ½.
— candida	—	Woolly ditto	—	G. h.
— incisa	—	Ear-leaved ditto	—	G. h.
— linifolia	—	Flax-leaved ditto	—	H. ½.
— rugosa	—	St. Helena ditto	—	G. h.
— faxatilis	—	Rock ditto	—	G. h.
— squarrosa	—	Plowman's Spikenard	—	H. ♂.
Corchorus olitorius	—	Bristly-leaved Corchorus	—	S. ①.
Coreopsis alternifolia	—	Alternate-leaved Coreopsis	—	H. ½.
— aurea	—	Hemp leaved ditto	—	H. ½.
— auriculata	—	Ear-leaved ditto	—	H. ½.
— minor	—	Small ditto	—	H. ½.
— procera	—	Tall ditto	—	H. ½.
— tripteris	—	Three-leaved ditto	—	H. ½.
— verticillata	—	Whorl-leaved ditto	—	H. ½.
Coriandrum fativum	—	Common Coriander	—	H. ①.
Coriaria myrtifolia	—	Myrtle-leaved Sumach	—	H. h.
Corispermum hyssopifolium	—	Hyssop-leaved Tick-feed	—	H. ①.
Cornucopiæ cucullatum	—	Hooded Cornucopiæ	—	H. ①.
Cornus alba	—	White-berried Dog-wood	—	H. h.
— alternifolia	—	Alternate-leaved ditto	—	H. h.
— v. virescens	—	Green-twig'd alternate-leaved ditto	—	H. h.
— canadensis	—	Canadian ditto	—	H. ½.
— florida	—	Great-flowered ditto	—	H. h.
— mascula	—	Cornelian Cherry	—	H. h.
— paniculata	—	New-Holland Dog-wood	—	H. h.
— fanguinea	—	Common ditto	—	H. h.
— sericea	—	Blue-berried ditto	—	H. h.
— stricta	—	Upright ditto	—	H. h.
— suecica	—	Herbaceous ditto	—	H. ½.
Coronilla coronata	—	Crowned Coronilla	—	H. h.
— cretica	—	Cretan ditto	—	H. ①.
— Emerus	—	Scorpion Senna	—	H. h.
— glauca	—	Great shrubby Coronilla	—	G. h.

Coronilla juncea	—	Linear-leaved Coronilla	—	G. h.
— minima	—	Least ditto	—	H. y.
— securidaca	—	Hatchet Vetch	—	H. ©.
— valentina	—	Small shrubby Coronilla	—	G. h.
— varia	—	Purple ditto	—	H. y.
Corrigiola littoralis	—	Bastard Knot-grass	—	H. ©.
Corylus Avellana	—	Hazel-nut Tree	—	H. h.
— v. alba	—	White Filbert	—	H. h.
— v. glomerata	—	Clustered Nut	—	H. h.
— v. grandis	—	Cob-nut	—	H. h.
— v. rubra	—	Red Filbert	—	H. h.
— Columna	—	Constantinople Nut	—	H. h.
— rostrata	—	American Cuckold-nut	—	H. h.
Corypha umbraculifera	—	Great Fan-palm	—	S. h.
Cotula coronopifolia	—	Buck's-horn Cotula	—	G. ©.
— stricta	—	Silvery ditto	—	G. h.
— tanacetifolia	—	Tansy-leaved ditto	—	G. h.
Cotyledon hemisphærica	—	Thick-leaved Navel-wort	—	S. h.
— laciniata	—	Cut-leaved ditto	—	S. h.
— lutea	—	Yellow ditto	—	H. y.
— orbiculata	—	Oval-leaved ditto	—	S. h.
— v. foliis oblongis	—	Oblong-leaved ditto	—	S. h.
— spuria	—	Narrow-leaved ditto	—	S. h.
— Umbilicus	—	Common ditto	—	H. y.
Crambe hispanica	—	Spanish Sea-colewort	—	H. ©.
— maritima	—	Common ditto	—	H. y.
— tatarica	—	Tartarian ditto	—	H. y.
Crassula ciliata	—	Ciliated Crassula	—	S. h.
— coccinea	—	Scarlet-flowered ditto	—	S. h.
— cordata	—	Heart-leaved ditto	—	S. h.
— Cotyledon	—	Tree ditto	—	S. h.
— cultrata	—	Sharp-leaved ditto	—	S. h.
— imbricata	—	Imbricated ditto	—	S. h.
— lactea	—	Snowy ditto	—	S. h.
— marginalis	—	Margined ditto	—	S. h.
— mollis	—	Soft ditto	—	S. h.
— obliqua	—	Oblique-leaved ditto	—	S. h.
— orbicularis	—	Starry ditto	—	S. y.
— pellucida	—	Transparent ditto	—	S. h.
— perfoliata	—	Perfoliate ditto	—	S. h.
— punctata	—	Dotted ditto	—	S. h.
— ramosa	—	Branching ditto	—	S. h.
— rubens	—	Hardy annual ditto	—	H. ©.
— scabra	—	Rough-leaved ditto	—	S. h.
— spathulata	—	Crenated ditto	—	S. h.
— subulata	—	Awl-shaped ditto	—	S. h.
— tetragona	—	Square-leaved ditto	—	S. h.
Cratægus Aria	—	Common White-beam tree	—	H. h.

Crataegus Aria, v. <i>jaeica</i>	—	Swedish White-beam tree	—	H. h.
— Azarolus	—	Parley-leaved Hawthorn	—	H. h.
— coccinea	—	Great American ditto	—	H. h.
— cordata	—	Maple-leaved ditto	—	H. h.
— Crus galli	—	Common Cockspur ditto	—	H. h.
— v. <i>pyracanthifolia</i>	—	<i>Pyracantha</i> -leaved Cockspur ditto	—	H. h.
— v. <i>salicifolia</i>	—	Willow-leaved Cockspur ditto	—	H. h.
— elliptica	—	Oval-leaved ditto	—	H. h.
— glandulosa	—	Hollow-leaved ditto	—	H. h.
— monogyna	—	Common White ditto	—	H. h.
— v. <i>aurea</i>	—	Yellow-berried ditto	—	H. h.
— v. <i>plena</i>	—	Double-flowered ditto	—	H. h.
— v. <i>præcox</i>	—	Graftonbury ditto	—	H. h.
— punctata	—	Great-fruited ditto	—	H. h.
— pyrifolia	—	Pear-leaved ditto	—	H. h.
— tomentosa	—	Woolly ditto	—	H. h.
— terminalis	—	Wild Service	—	H. h.
Crepis alpina	—	Alpine Crepis, or Hawk-weed	—	H. ♂.
— aspera	—	Rough ditto	—	H. ♀.
— barbata	—	Spanish ditto	—	H. ♂.
— biennis	—	Biennial ditto	—	H. ♂.
— Dioscoridis	—	Dioscorides's ditto	—	H. ♂.
— filiformis	—	Fine-leaved ditto	—	G. ♂.
— foetida	—	Stinking ditto	—	H. ♂.
— pulchra	—	Small-flowered ditto	—	H. ♂.
— rhagadioloidea	—	Rhagadiolus-like ditto	—	H. ♂.
— rubra	—	Purple ditto	—	H. ♂.
— sibirica	—	Siberian ditto	—	H. ♀.
— tectorum	—	Smooth ditto	—	H. ♂.
Crinum americanum	—	Great American Crinum	—	S. ♀.
— asiaticum	—	Asiatic ditto	—	S. ♀.
— erubescens	—	Small ditto	—	S. ♀.
Crithmum maritimum	—	Sea Samphire	—	H. ♀.
Crocus sativus	—	Saffron Crocus	—	H. ♀.
— v. <i>vernus</i>	—	Spring ditto	—	H. ♀.
Crotalaria biflora	—	Two-flowered Crotalaria	—	S. h.
— incana	—	Hoary ditto	—	S. ♂.
— retusa	—	Wedge-leaved ditto	—	S. ♂.
Croton sebiferum	—	Poplar-ld. Croton, or Tallow-tree,	—	S. h.
— linearis	—	Willow-leaved ditto	—	S. h.
Crucianella angustifolia	—	Narrow-leaved Crucianella	—	H. ♂.
Cucubalus bacciferus	—	Berry-bearing Bladder-Campion,	—	H. ♀.
— Behen	—	Common ditto	—	H. ♀.
— Catholicus	—	Panicled ditto	—	H. h.
— italicus	—	Italian ditto	—	H. ♂.
— Otites	—	Spanish ditto	—	H. ♀.
— stellatus	—	Starry ditto	—	H. ♀.

Cucubalus tataricus	—	Hyssop-leaved Bladder-Campion,	H. ♀.
— viscosus	—	Viscous ditto	H. ♂.
Cucumis Anguria	—	Round prickly-fruited Cucumber,	S. ♂.
— Colocynthis	—	Bitter ditto, or Gourd	S. ♂.
— flexuosus	—	Snake Melon	S. ♂.
— Melo	—	Common ditto	S. ♂.
— sativus	—	Common Cucumber	H. ♂.
Cucurbita lagenaria	—	Bottle Gourd	S. ♂.
— Melopepo	—	Squash ditto	H. ♂.
— Pepo	—	Pumpkin ditto	H. ♂.
— verrucosa	—	Warted ditto	H. ♂.
Cuminum Cyminum	—	Cumin	H. ♂.
Cunila frutescens	—	Shrubby Cunila	G. h.
— mariana	—	Mint-leaved ditto	H. ♀.
— pulegioides	—	Pennyroyal-leaved ditto	H. ♂.
— thymoides	—	Thyme-leaved ditto	H. ♀.
Cupressus disticha	—	Deciduous Cupress	H. h.
— juniperoides	—	African ditto	G. h.
— pendula	—	Portugal ditto	H. h.
— sempervirens	—	Upright ditto	H. h.
— v. horizontalis	—	Male spreading ditto	H. h.
— thyoides	—	Arbor-vitæ-leaved ditto	H. h.
Curtisia faginea	—	Beech-leaved Curtisia	G. h.
Cuscuta europæa	—	Dodder	H. ♂.
Cycas revoluta	—	Narrow-leaved Cycas	S. h.
Cyclamen Coum	—	Round-leaved Cyclamen	H. ♀.
— europæum	—	Common ditto	H. ♀.
— hederæfolium	—	Ivy-leaved ditto	H. ♀.
— persicum	—	Persian ditto	G. ♀.
Cynanchum acutum	—	Acute-leaved Cynanchum	H. ♀.
Cynara Cardunculus	—	Common Chardoon	H. ♂.
— Scolymus	—	Common Artichoke	H. ♀.
Cynoglossum apenninum	—	Apennine Hound's-tongue	H. ♂.
— linifolium	—	Venus's Navel-wort	H. ♂.
— officinale	—	Officinal Hound's-tongue	H. ♂.
— Omphalodes	—	Comfrey-leaved ditto	H. ♀.
— pictum	—	Madeira ditto	H. ♂.
— sylvaticum	—	Wood ditto	H. ♂.
— virginicum	—	Virginian ditto	H. ♂.
Cynosuroides ægyptius	—	Creeping Dog's-tail grass	S. ♂.
— aureus	—	Golden-spiked ditto	H. ♂.
— cæruleus	—	Blue ditto	H. ♀.
— corocanus	—	Thick-spiked ditto	S. ♂.
— cristatus	—	Crested ditto	H. ♀.
— echinatus	—	Rough ditto	H. ♂.
— erucæformis	—	Linear-leaved ditto	H. ♂.
— indicus	—	Indian ditto	S. ♂.
Cyperus alternifolius	—	Alternate-leaved Cyperus	S. ♀.

Cyperus glaber	—	Smooth Cyperus	—	S.	γ.
— longus	—	Sweet ditto	—	H.	γ.
— strigosus	—	Bristly-spiked ditto	—	S.	γ.
— viscosus	—	Viscous ditto	—	S.	γ.
Cypripedium album	—	White-petaled Lady's-Slipper	—	H.	γ.
— Calceolus	—	Common ditto	—	H.	γ.
Cyrilla pulchella	—	Scarlet-flowered Cyrilla	—	S.	γ.
Cyrtanthus angustifolius	—	Narrow-leaved Cyrtanthus	—	G.	γ.
Cytisus argenteus	—	Silvery Cytisus	—	G.	γ.
— austriacus	—	Siberian ditto	—	H.	γ.
— Cajan	—	Pigeon-Pea	—	S.	h.
— capitatus	—	Cluster-flowered Cytisus	—	H.	h.
— divaricatus	—	Clammy ditto	—	H.	h.
— foliolosus	—	Leafy ditto	—	G.	h.
— hirsutus	—	Hairy ditto	—	H.	h.
— Laburnum	—	Common Laburnum	—	H.	h.
— v. latifolia	—	Scotch ditto	—	H.	h.
— nigricans	—	Black Cytisus	—	H.	h.
— proliferus	—	Silky ditto	—	G.	h.
— purpureus	—	Purple-flowered ditto	—	H.	h.
— sessilifolius	—	Common ditto	—	H.	h.
— Wolgaricus	—	Winged-leaved ditto	—	H.	h.
Dactylis cynosuroides	—	American Cock's-foot Grass	—	H.	γ.
— glomerata	—	Rough ditto	—	H.	γ.
— patens	—	Spreading ditto	—	H.	γ.
— stricta	—	Sea ditto	—	H.	γ.
Daphne alpina	—	Alpine Daphne	—	H.	h.
— Cneorum	—	Trailing ditto	—	H.	h.
— collina	—	Neapolitan ditto	—	H.	h.
— Gnidium	—	Flax-leaved ditto	—	H.	h.
— Laureola	—	Common Spurge-Laurel	—	H.	h.
— Mezereum	—	Common Mezereon	—	H.	h.
— v. album	—	White-flowered ditto	—	H.	h.
— odora	—	Sweet-scented Daphne	—	G.	h.
— Tartonraira	—	Silver-leaved ditto	—	H.	h.
Datisca cannabina	—	Bastard Hemp	—	H.	γ.
Datura arborea	—	Tree Thorn-Apple	—	S.	h.
— fastuosa	—	Purple ditto	—	S.	⊙.
— lavis	—	Smooth-capuled ditto	—	S.	⊙.
— Metel	—	Hairy ditto	—	S.	⊙.
— Stramonium	—	Common ditto	—	H.	⊙.
— Tatula	—	Blue ditto	—	H.	⊙.
Daucus Carota	—	Yellow garden Carrot	—	H.	♂.
— muricatus	—	Prickly-seeded ditto	—	H.	♂.
Decumara barbara	—	Climbing Decumara	—	G.	h.
Delphinium Ajacis	—	Single upright Larkspur	—	H.	⊙.
— v. flore pleno	—	Double ditto	—	H.	⊙.
— consolida	—	Branching ditto	—	H.	⊙.

Delphinium elatum	—	Common Bee Larkspur	—	H. ʒ.
— exaltatum	—	American ditto	—	H. ʒ.
— grandiflorum	—	Great-flowered ditto	—	H. ʒ.
— intermedium	—	Palmated Bee ditto	—	H. ʒ.
— puniceum	—	Scarlet-flowered ditto	—	H. ʒ.
— Staphisagria	—	Staves-aere	—	G. ♂.
Dentaria bulbifera	—	Bulb-bearing Toothwort	—	H. ʒ.
— pentaphylla	—	Five-leaved ditto	—	H. ʒ.
Dianthus arenarius	—	Sand Pink	—	H. ʒ.
— Armeria	—	Deptford ditto	—	H. ☉.
— barbatus	—	Sweet William	—	H. ʒ.
— cæsius	—	Mountain Pink	—	H. ʒ.
— carthusianorum	—	Carthusian ditto	—	H. ʒ.
— Caryophyllus	—	Clove ditto	—	H. ʒ.
— v. frutescens	—	Tree Carnation	—	G. h.
— chinensis	—	China ditto	—	H. ☉.
— deltoideus	—	Maiden ditto	—	H. ʒ.
— diminutus	—	Dwarf ditto	—	H. ʒ.
— glaucus	—	Glaucous ditto	—	H. ʒ.
— hybridus	—	Mule ditto	—	H. ʒ.
— proliferus	—	Proliferous ditto	—	H. ☉.
— pungens	—	Pungent ditto	—	H. ʒ.
— superbus	—	Superb ditto	—	H. ʒ.
— virgineus	—	Upright ditto	—	H. ʒ.
Dictamnus albus	—	White Fraxinella	—	H. ʒ.
— v. fl. rubro	—	Red ditto	—	H. ʒ.
Digitalis ambigua	—	Great Yellow Fox-Glove	—	H. ʒ.
— canariensis	—	Canary-shrubby ditto	—	G. h.
— ferruginea	—	Iron-coloured ditto	—	H. ♂.
— lutea	—	Small-yellow ditto	—	H. ʒ.
— minor	—	Least Ditto	—	H. ʒ.
— obscura	—	Willow-leaved ditto	—	H. ʒ.
— parviflora	—	Small flowered ditto	—	H. ʒ.
— purpurea	—	Purple ditto	—	H. ♂.
— Sceptrum	—	Madeira shrubby ditto	—	G. h.
Dillenia scandens	—	Climbing Dillenia	—	G. h.
Dioscorea fativa	—	Cultivated Yam	—	S. ʒ.
— villosa	—	Hairy Dioscorea	—	H. ʒ.
Diosma ciliata	—	Ciliated Diosma	—	G. h.
— capitata	—	Capitate ditto	—	G. h.
— ericoides	—	Sweet-scented ditto	—	G. h.
— hirsuta	—	Hairy ditto	—	G. h.
— imbricata	—	Imbricated ditto	—	G. h.
— lanceolata	—	Lance-leaved ditto	—	G. h.
— oppositifolia	—	Opposite-leaved ditto	—	G. h.
— uniflora	—	One-flowered ditto	—	G. h.
Diospyrus Lotus	—	European Date-Plumb	—	H. h.
— virginiana	—	American ditto	—	H. h.

<i>Dipsacus fullonum</i>	—	Fuller's Teasel	—	—	H. ♂.
— <i>laciniatus</i>	—	Cut-leaved ditto	—	—	H. ♂.
— <i>pilosus</i>	—	Small ditto	—	—	H. ♂.
— <i>sylvestris</i>	—	Wild ditto	—	—	H. ♂.
<i>Dirca palustris</i>	—	Marsh Leather-wood	—	—	H. ♀.
<i>Difandra prostrata</i>	—	Trailing Difandra	—	—	G. ♀.
<i>Dodartia orientalis</i>	—	Oriental Dodartia	—	—	H. ♀.
<i>Dodecatheon Meadia</i>	—	American Cowslip	—	—	H. ♀.
<i>Dodonæa angustifolia</i>	—	Narrow-leaved Dodonæa	—	—	G. ♀.
— <i>viscosa</i>	—	Broad-leaved ditto	—	—	S. ♀.
<i>Dolichos Lablab</i>	—	Black-seeded Dolichos	—	—	S. ♂.
— <i>lignosus</i>	—	Shrubby ditto	—	—	G. ♀.
— <i>minimus</i>	—	Small ditto	—	—	S. ♂.
— <i>purpureus</i>	—	Purple ditto	—	—	S. ♂.
— <i>Soja</i>	—	Esulent ditto	—	—	S. ♂.
— <i>urens</i>	—	Cow-itch ditto	—	—	S. ♀.
<i>Doronicum Bellidiastrum</i>	—	Daisy-leaved Leopard's-bane	—	—	H. ♀.
— <i>Pardalianches</i>	—	Great ditto	—	—	H. ♀.
— <i>plantagineum</i>	—	Plantain-leaved ditto	—	—	H. ♀.
<i>Dorstenia Contrayerva</i>	—	Contrayerva	—	—	S. ♀.
<i>Draba alpina</i>	—	Alpine Whitlow Grass	—	—	H. ♂.
— <i>Aizoides</i>	—	Sengreen ditto	—	—	H. ♀.
— <i>incana</i>	—	Hoary ditto	—	—	H. ♂.
— <i>muralis</i>	—	Wall ditto	—	—	H. ♂.
— <i>pyrenaica</i>	—	Pyrenean ditto	—	—	H. ♀.
— <i>verna</i>	—	Common ditto	—	—	H. ♂.
<i>Dracæna borealis</i>	—	Oval-leaved Dracæna	—	—	H. ♀.
— <i>Draco</i>	—	Dragon Tree	—	—	S. ♀.
— <i>ensifolia</i>	—	Sword-leaved Dracæna	—	—	S. ♀.
— <i>ferrea</i>	—	Purple ditto	—	—	S. ♀.
— <i>marginalis</i>	—	Aloe-leaved ditto	—	—	S. ♀.
<i>Dracocephalum austriacum</i>	—	Austrian Dragon's-head	—	—	H. ♀.
— <i>canariense</i>	—	Balm of Gilead	—	—	G. ♂.
— <i>canescens</i>	—	Hoary Dragon's-head	—	—	H. ♂.
— <i>denticulatum</i>	—	Toothed ditto	—	—	H. ♀.
— <i>grandiflorum</i>	—	Great-flowered ditto	—	—	H. ♀.
— <i>Moldavica</i>	—	Moldavian Balm	—	—	H. ♂.
— <i>nutans</i>	—	Nodding Dragon's-head	—	—	H. ♀.
— <i>peltatum</i>	—	Willow-leaved ditto	—	—	H. ♂.
— <i>peregrinum</i>	—	Prickly-leaved ditto	—	—	H. ♀.
— <i>Ruyfchiana</i>	—	Hyssop-leaved ditto	—	—	H. ♀.
— <i>sibiricum</i>	—	Siberian ditto	—	—	H. ♀.
— <i>thymiflorum</i>	—	Small-flowered ditto	—	—	H. ♂.
— <i>virginianum</i>	—	Virginian ditto	—	—	H. ♀.
<i>Dracontium pertusum</i>	—	Perforated Dragons	—	—	S. ♀.
<i>Drosera longifolia</i>	—	Long-leaved Sun-dew	—	—	H. ♂.
— <i>rotundifolia</i>	—	Round-leaved ditto	—	—	H. ♂.
<i>Dryas octopetala</i>	—	Mountain Dryas	—	—	H. ♀.

<i>Duranta Ellisia</i>	— —	Prickly <i>Duranta</i>	— —	S. h.
— <i>Plumieri</i>	— —	Smooth ditto	— —	S. h.
<i>Echinops Ritro</i>	— —	Small Globe Thistle	— —	H. y.
— <i>sphærocephalus</i>	— —	Great ditto	— —	H. y.
<i>Echium candicans</i>	— —	Hoary Tree Vipers Bugloss	— —	G. h.
— <i>creticum</i>	— —	Cretan ditto	— —	H. ♂.
— <i>fruticosum</i>	— —	Shrubby ditto	— —	G. h.
— <i>fastuosum</i>	— —	Superb ditto	— —	G. h.
— <i>giganteum</i>	— —	Gigantic ditto	— —	G. h.
— <i>italicum</i>	— —	Italian ditto	— —	H. ♂.
— <i>lusitanicum</i>	— —	Portugal ditto	— —	H. ♂.
— <i>orientale</i>	— —	Oriental ditto	— —	H. ♂.
— <i>plantagineum</i>	— —	Plantain-leaved ditto	— —	H. ♂.
— <i>strictum</i>	— —	Upright ditto	— —	G. h.
— <i>violaceum</i>	— —	Violet-flowered ditto	— —	H. ♂.
— <i>vulgare</i>	— —	Common ditto	— —	H. ♂.
<i>Eclipta erecta</i>	— —	Upright <i>Eclipta</i>	— —	S. ♂.
<i>Ehrharta punicea</i>	— —	Scarlet <i>Ehrharta</i>	— —	G. ♂.
<i>Elæagnus angustifolia</i>	— —	Narrow-leav'd Oleaster	— —	H. h.
<i>Elæodendrum orientale</i>	— —	Oriental <i>Elæodendrum</i>	— —	S. h.
<i>Elephantopus scaber</i>	— —	Rough-leaved Elephant's-foot	— —	S. y.
<i>Elymus arenarius</i>	— —	Sea Lyme Grass	— —	H. y.
— <i>canadensis</i>	— —	Canadian ditto	— —	H. y.
— <i>caninus</i>	— —	Dog's ditto	— —	H. y.
— <i>europæus</i>	— —	European ditto	— —	H. y.
— <i>giganteus</i>	— —	Great ditto	— —	H. y.
— <i>Hyssrix</i>	— —	Rough ditto	— —	H. ♂.
— <i>philadelphicus</i>	— —	Philadelphian ditto	— —	H. y.
— <i>sibiricus</i>	— —	Siberian ditto	— —	H. y.
— <i>virginicus</i>	— —	Virginian ditto	— —	H. y.
<i>Empetrum album</i>	— —	White Crow-berry	— —	H. h.
— <i>nigrum</i>	— —	Black ditto	— —	H. h.
<i>Ephedra distachya</i>	— —	Great Shrubby Horse-tail	— —	H. h.
— <i>monostachya</i>	— —	Small ditto	— —	H. h.
<i>Epidendrum ensifolium</i>	— —	Sword-leaved <i>Epidendrum</i>	— —	S. y.
— <i>Flos aeris</i>	— —	Chinese Air-flower	— —	S. y.
<i>Epigæa repens</i>	— —	Creeping <i>Epigæa</i>	— —	H. h.
<i>Epilobium alpinum</i>	— —	Alpine Willow-herb	— —	H. y.
— <i>angustifolium</i>	— —	Narrow-leaved ditto	— —	H. y.
— <i>angustissimum</i>	— —	Linear-leaved ditto	— —	H. y.
— <i>hirsutum</i>	— —	Hairy ditto	— —	H. y.
— <i>montanum</i>	— —	Mountain ditto	— —	H. ♂.
— <i>palustre</i>	— —	Marsh ditto	— —	H. y.
— <i>roseum</i>	— —	Rose-coloured ditto	— —	H. y.
— <i>tetragonum</i>	— —	Square-stalked ditto	— —	H. y.
— <i>villosum</i>	— —	Villous ditto	— —	H. y.
<i>Epimedium alpinum</i>	— —	Barren-wort	— —	H. y.
<i>Equisetum arvense</i>	— —	Corn Horse-tail	— —	H. y.

Equisetum fluviatile	—	River Horse-tail	—	H. ʒ.
— hyemale	—	Rough ditto	—	H. ʒ.
— limosum	—	Smooth ditto	—	H. ʒ.
— palustre	—	Marsh ditto	—	H. ʒ.
— sylvaticum	—	Wood ditto	—	H. ʒ.
Erica abietina	—	Fir Heath	—	G. h.
— arborea	—	Tree ditto	—	H. h.
— australis	—	Spanish ditto	—	G. h.
— baccans	—	Arbutus flowered ditto	—	G. h.
— Blæria	—	Blair's ditto	—	G. h.
— cassia	—	Hottentot ditto	—	G. h.
— capitata	—	Woolly ditto	—	G. h.
— ciliaris	—	Ciliated ditto	—	H. h.
— cinerea	—	Fine-leaved ditto	—	H. h.
— v. alba	—	White-flowered ditto	—	H. h.
— concinna	—	Flesh coloured ditto	—	G. h.
— conspicua	—	Long-tubed yellow ditto	—	G. h.
— corifolia	—	Slender-twigged ditto	—	G. h.
— curvisflora	—	Curve-flowered ditto	—	G. h.
— herbacea	—	Early-flowering dwarf ditto	—	H. h.
— imbricata	—	Imbricated ditto	—	G. h.
— mammosa	—	Nippled ditto	—	G. h.
— margaritacea	—	Pearl-flowered ditto	—	G. h.
— mediterranea	—	Mediterranean ditto	—	H. h.
— muscaria	—	Fly ditto	—	G. h.
— multiflora	—	Many-flowered ditto	—	H. h.
— nudiflora	—	Naked-flowered ditto	—	G. h.
— persoluta	—	Blush-coloured ditto	—	G. h.
— v. flore alba	—	White-flowered ditto	—	G. h.
— pubescens	—	Downy ditto	—	G. h.
— ramentacea	—	Slender-branched ditto	—	G. h.
— Sebana	—	Seba's ditto	—	G. h.
— scoparia	—	Small green-flowered ditto	—	G. h.
— taxifolia	—	Yew-leaved ditto	—	G. h.
— Tetralix	—	Cross-leaved ditto	—	H. h.
— v. alba	—	White-flowered cross-leaved ditto	—	H. h.
— triflora	—	Three-flowered ditto	—	G. h.
— tubiflora	—	Tube-flowered ditto	—	G. h.
— vagans	—	Cornish ditto	—	H. h.
— verticillata	—	Whorl-flowered ditto	—	G. h.
— virgata	—	Twiggy ditto	—	G. h.
— vulgaris	—	Common ditto	—	H. h.
— v. alba	—	White-flowered common ditto	—	H. h.
— urceolaris	—	Hairy flowered ditto	—	G. h.
Erigeron acre	—	Blue Erigeron	—	H. ʒ.
— alpinum	—	Alpine ditto	—	H. ʒ.
— canadense	—	Canadian ditto	—	H. ʒ.
— fœtidum	—	Stinking ditto	—	G. h.

Erigeron philadelphicum	-	Spreading Erigeron	—	H. γ.
— purpureum	—	Purple ditto	— —	H. γ.
— uniflorum	—	Dwarf ditto	— — —	H. γ.
Erinus alpinus	—	Alpine Erinus	— —	H. γ.
Eriocephalus africanus	—	Cluster-leaved Eriocephalus	—	G. β.
— racemosus	—	Silver-leaved ditto	—	G. β.
Eriophorum alpinum	—	Alpine Cotton-grass	—	H. γ.
— polytachion	—	Common ditto	— —	H. γ.
— vaginatum	—	Mountain ditto	— —	H. γ.
Erodium Chamædryoides	-	Dwarf Crane's-bill	—	G. γ.
— ciconium	—	Long-beaked ditto	—	H. ○.
— cicutarium	—	Hemlock-leaved ditto	—	H. ○.
— gruinum	—	Broad-leaved annual ditto	—	H. ○.
— incarnatum	—	Flesh-coloured ditto	—	G. β.
— malacoides	—	Mallow-leaved ditto	— —	H. ○.
— maritimum	—	Sea ditto	— —	H. ○.
— moschatum	—	Musk ditto	— —	H. ○.
— romanum	— —	Roman ditto	— —	H. ○.
— trilobatum	—	Three-lobed ditto	— —	G. γ.
Ervum Ervilia	—	Officinal Tare	— —	H. ○.
— hirsutum	—	Hairy-podded ditto	—	H. ○.
— Lens	— —	Common Lentil	— —	H. ○.
— monanthon	—	One-flowered Tare	—	H. ○.
— tetraspermum	—	Smooth-podded ditto	—	H. ○.
Eryngium alpinum	—	Alpine Eryngo	— —	H. γ.
— amethystinum	—	Amethystine ditto	—	H. γ.
— aquaticum	—	Marsh ditto	— —	H. γ.
— Bourgati	—	Cut-leaved ditto	— —	H. γ.
— campestre	—	Common ditto	— —	H. γ.
— maritimum	—	Sea ditto; or Holly	—	H. γ.
— planum	—	Flat-leaved ditto	— —	H. γ.
Erysimum Alliaria	—	Stinking hedge Mustard	—	H. γ.
— Barbarea	—	Winter Cress	— —	H. γ.
— v. flore pleno	—	Double-flowered ditto	— —	H. γ.
— Cheiranthoides	—	Treacle Mustard	— —	H. ○.
— hieracifolium	—	Hawkweed-leaved ditto	—	H. ♂.
— officinale	—	Common hedge ditto	—	H. ○.
— repandum	—	Small-flowered ditto	—	H. ○.
Erythrina herbacea	—	Herbaceous Coral-tree	—	G. γ.
Erythronium Dens Canis	-	Dog's-tooth Violet	— —	H. γ.
— v. flore albo	—	White-flowered ditto	—	H. γ.
Eucomis punctata	—	Spotted Eucomis	— —	G. γ.
— regia	— —	Tongue-leaved ditto	—	G. γ.
— undulata	—	Wave-leaved ditto	—	G. γ.
Eugenia Jambos	—	Narrow-leaved Eugenia	—	S. β.
Euonymus americanus	—	Evergreen Spindle-tree	—	H. β.
— atropurpureus	—	Purple-flowered ditto	—	H. β.
— europæus	—	Common ditto	— —	H. β.

<i>Euonymus, v. baccis albis</i>	—	<i>White berried Spindle-tree</i>	—	H. h.
— <i>latifolius</i>	—	Broad-leaved ditto	—	H. h.
— <i>verrucosus</i>	—	Warted ditto	—	H. h.
<i>Eupatorium ageratoides</i>	—	Nettle-leaved Eupatorium	—	H. y.
— <i>altissimum</i>	—	Tall ditto	—	H. y.
— <i>aromaticum</i>	—	Sweet-scented ditto	—	H. y.
— <i>cœlestinum</i>	—	Blue-flowered ditto	—	H. y.
— <i>cannabinum</i>	—	Common do. or Hemp Agrimony	—	H. y.
— <i>maculatum</i>	—	Spotted ditto	—	H. y.
— <i>perfoliatum</i>	—	Perfoliate ditto	—	H. y.
— <i>purpureum</i>	—	Purple-flowered ditto	—	H. y.
— <i>sessilifolium</i>	—	Sessile-leaved ditto	—	H. y.
<i>Euphorbia amygdaloides</i>	—	Wood Spurge	—	H. y.
— <i>v. fol. variegat.</i>	—	Striped-leaved wood ditto	—	H. y.
— <i>antiquorum</i>	—	Triangular ditto	—	S. h.
— <i>canariensis</i>	—	Canary ditto	—	S. h.
— <i>Caput Medusæ</i>	—	Great Medusa's head	—	S. h.
— <i>v. geminata</i>	—	Leaf ditto	—	S. h.
— <i>v. minor</i>	—	Small ditto	—	S. h.
— <i>carniolica</i>	—	Carniola Spurge	—	H. y.
— <i>Characias</i>	—	Red ditto	—	H. y.
— <i>Clava</i>	—	Club ditto	—	S. h.
— <i>coralloides</i>	—	Coral-stalked ditto	—	H. y.
— <i>Cyparissias</i>	—	Cypress ditto	—	H. y.
— <i>Efula</i>	—	Gromwell-leaved ditto	—	H. y.
— <i>exigua</i>	—	Dwarf ditto	—	H. ♂.
— <i>helioscopia</i>	—	Sun ditto	—	H. ♂.
— <i>heptagona</i>	—	Seven-angled ditto	—	S. h.
— <i>hypericifolia</i>	—	St. John's-wort-leaved ditto	—	S. ♂.
— <i>læta</i>	—	Mezereon-leaved ditto	—	G. h.
— <i>Lathyris</i>	—	Caper ditto	—	H. ♂.
— <i>litterata</i>	—	Lettered ditto	—	H. y.
— <i>mauritanica</i>	—	Mauritanian ditto	—	S. h.
— <i>mellifera</i>	—	Honied ditto	—	H. h.
— <i>myrsinites</i>	—	Glaucous leaved ditto	—	H. y.
— <i>nerisifolia</i>	—	Oleander-leaved ditto	—	S. h.
— <i>officinatum</i>	—	Officinal ditto	—	S. h.
— <i>palustris</i>	—	Marsh ditto	—	H. y.
— <i>Palalias</i>	—	Sea ditto	—	H. y.
— <i>Peplus</i>	—	Petty ditto	—	H. ♂.
— <i>pilosa</i>	—	Hairy ditto	—	H. y.
— <i>platyphyllos</i>	—	Broad notched-leaved ditto	—	H. ♂.
— <i>portlandica</i>	—	Portland ditto	—	H. y.
— <i>punicea</i>	—	Scarlet-flowered ditto	—	S. h.
— <i>tithymaloides, v. padifolia</i>	—	Laurel-leaved ditto	—	S. h.
— <i>verrucosa</i>	—	Warted ditto	—	H. ♂.
<i>Euphrasia odontites</i>	—	Red Eye-bright	—	H. ♂.
— <i>officinalis</i>	—	Common ditto	—	H. ♂.

Exacum viscosum	—	Viscous Exacum	—	G. h.
Fagonia cretica	—	Cretan Fagonia	—	G. ♂.
Fagus Castanea	—	Common Chestnut	—	H. h.
— ferruginea	—	American Beech-tree	—	H. h.
— pumila	—	Chinquapine Chestnut	—	H. h.
— sylvatica	—	Common Beech-tree	—	H. h.
— v. purpurea	—	Purple ditto	—	H. h.
Falckia repens	—	Creeping Falckia	—	G. ♀.
Ferraria undulata	—	Cape Ferrara	—	G. ♀.
Ferula communis	—	Common gigantic Fennel	—	H. ♀.
— Ferulago	—	Broad-leaved ditto	—	H. ♀.
— glauca	—	Glaucous ditto	—	H. ♀.
— nodiflora	—	Knotted ditto	—	H. ♀.
— tingitana	—	Tangier ditto	—	H. ♀.
Festuca bromoides	—	Barren Fescue-Grass	—	H. ♂.
— cambrica	—	Welsh ditto	—	H. ♀.
— decumbens	—	Decumbent ditto	—	H. ♀.
— duriuscula	—	Hard ditto	—	H. ♀.
— elatior	—	Tall ditto	—	H. ♀.
— fluitans	—	Flote ditto	—	H. ♀.
— glauca	—	Glaucous ditto	—	H. ♀.
— loliacea	—	Darnel ditto	—	H. ♀.
— myuros	—	Wall ditto	—	H. ♂.
— ovina	—	Sheep's ditto	—	H. ♀.
— pratensis	—	Meadow ditto	—	H. ♀.
— pinnata	—	Pinnated ditto	—	H. ♀.
— sylvatica	—	Wood ditto	—	H. ♀.
— uniglumis	—	Sea ditto	—	H. ♂.
Ficus benghalensis	—	Bengal Fig	—	S. h.
— Carica	—	Common ditto	—	H. h.
— indica	—	Indian ditto	—	S. h.
— pumila	—	Dwarf ditto	—	S. h.
— racemosa	—	Red-wooded ditto	—	S. h.
— religiosa	—	Poplar-leaved ditto	—	S. h.
— stipulata	—	Trailing ditto	—	S. h.
Filago gallica	—	Corn Cudweed	—	H. ♂.
— germanica	—	Common ditto	—	H. ♂.
— Leontopodium	—	Lion's-foot ditto	—	H. ♀.
— montana	—	Least ditto	—	H. ♂.
Forkkohlea angustifolia	—	Narrow-leaved Forkkohlea	—	S. ♂.
— tenacissima	—	Clammy ditto	—	S. ♂.
Fothergilla alnifolia	—	Broad-leaved Fothergilla	—	H. h.
— v. acuta	—	Narrow-leaved ditto	—	H. h.
Fragaria monophylla	—	One-leaved Strawberry	—	H. ♀.
— sterilis	—	Barren ditto	—	H. ♀.
— vesca	—	Wood ditto	—	H. ♀.
— v. alpina	—	Alpine ditto	—	H. ♀.
— v. ananas	—	Pine ditto	—	H. ♀.

<i>Fragaria</i> , v. <i>chiloensis</i>	—	<i>Chili Strawberry</i>	—	—	H. ʒ.
— v. <i>pratensis</i>	—	<i>Hautboy ditto</i>	—	—	H. ʒ.
— v. <i>virginiana</i>	—	<i>Scarlet ditto</i>	—	—	H. ʒ.
<i>Frankenia lævis</i>	—	<i>Smooth Frankenia</i>	—	—	H. ʒ.
— <i>pulverulenta</i>	—	<i>Dusty ditto</i>	—	—	H. ○.
<i>Fraxinus americana</i>	—	<i>White american Ash</i>	—	—	H. h.
— v. <i>nigra</i>	—	<i>Black american ditto</i>	—	—	H. h.
— <i>excelsior</i>	—	<i>Common ditto</i>	—	—	H. h.
— v. <i>crispa</i>	—	<i>Curled-leaved ditto</i>	—	—	H. h.
— v. <i>diversifolia</i>	—	<i>Various-leaved ditto</i>	—	—	H. h.
— v. <i>pendula</i>	—	<i>Weeping ditto</i>	—	—	H. h.
— v. <i>striata</i>	—	<i>Striped-bark ditto</i>	—	—	H. h.
— v. <i>variegata</i>	—	<i>Variegated ditto</i>	—	—	H. h.
— <i>Ornus</i>	—	<i>Flowering ditto</i>	—	—	H. h.
— <i>pumila</i>	—	<i>Dwarf ditto</i>	—	—	H. h.
— <i>rotundifolia</i>	—	<i>Manna ditto</i>	—	—	H. h.
<i>Fritillaria imperialis</i>	—	<i>Crown imperial</i>	—	—	H. ʒ.
— <i>Meleagris</i>	—	<i>Common Fritillaria</i>	—	—	H. ʒ.
— <i>Perfisa</i>	—	<i>Persian ditto</i>	—	—	H. ʒ.
— <i>pyrenaica</i>	—	<i>Pyrenean ditto</i>	—	—	H. ʒ.
<i>Fuchsia coccinea</i>	—	<i>Scarlet-flowered Fuchsia</i>	—	—	G. h.
<i>Fumaria capreolata</i>	—	<i>Ramping Fumitory</i>	—	—	H. ○.
— <i>cava</i>	—	<i>Hollow-rooted ditto</i>	—	—	H. ʒ.
— <i>claviculata</i>	—	<i>Climbing ditto</i>	—	—	H. ○.
— <i>Cucullaria</i>	—	<i>Naked-stalked ditto</i>	—	—	H. ʒ.
— <i>fungosa</i>	—	<i>Spongy-flowered ditto</i>	—	—	H. ♂.
— <i>lutea</i>	—	<i>Yellow-flowered ditto</i>	—	—	H. ʒ.
— <i>officinalis</i>	—	<i>Common ditto</i>	—	—	H. ○.
— <i>sempervirens</i>	—	<i>Glaucous ditto</i>	—	—	H. ○.
— <i>solida</i>	—	<i>Solid-rooted ditto</i>	—	—	H. ʒ.
— <i>spicata</i>	—	<i>Narrow-leaved ditto</i>	—	—	H. ○.
— <i>vesicaria</i>	—	<i>Bladder ditto</i>	—	—	G. ○.
<i>Galanthus nivalis</i>	—	<i>Common Snow-drop</i>	—	—	H. ʒ.
<i>Galega grandiflora</i>	—	<i>Rose-coloured Galega</i>	—	—	G. h.
— <i>officinalis</i>	—	<i>Common ditto, or Goat's-rue</i>	—	—	H. ʒ.
— v. <i> flore albo</i>	—	<i>White-flowered ditto</i>	—	—	H. ʒ.
<i>Galenia africana</i>	—	<i>African Galenia</i>	—	—	G. h.
<i>Galeopsis Galeobdolon</i>	—	<i>Yellow Dead-nettle</i>	—	—	H. ʒ.
— <i>Ladanum</i>	—	<i>Red ditto</i>	—	—	H. ○.
— <i>Tetrahit</i>	—	<i>Common ditto</i>	—	—	H. ○.
— <i>versicolor</i>	—	<i>Particoloured ditto</i>	—	—	H. ○.
— <i>villosa</i>	—	<i>Villous ditto</i>	—	—	H. ○.
<i>Galium Aparine</i>	—	<i>Cleavers, or Goose-grass</i>	—	—	H. ○.
— <i>boreale</i>	—	<i>Cross-leaved Bedstraw</i>	—	—	H. ʒ.
— <i>erectum</i>	—	<i>Upright ditto</i>	—	—	H. ʒ.
— <i>Mollugo</i>	—	<i>Great ditto</i>	—	—	H. ʒ.
— <i>montanum</i>	—	<i>Mountain ditto</i>	—	—	H. ʒ.
— <i>palustre</i>	—	<i>Marsh ditto</i>	—	—	H. ʒ.

Galium parisiense	—	Small Bedstraw	—	H. ☉.
— pusillum	—	Least ditto	—	H. ♀.
— spurium	—	Corn ditto	—	H. ☉.
— sylvaticum	—	Wood ditto	—	H. ♀.
— uliginosum	—	Bog ditto	—	H. ♀.
— verum	—	Yellow ditto	—	H. ♀.
Gardenia florida	—	Cape Jasmine	—	S. ♀.
— Thunbergia	—	Starry Gardenia	—	S. ♀.
Garidella Nigellastrum	—	Fennel-leaved Garidella	—	H. ☉.
Gaura biennis	→	Biennial Gaura	—	H. ♂.
— mutabilis	—	Changeable-flowered ditto	—	H. ♂.
Genista anglica	—	Petty Whin	—	H. ♀.
— canariensis	—	Canary Genista, or Broom	—	G. ♀.
— candicans	—	Hoary ditto	—	G. ♀.
— florida	—	Spanish Dyer's ditto	—	H. ♀.
— germanica	—	German ditto	—	H. ♀.
— hispanica	—	Dwarf Prickly ditto	—	H. ♀.
— linifolia	—	Flax-leaved ditto	—	G. ♀.
— pilosa	—	Hairy ditto	—	H. ♀.
— sagittalis	—	Jointed ditto	—	H. ♀.
— sibirica	—	Siberian ditto	—	H. ♀.
— tinctoria	—	Common Dyer's ditto	—	H. ♀.
— triquetra	—	Triangular ditto	—	H. ♀.
Gentiana acaulis	—	Dwarf Gentian, or Gentanella	—	H. ♀.
— asclepiadea	—	Swallow-wort-leaved ditto	—	H. ♀.
— cruciata	—	Cross-wort ditto	—	H. ♀.
— lutea	—	Yellow ditto	—	H. ♀.
— Pneumonanthe	—	Marsh ditto	—	H. ♀.
— Saponaria	—	Soap-wort-leaved ditto	—	H. ♀.
Geranium aconitifolium	—	Aconite-leaved Crane's-bill	—	H. ♀.
— anemonefolium	—	Smooth ditto	—	G. ♀.
— angulosum	—	Angular-stalked ditto	—	H. ♀.
— argenteum	—	Silver-leaved ditto	—	H. ♀.
— columbinum	—	Long-stalked ditto	—	H. ☉.
— dissectum	—	Jagged-leaved ditto	—	H. ☉.
— incanum	—	Hoary ditto	—	G. ♀.
— lancastriense	—	Lancaster ditto	—	H. ♀.
— lividum	—	Wrinkled-leaved ditto	—	H. ♀.
— lucidum	—	Shining-leaved ditto	—	H. ☉.
— macrorrhizum	—	Long-rooted ditto	—	H. ♀.
— maculatum	—	Spotted ditto	—	H. ♀.
— molle	—	Soft ditto	—	H. ☉.
— nodosum	—	Knotty ditto	—	H. ♀.
— palustre	—	Marsh ditto	—	H. ♀.
— phæum	—	Black-flowered ditto	—	H. ♀.
— pratense	—	Meadow ditto	—	H. ♀.
— v. flore albo	—	White-flowered Meadow ditto	—	H. ♀.

Geranium parviflorum	—	Small-flowered Crane's-bill	—	H. ☉.
— pyrenaicum	—	Mountain ditto	—	H. ♀.
— reflexum	—	Reflexed-flowered ditto	—	H. ♀.
— robertianum	—	Stinking ditto, or Herb-robert	—	H. ☉.
— v. flore albo	—	White-flowered ditto	—	H. ☉.
— rotundifolium	—	Round-leaved ditto	—	H. ☉.
— sanguineum	—	Bloody ditto	—	H. ♀.
— saxatile	—	Stone ditto	—	H. ☉.
— sibiricum	—	Siberian ditto	—	H. ♀.
— striatum	—	Striped-flowered ditto	—	H. ♀.
— sylvaticum	—	Wood ditto	—	H. ♀.
— tuberosum	—	Tuberous-rooted ditto	—	H. ♀.
Geropogon glabrum	—	Smooth Geropogon	—	H. ☉.
Geum canadense	—	Canada Avens	—	H. ♀.
— hybridum	—	Bastard ditto	—	H. ♀.
— intermedium	—	Intermediate ditto	—	H. ♀.
— montanum	—	Mountain ditto	—	H. ♀.
— potentilloides	—	Siberian ditto	—	H. ♀.
— reptans	—	Creeping ditto	—	H. ♀.
— rivale	—	Water ditto	—	H. ♀.
— strictum	—	Upright ditto	—	H. ♀.
— urbanum	—	Common ditto	—	H. ♀.
Gladiolus angustus	—	Narrow-leaved Corn-flag	—	G. ♀.
— byzantinus	—	Constantinopolitan ditto	—	H. ♀.
— blandus	—	Blush-coloured ditto	—	G. ♀.
— Cardinalis	—	Superb ditto	—	G. ♀.
— communis	—	Common Red ditto	—	H. ♀.
— flabelliformis	—	Fan-leaved ditto	—	G. ♀.
— plicatus	—	Hairy ditto	—	G. ♀.
— securiger	—	Copper-coloured ditto	—	G. ♀.
— tristis	—	Square-stalked ditto	—	G. ♀.
Glaux maritima	—	Sea Milkwort	—	H. ♀.
Glechoma hederacea	—	Ground Ivy	—	H. ♀.
Gleditsia triacanthos	—	Three-thorned Acacia	—	H. ♀.
— v. monosperma	—	Single-seeded ditto	—	H. ♀.
— v. bertrida	—	Strong-spined ditto	—	H. ♀.
Globularia cordifolia	—	Heart-leaved Globularia	—	H. ♀.
— longifolia	—	Long-leaved ditto	—	G. ♀.
— nudicaulis	—	Naked-stalked ditto	—	H. ♀.
— vulgaris	—	Common ditto	—	H. ♀.
Gloriosa superba	—	Superb Lily	—	S. ♀.
Gloxinia maculata	—	Spotted Gloxinia	—	S. ♀.
Glycine Apios	—	Tuberous-rooted Glycine	—	H. ♀.
— bimaculata	—	Purple-flowered ditto	—	G. ♀.
— bituminosa	—	Clammy ditto	—	G. ♀.
— coccinea	—	Scarlet-flowering ditto	—	G. ♀.
— frutescens	—	Shrubby ditto	—	H. ♀.
— rubicunda	—	Dingy-flowered ditto	—	G. ♀.

<i>Glycyrrhiza echinata</i>	—	Prickly-headed Liquorice	—	H.	γ.
— <i>glabra</i>	—	Common ditto	—	H.	γ.
<i>Gnaphalium arborescens</i>	—	Tree Everlasting	—	G.	h.
— <i>congestum</i>	—	Crimson ditto	—	G.	h.
— <i>crassifolium</i>	—	Thick-leaved ditto	—	G.	h.
— <i>cymosum</i>	—	Branching ditto	—	G.	γ.
— <i>dioicum</i>	—	Mountain ditto	—	H.	γ.
— <i>ericoides</i>	—	Heath-leaved ditto	—	G.	h.
— <i>foetidum</i>	—	Strong-scented ditto	—	H.	δ.
— <i>glomeratum</i>	—	Cluster-flowered ditto	—	G.	γ.
— <i>grandiflorum</i>	—	Great-flowered ditto	—	G.	h.
— <i>ignescens</i>	—	Red-flowered ditto	—	G.	h.
— <i>luteo-album</i>	—	Jersey Cudweed	—	H.	○.
— <i>margaritaceum</i>	—	American Everlasting, or ditto	—	H.	γ.
— <i>odoratissimum</i>	—	Sweet-scented ditto	—	G.	h.
— <i>orientale</i>	—	Narrow-leaved Eastern ditto	—	G.	h.
— <i>plantagineum</i>	—	Plantain-leaved ditto	—	H.	γ.
— <i>Stoechas</i>	—	Common-shrubby ditto	—	H.	h.
— <i>sylvaticum</i>	—	Wood ditto	—	H.	δ.
— <i>uliginosum</i>	—	Marsh ditto	—	H.	○.
<i>Gnidia simplex</i>	—	Flax-leaved Gnidia	—	G.	h.
<i>Gomphrena globosa</i>	—	Annual Globe-Amaranthus	—	S.	○.
— <i>perennis</i>	—	Perennial ditto	—	S.	γ.
<i>Gordonia Lasianthus</i>	—	Smooth Loblolly-Bay	—	G.	h.
— <i>pubescens</i>	—	Pubescent ditto	—	H.	h.
<i>Gorteria ciliaris</i>	—	Ciliated Gorteria	—	G.	h.
— <i>fruticosa</i>	—	Shrubby ditto	—	G.	h.
— <i>rigens</i>	—	Great-flowered ditto	—	G.	γ.
— <i>squarrosa</i>	—	Cobweb ditto	—	G.	h.
<i>Gratiola officinalis</i>	—	Hedge Hyssop	—	H.	γ.
<i>Grewia orientalis</i>	—	Oriental Grewia	—	G.	h.
<i>Guajacum officinale</i>	—	Officinal Guajacum	—	S.	h.
<i>Gualtheria procumbens</i>	—	Trailing Gualtheria	—	H.	h.
<i>Guilandina Bonduc</i>	—	Yellow Bonduc, or Nicker-Tree	—	S.	h.
— <i>dioica</i>	—	Hardy ditto	—	H.	h.
<i>Gunnera perperna</i>	—	Marsh-marigold-leaved Gunnera	—	G.	γ.
<i>Gypsophila muralis</i>	—	Wall Gypsophila	—	H.	δ.
— <i>paniculata</i>	—	Panicled ditto	—	H.	γ.
— <i>prostrata</i>	—	Trailing ditto	—	H.	γ.
— <i>repens</i>	—	Creeping ditto	—	H.	γ.
— <i>Saxifraga</i>	—	Small ditto	—	H.	γ.
— <i>viscosa</i>	—	Clammy ditto	—	H.	○.
<i>Hæmanthus coccineus</i>	—	Scarlet Blood-flower	—	S.	γ.
— <i>multiflorus</i>	—	Many-flowered ditto	—	S.	γ.
— <i>punicus</i>	—	Wave-leaved ditto	—	S.	γ.
— <i>toxicarius</i>	—	Fan-leaved ditto	—	S.	γ.
<i>Haleisia diptera</i>	—	Two-angled-fruited Snowdrop-tree	—	H.	h.
— <i>tetraptera</i>	—	Four-angled ditto	—	H.	h.

Halleria lucida	—	African Fly-honeyfuckle	—	G. h.
Haloragis Cercodia	—	Whorl-flowered Haloragis	—	G. h.
Hamamelis virginica	—	Witch Hazel	—	H. h.
Hebenfretia dentata	—	Dentated Hebenfretia	—	G. h.
Hedera Helix	—	Common Ivy	—	H. h.
— v. fol. variegat.	—	Striped-leaved ditto	—	H. h.
— quinquefolia	—	Five-leaved ditto	—	H. h.
Hedysarum alpinum	—	Alpine Hedysarum	—	H. y.
— angustifolium	—	Narrow-leaved ditto	—	H. y.
— canadense	—	Canada ditto	—	H. y.
— Caput-galli	—	Cock's-head ditto	—	H. o.
— coronarium	—	French Honey-fuckle	—	H. y.
— gyrans	—	Moving Plant	—	S. s.
— obscurum	—	Small Hedysarum	—	H. y.
— Onobrychis	—	St. Foin	—	H. y.
— strobiliferum	—	Strobile-bearing Hedysarum	—	S. h.
Helenium autumnale	—	Smooth Helenium	—	H. y.
Helianthus altissimus	—	Tall Sun-flower	—	H. y.
— annuus	—	Common ditto	—	H. o.
— decapetalus	—	Ten-petal'd ditto	—	H. y.
— divaricatus	—	Rough-leaved ditto	—	H. y.
— giganteus	—	Gigantic ditto	—	H. s.
— multiflorus	—	Many-flowered Perennial ditto	—	H. y.
— v. flore pleno	—	Double-flowered Perennial ditto	—	H. y.
— tuberosus	—	Jerusalem Artichoke	—	H. y.
Heliconia Bihai	—	Bastard Plantain	—	S. y.
Heliotropium europæum	—	European Turnsole	—	H. o.
— indicum	—	Indian ditto	—	S. o.
— peruvianum	—	Peruvian ditto, or Heliotrope	—	G. h.
Helleborus fœtidus	—	Fœtid Hellebore, or Bear's-foot	—	H. y.
— hyemalis	—	Winter ditto, or Aconite	—	H. y.
— lividus	—	Great Three-leaved ditto	—	H. y.
— niger	—	Black ditto, or Christmas Rose	—	H. y.
— trifolius	—	Small three-leaved ditto	—	H. y.
— viridis	—	Green ditto	—	H. y.
Helonias asphodeloides	—	Grass-leaved Helonias	—	H. y.
— bullata	—	Spear-leaved ditto	—	H. y.
Hemerocallis flava	—	Yellow Day-Lily	—	H. y.
— fulva	—	Copper-coloured ditto	—	H. y.
Heracleum angustifolium	—	Narrow-leaved Cow Parsnep	—	H. y.
— austriacum	—	Austrian ditto	—	H. y.
— Sphondylium	—	Common ditto	—	H. y.
Hermannia alnifolia	—	Alder-leaved Hermannia	—	G. h.
— althæifolia	—	Marshmallow-leaved ditto	—	G. h.
— candicans	—	White ditto	—	G. h.
— denudata	—	Smooth ditto	—	G. h.
— diffusa	—	Trailing ditto	—	G. h.
— grossularifolia	—	Gooseberry-leaved ditto	—	G. h.

Hermannia hyssopifolia —	Hyssop-leaved Hermannia —	G. h.
— <i>lavandulifolia</i> —	Lavender-leaved ditto —	G. h.
— <i>odorata</i> —	Sweet-scented ditto —	G. h.
— <i>plicata</i> —	Plaited-leaved ditto —	G. h.
— <i>salvifolia</i> —	Sage-leaved ditto —	G. h.
Herniaria glabra —	Smooth Rupture-wort —	H. y.
— <i>hirsuta</i> —	Hairy ditto —	H. o.
— <i>lenticulata</i> —	Duck-weed-leaved ditto —	H. o.
Hesperis africana —	African Rocket —	H. o.
— <i>matronalis</i> —	Single-garden ditto —	H. y.
— <i>triflis</i> —	Night-smelling ditto —	H. o.
Heuchera americana —	American Heuchera —	H. y.
Hibiscus cannabinus —	Hemp-leaved Hibiscus —	S. o.
— <i>Manihot</i> —	Palmated-leaved ditto —	S. h.
— <i>mutabilis</i> —	Changeable Rose ditto —	S. h.
— <i>v. flore pleno</i> —	<i>Double-flowered ditto</i> —	S. h.
— <i>populneus</i> —	Poplar-leaved ditto —	S. h.
— <i>præmorsus</i> —	Round-leaved shrubby ditto —	G. h.
— <i>Rosa sinensis</i> —	China-rose ditto —	S. h.
— <i>v. flore pleno</i> —	<i>Double-flowering ditto</i> —	S. h.
— <i>syriacus</i> —	Purple Althæa frutex —	H. h.
— <i>v. fol. variegatis</i> —	<i>Striped-leaved ditto</i> —	H. h.
— <i>v. flore rub.</i> —	<i>Red-flowered ditto</i> —	H. h.
— <i>v. flore alb.</i> —	<i>White-flowered ditto</i> —	H. y.
— <i>v. flore variegat.</i> —	<i>Striped-flowered ditto</i> —	H. h.
Trionum —	Bladder Ketmia —	H. o.
Hieracium albidum —	White-leaved Hawkweed —	H. y.
— <i>alpinum</i> —	Alpine ditto —	H. y.
— <i>amplexicaule</i> —	Heart-leaved ditto —	H. y.
— <i>aurantiacum</i> —	Orange-flowered ditto —	H. y.
— <i>Auricula</i> —	Narrow-leaved ditto —	H. y.
— <i>cerinthoides</i> —	Honey-wort ditto —	H. y.
— <i>cymosum</i> —	Small-flowered ditto —	H. y.
— <i>dubium</i> —	Creeping ditto —	H. y.
— <i>molle</i> —	Soft-leaved ditto —	H. y.
— <i>murorum</i> —	Wall ditto —	H. y.
— <i>paludosum</i> —	Marsh ditto —	H. y.
— <i>Pilosella</i> —	Mouse-ear ditto —	H. y.
— <i>porrifolium</i> —	Leek-leaved ditto —	H. y.
— <i>prenanthoides</i> —	Hairy ditto —	H. y.
— <i>fabaudum</i> —	Shrubby ditto —	H. y.
— <i>sprengerianum</i> —	Branched ditto —	H. y.
— <i>Taraxaci</i> —	Dandelion-leaved ditto —	H. y.
— <i>umbellatum</i> —	Umbelled ditto —	H. y.
— <i>undulatum</i> —	Wave-leaved ditto —	H. y.
— <i>villosum</i> —	Villous ditto —	H. y.
Hippia frutescens —	Shrubby Hippia —	G. h.
Hippocrepis balcarica —	Shrubby Horse-shoe Vetch —	G. h.

<i>Hippocrepis comosa</i>	—	Turfy Horse-shoe Vetch	—	H.	γ.
— <i>multifloruosa</i>	—	Many-podded ditto	—	H.	⊙.
— <i>unifloruosa</i>	—	Single-podded ditto	—	H.	⊙.
<i>Hippophae rhamnoides</i>	—	Sea Buck-thorn	—	H.	h.
<i>Hippuris vulgaris</i>	—	Mare's-tail	—	H.	γ.
<i>Holcus lanatus</i>	—	Woolly Holcus, or Soft Grass	—	H.	γ.
— <i>mollis</i>	—	Creeping ditto	—	H.	γ.
— <i>odoratus</i>	—	Sweet-scented ditto	—	H.	γ.
— <i>saccharatus</i>	—	Yellow-seeded ditto	—	S.	⊙.
— <i>Sorghum</i>	—	Indian Millet	—	S.	♂.
— <i>spicatus</i>	—	Spiked ditto	—	S.	♂.
<i>Hordeum distichon</i>	—	Common Barley	—	H.	⊙.
— <i>hexastichon</i>	—	Winter ditto	—	H.	⊙.
— <i>jubatum</i>	—	Long-bearded ditto	—	H.	♂.
— <i>maritimum</i>	—	Sea ditto	—	H.	⊙.
— <i>murinum</i>	—	Wall ditto	—	H.	⊙.
— <i>pratense</i>	—	Meadow ditto	—	H.	γ.
— <i>sylvaticum</i>	—	Wood ditto	—	H.	γ.
— <i>vulgare</i>	—	Spring ditto	—	H.	⊙.
— <i>zeocriton</i>	—	Battledore ditto	—	H.	⊙.
<i>Hottonia palustris</i>	—	Water-Violet	—	H.	γ.
<i>Houstonia cærulea</i>	—	Blue-flowered Houstonia	—	H.	γ.
<i>Humulus Lupulus</i>	—	Hop	—	H.	γ.
<i>Hura crepitans</i>	—	Sand-box Tree	—	S.	h.
<i>Hyacinthus Botryoides</i>	—	Blue-grape Hyacinth	—	H.	γ.
— <i>v. flore albo</i>	—	White-grape ditto	—	H.	γ.
— <i>cernuus</i>	—	Drooping ditto	—	H.	γ.
— <i>comosus</i>	—	Purple Grape ditto	—	H.	γ.
— <i>monstrosus</i>	—	Feathered ditto	—	H.	γ.
— <i>Muscari</i>	—	Musk ditto	—	H.	γ.
— <i>non scriptus</i>	—	Common ditto, or Hare-bells	—	H.	γ.
— <i>v. flore rubro</i>	—	Red-flowered ditto	—	H.	γ.
— <i>v. flore albo</i>	—	White-flowered ditto	—	H.	γ.
— <i>orientalis</i>	—	Garden Hyacinth	—	H.	γ.
— <i>v. flore pleno</i>	—	Double-flowered ditto	—	H.	γ.
— <i>racemosus</i>	—	Clustered Grape ditto	—	H.	γ.
<i>Hydrangea arborescens</i>	—	Shrubby Hydrangea	—	H.	h.
— <i>glauca</i>	—	Glaucous ditto	—	H.	h.
— <i>hortensis</i>	—	Changeable ditto	—	G.	h.
<i>Hydrocharis Morfus ranæ</i>	—	Frog-bit	—	H.	γ.
<i>Hydrocotyle asiatica</i>	—	African Penny-wort	—	G.	γ.
— <i>vulgaris</i>	—	Common Marsh ditto	—	H.	γ.
<i>Hydrophyllum canadense</i>	—	Canadian Water Leaf	—	H.	γ.
— <i>virginicum</i>	—	Virginian ditto	—	H.	γ.
<i>Hyoscyamus albus</i>	—	White Henbane	—	H.	⊙.
— <i>aureus</i>	—	Golden ditto	—	G.	h.
— <i>niger</i>	—	Black ditto	—	H.	♂.
— <i>phytaloides</i>	—	Purple-flowered ditto	—	H.	γ.

<i>Hyoscyamus Scopolia</i>	—	Nightshade-leaved Henbane	—	H. ʒ.
<i>Hyosieris cretica</i>	—	Cretan Hyosieris	—	H. ☉.
— <i>foetida</i>	—	Stinking ditto	—	H. ʒ.
— <i>Hedypnois</i>	—	Branching ditto	—	H. ☉.
— <i>lucida</i>	—	Shining ditto	—	H. ʒ.
— <i>minima</i>	—	Least ditto	—	H. ♂.
— <i>radiata</i>	—	Starry ditto	—	H. ʒ.
<i>Hypocoum procumbens</i>	—	Procumbent Hypocoum	—	H. ☉.
<i>Hypericum Androsæmum</i>	—	Common Tuffan	—	H. h.
— <i>balearicum</i>	—	Warted St. John's-wort	—	G. h.
— <i>calycinum</i>	—	Great-flowered ditto	—	H. h.
— <i>canariense</i>	—	Canary ditto	—	G. h.
— <i>Coris</i>	—	Heath-leaved ditto	—	G. h.
— <i>crispum</i>	—	Curled-leaved ditto	—	G. ʒ.
— <i>elatum</i>	—	Upright ditto	—	H. h.
— <i>elodes</i>	—	Marsh ditto	—	H. ʒ.
— <i>floribundum</i>	—	Many-flowered ditto	—	G. h.
— <i>hircinum</i>	—	Common Stinking ditto	—	H. h.
— <i>v. minus</i>	—	Small Stinking ditto	—	H. h.
— <i>hirsutum</i>	—	Hairy ditto	—	H. ʒ.
— <i>humifusum</i>	—	Trailing ditto	—	H. ʒ.
— <i>monogynum</i>	—	Chinese ditto	—	G. h.
— <i>montanum</i>	—	Mountain ditto	—	H. ʒ.
— <i>olympicum</i>	—	Olympian ditto	—	H. h.
— <i>perforatum</i>	—	Perforated ditto	—	H. ʒ.
— <i>prolificum</i>	—	Proliferous ditto	—	H. h.
— <i>pulchrum</i>	—	Upright ditto	—	H. ʒ.
— <i>quadrangulum</i>	—	Square-stalked ditto	—	H. ʒ.
<i>Hypochæris glabra</i>	—	Smooth Hypochæris	—	H. ☉.
— <i>maculata</i>	—	Spotted ditto	—	H. ʒ.
— <i>radicata</i>	—	Long-rooted ditto	—	H. ʒ.
<i>Hypoxis erecta</i>	—	Upright Hypoxis	—	G. ʒ.
<i>Hyssopus Lophanthus</i>	—	Mint-leaved Hyssop	—	H. ʒ.
— <i>Nepetoides</i>	—	Square-stalked ditto	—	H. ʒ.
— <i>officinalis</i>	—	Common ditto	—	H. h.
<i>Jasione montana</i>	—	Sheep's-scabious	—	H. ☉.
<i>Jasminum azoricum</i>	—	Azorian Jasmine	—	G. h.
— <i>fruticans</i>	—	Common Yellow ditto	—	H. h.
— <i>glaucum</i>	—	Glaucous-leaved ditto	—	G. h.
— <i>grandiflorum</i>	—	Catalonian ditto	—	G. h.
— <i>humile</i>	—	Italian Yellow ditto	—	H. h.
— <i>odoratissimum</i>	—	Yellow Indian ditto	—	G. h.
— <i>officinale</i>	—	Common White ditto	—	H. h.
— <i>Sambac</i>	—	Arabian ditto	—	S. h.
<i>Jatropha multifida</i>	—	French Physic-nut	—	S. h.
<i>Iberis amara</i>	—	White Candy-tuft	—	H. ☉.
— <i>v. grandiflora</i>	—	Rocket ditto	—	H. ☉.
— <i>nudicaulis</i>	—	Naked-stalked ditto	—	H. ☉.

<i>Iberis pinnata</i>	— —	Wing-leaved Candy-tuft	— —	H. ♂.
— <i>faxatilis</i>	— —	Stone ditto,	— —	H. ♀.
— <i>semperflorens</i>	— —	Broad-leaved Evergreen ditto	— —	G. ♀.
— <i>sempervirens</i>	— —	Narrow-leaved Evergreen ditto	— —	H. ♀.
— <i>umbellata</i>	— —	Purple ditto	— —	H. ♂.
<i>Ilex Aquifolium</i>	— —	Common Holly	— —	H. ♀.
— <i>v. heterophylla</i>	— —	Various-leaved ditto	— —	H. ♀.
— <i>v. crassifolia</i>	— —	Thick-leaved ditto	— —	H. ♀.
— <i>v. recurva</i>	— —	Slender ditto	— —	H. ♀.
— <i>v. ferox</i>	— —	Hedge-hog ditto	— —	H. ♀.
— <i>Cassine</i>	— —	Broad-leaved Dahoon ditto	— —	H. ♀.
— <i>v. angustifolia</i>	— —	Narrow-leaved ditto	— —	H. ♀.
— <i>v. minima</i>	— —	Small ditto	— —	H. ♀.
— <i>opaca</i>	— —	Carolina ditto	— —	H. ♀.
— <i>Perado</i>	— —	Thick-leaved smooth ditto	— —	G. ♀.
— <i>vomitaria</i>	— —	South-sea Tea	— —	H. ♀.
<i>Illecebrum seffile</i>	— —	Seffile-flowered Illecebrum	— —	S. ♂.
— <i>verticillatum</i>	— —	Whorled ditto	— —	H. ♂.
<i>Illicium floridanum</i>	— —	Red-flowered Aniseed Tree	— —	G. ♀.
<i>Impatiens Balsamina</i>	— —	Garden Balsam	— —	S. ♂.
— <i>Noli me tangere</i>	— —	Touch me not	— —	H. ♂.
<i>Imperatoria Ostruthium</i>	— —	Common Master-wort	— —	G. ♀.
<i>Indigofera candidans</i>	— —	White Indigo	— —	G. ♀.
— <i>cytisoides</i>	— —	Angular-stalked ditto	— —	G. ♀.
— <i>psoraloides</i>	— —	Long-spiked ditto	— —	G. ♀.
— <i>galegiformis</i>	— —	Goats-rue-leaved ditto	— —	G. ♀.
<i>Inula æstuans</i>	— —	Primrose-leaved Flea-bane	— —	H. ♀.
— <i>crithmoides</i>	— —	Trifid ditto	— —	H. ♀.
— <i>dysenterica</i>	— —	Middle ditto	— —	H. ♀.
— <i>Helenium</i>	— —	Elecampane	— —	H. ♀.
— <i>hirta</i>	— —	Hairy Inula	— —	H. ♀.
— <i>pulicaria</i>	— —	Small ditto	— —	H. ♂.
— <i>squarrosa</i>	— —	Net-leaved ditto	— —	H. ♀.
— <i>salicina</i>	— —	Willow-leaved ditto	— —	H. ♀.
— <i>suaveolens</i>	— —	Woolly-leaved ditto	— —	H. ♀.
<i>Ipomœa coccinea</i>	— —	Scarlet-flowered Ipomœa	— —	H. ♂.
— <i>Quamoclit</i>	— —	Wing-leaved ditto	— —	S. ♂.
<i>Iris biflora</i>	— —	Two-flowered Iris	— —	H. ♀.
— <i>chinensis</i>	— —	China ditto	— —	H. ♀.
— <i>cristata</i>	— —	Crested ditto	— —	H. ♀.
— <i>fœtida</i>	— —	Stinking ditto, or Gladwin	— —	H. ♀.
— <i>florentina</i>	— —	Florentine ditto	— —	H. ♀.
— <i>germanica</i>	— —	German ditto	— —	H. ♀.
— <i>graminea</i>	— —	Grass-leaved ditto	— —	H. ♀.
— <i>halophila</i>	— —	Long-leaved ditto	— —	H. ♀.
— <i>hydrophylla</i> *	— —	Broad-leaved Bulbous Iris	— —	H. ♀.
— <i>lurida</i>	— —	Dingy ditto	— —	H. ♀.

* Curtis.

<i>Iris oehroleuca</i>	—	Tall Iris	—	H.	γ.
— <i>pavonia</i>	—	Peacock ditto	—	S.	γ.
— <i>perfica</i>	—	Persian ditto	—	H.	γ.
— <i>Pseud-Acorus</i>	—	Yellow ditto, or Flower-de-Luce	—	H.	γ.
— <i>pumila</i>	—	Dwarf ditto	—	H.	γ.
— <i>sambucina</i>	—	Elder-scented ditto	—	H.	γ.
— <i>fibrica</i>	—	Siberian ditto	—	H.	γ.
— <i>spuria</i>	—	Spurious ditto	—	H.	γ.
— <i>squalens</i>	—	Brown-flowered ditto	—	H.	γ.
— <i>susiana</i>	—	Chalcedonian ditto	—	H.	γ.
— <i>tristis</i>	—	Melancholy ditto	—	C.	γ.
— <i>tuberosa</i>	—	Snake's-head ditto	—	H.	γ.
— <i>variegata</i>	—	Variegated ditto	—	H.	γ.
— <i>versicolor</i>	—	Particoloured ditto	—	H.	γ.
— <i>virginica</i>	—	Virginian ditto	—	H.	γ.
— <i>Xiphium</i>	—	Narrow-leaved Bulbous ditto	—	H.	γ.
<i>Isatis tinctoria</i>	—	Woad	—	H.	δ.
<i>Isoties lacustris</i>	—	Quill-wort	—	H.	γ.
<i>Isopyrum fumarioides</i>	—	Fumitory-leaved Isopyrum	—	H.	⊙.
— <i>thalictroides</i>	—	Meadow-rue-leaved ditto	—	H.	γ.
<i>Itea virginica</i>	—	Virginian Itea	—	H.	h.
— <i>Cyrilla</i>	—	Entire-leaved ditto	—	G.	h.
<i>Juglans alba</i>	—	White Hickory Tree	—	H.	h.
— <i>angustifolia</i>	—	Narrow-leaved Walnut	—	H.	h.
— <i>cinerea</i>	—	Shell-bark ditto	—	H.	h.
— <i>nigra</i>	—	Black ditto	—	H.	h.
— <i>regia</i>	—	Common ditto	—	H.	h.
<i>Juncus articulatus</i>	—	Jointed Rush	—	H.	γ.
— <i>biglumis</i>	—	Two-glumed ditto	—	H.	γ.
— <i>bufonius</i>	—	Toad ditto	—	H.	⊙.
— <i>bulbosus</i>	—	Bulbous ditto	—	H.	γ.
— <i>campestris</i>	—	Field ditto	—	H.	γ.
— <i>conglomeratus</i>	—	Round-headed ditto	—	H.	γ.
— <i>effusus</i>	—	Common soft ditto	—	H.	γ.
— <i>filiformis</i>	—	Least soft ditto	—	H.	γ.
— <i>niveus</i>	—	White-flowered ditto	—	H.	γ.
— <i>pilosus</i>	—	Hairy ditto	—	H.	γ.
— <i>squarrosus</i>	—	Moss ditto	—	H.	γ.
— <i>sylvaticus</i>	—	Wood ditto	—	H.	γ.
— <i>trifidus</i>	—	Three-flowered ditto	—	H.	γ.
— <i>triglumis</i>	—	Three-glumed ditto	—	H.	γ.
— <i>viviparus</i>	—	Viviparous ditto	—	H.	⊙.
<i>Juniperus bermudiana</i>	—	Bermudas Juniper	—	H.	h.
— <i>caroliniana</i>	—	Carolina ditto	—	H.	h.
— <i>communis</i>	—	Common ditto	—	H.	h.
— <i>v. montana</i>	—	Procrumbent ditto	—	H.	h.
— <i>v. suecica</i>	—	Swedish ditto	—	H.	h.
— <i>lycia</i>	—	White Cedar	—	H.	γ.

Juniperus Oxycedrus	—	Brown-berried Juniper	—	H. h.
— phœnicea	—	Phœnician ditto	—	H. h.
— Sabina	—	Common Savin	—	H. h.
— v. foliis variegatis	—	Striped-leaved ditto	—	H. h.
— v. tamariscifolia	—	Tamarisk-leaved ditto	—	H. h.
— thurifera	—	Frankincense Tree	—	H. h.
— virginiana	—	Common Red Cedar	—	H. h.
Justicia Adhatoda	—	Malabar Nut	—	G. h.
— coccinea	—	Scarlet-flowered Justicia	—	S. h.
— Echolium	—	Long-spiked ditto	—	S. h.
— hyssopifolia	—	Hyssop-leaved ditto	—	G. h.
— nitida	—	Shining-leaved ditto	—	S. h.
— nasuta	—	Dichotomous ditto	—	S. h.
— orchinoides	—	Broom-leaved ditto	—	G. h.
— pectoralis	—	Forked ditto	—	G. h.
— picta	—	Variegated ditto	—	S. h.
— spinosa	—	Prickly ditto	—	S. h.
Iva frutescens	—	Bastard Jesuit's Bark-Tree	—	H. h.
Ixia amœna	—	Pleasant Ixia	—	G. y.
— ambigua	—	Ambiguous ditto	—	G. y.
— aristata	—	Bearded ditto	—	G. y.
— aulica	—	Cluster-flowered ditto	—	G. y.
— bulbifera	—	Bulb-bearing ditto	—	G. y.
— Bulbocodium	—	Crocus-leaved ditto	—	H. y.
— capillaris	—	Slender-scaped ditto	—	G. y.
— chinensis	—	Chinese ditto	—	H. y.
— columnaris	—	Columnar ditto	—	G. y.
— concolor	—	Uniform ditto	—	G. y.
— conica	—	Conic ditto	—	G. y.
— crispa	—	Curled-flowered ditto	—	G. y.
— crocata	—	Common Crocus-flowered ditto	—	G. y.
— v. floribus rubris	—	Deep red ditto	—	G. y.
— deusta	—	Copper-coloured ditto	—	G. y.
— fallax	—	Fallacious ditto	—	G. y.
— flexuosa	—	Bending-stalked ditto	—	G. y.
— fugax	—	Fugacious ditto	—	G. y.
— longiflora	—	Long-flowered ditto	—	G. y.
— patens	—	Spreading-flowered ditto	—	G. y.
— polytachya	—	Many-spiked ditto	—	G. y.
— retusa	—	Retuse ditto	—	G. y.
— rosea	—	Rose-coloured ditto	—	G. y.
— scillaris	—	Squid-flowered ditto	—	G. y.
— tardiflora	—	Late-flowered ditto	—	G. y.
— tricolor	—	Three-coloured ditto	—	G. y.
Ixora coccinea	—	Scarlet-flowered Ixora	—	S. h.
Kæmpferia Galanga	—	Galangal	—	S. y.
Kalmia angustifolia	—	Narrow-leaved Kalmia	—	H. h.
— glauca	—	Glaucous ditto	—	H. h.

Kalmia latifolia — —	Broad-leaved Kalmia — —	H. h.
Kiggelaria africana — —	African Kiggelaria — —	G. h.
Knautia orientalis — —	Oriental Knautia — —	H. o.
Kyllingia triceps — —	Three-headed Kyllingia — —	S. y.
Lachenalia tricolor — —	Three-coloured Lachenalia — —	G. y.
Lachnæa conglomerata — —	Cluster-headed Lachnæa — —	G. h.
Lactuca perennis — —	Perennial Lettuce — —	H. y.
— quercina — —	Oak-leaved ditto — —	H. o.
— sativa — —	Common ditto — —	H. o.
— Scariola — —	Prickly ditto — —	H. o.
— virofa — —	Strong-scented ditto — —	H. s.
Lagerstrœmia indica — —	Indian Lagerstrœmia — —	G. h.
Lagoecia cuminoides — —	Wild Cumin — —	H. o.
Lagurus ovatus — —	Oval-spiked Lagurus — —	H. o.
Lamium album — —	White Archangel — —	H. y.
— amplexicaule — —	Perfoliate ditto — —	H. o.
— garganicum — —	Woolly ditto — —	H. y.
— maculatum — —	Spotted ditto — —	H. o.
— molle — —	Pellitory-leaved ditto — —	H. o.
— Orvala — —	Balm-leaved ditto — —	H. y.
— purpureum — —	Purple ditto — —	H. y.
— rugosum — —	Wrinkled ditto — —	H. y.
Lantana aculeata — —	Prickly Lantana — —	S. h.
— africana — —	Ilex-leaved ditto — —	G. h.
— Camara — —	Various coloured ditto — —	S. h.
— involuocrata — —	Round-leaved ditto — —	S. h.
— odorata — —	Sweet scented ditto — —	S. h.
Lapfana communis — —	Common Nipple-wort — —	H. o.
— Koölpinia — —	Small ditto — —	H. o.
— stellata — —	Starry ditto — —	H. o.
— Zacintha — —	Warted ditto — —	H. o.
Laferpitium angustifolium — —	Narrow-leaved Lafer-wort — —	H. y.
— gallicum — —	French ditto — —	H. y.
— Siler — —	Mountain ditto — —	H. y.
Lathyrus amphykarpos — —	Earth-Pea — —	H. y.
— angulatus — —	Angular stalked Lathyrus — —	H. o.
— annuus — —	Two-flowered yellow ditto — —	H. o.
— Aphaca — —	Yellow Vetchling — —	H. o.
— articulatus — —	Jointed-podded Lathyrus — —	H. o.
— hirsutus — —	Hairy ditto — —	H. o.
— latifolius — —	Broad-leaved Everlasting Pea — —	H. y.
— minutus — —	Small Vetchling — —	H. o.
— Nissolia — —	Grass-Vetch, or crimson Lathyrus — —	H. o.
— odoratus — —	Purple Sweet-Pea — —	H. o.
— v. zeylanicus — —	Painted Lady ditto — —	H. o.
— palustris — —	Marsh Vetchling — —	H. y.
— pifformis — —	Siberian ditto — —	H. y.
— pratensis — —	Meadow ditto — —	H. y.

Lathyrus fativus	—	Blue Chickling-vetch	—	H. ♂.
— <i>setifolius</i>	—	Narrow-leaved Lathyrus	—	H. ♂.
— <i>sylvestris</i>	—	Narrow-leaved Everlasting Pea	—	H. ♀.
— <i>tingitanus</i>	—	Tangier Pea	—	H. ♂.
— <i>tuberosus</i>	—	Tuberous-rooted Lathyrus	—	H. ♀.
Laurus Benzoin	—	Benjamin-Tree	—	H. h.
— <i>Borbonia</i>	—	Broad-leaved Carolina Bay	—	G. h.
— <i>v. tomentosa</i>	—	Woolly-leaved ditto	—	G. h.
— <i>Camphora</i>	—	Camphire-Tree	—	G. h.
— <i>Cassia</i>	—	Bastard Cinnamon-Tree	—	S. h.
— <i>Cinnamomum</i>	—	True ditto	—	S. h.
— <i>foetens</i>	—	Madeira Laurel	—	G. h.
— <i>nobilis</i>	—	Sweet Bay	—	H. h.
— <i>Sassafras</i>	—	Sassafras-Tree	—	H. h.
Lavandula dentata	—	Toothed Lavender	—	G. h.
— <i>multifida</i>	—	Canary ditto	—	G. ♂.
— <i>pinnata</i>	—	Pinnated ditto	—	G. h.
— <i>Spica</i>	—	Common ditto	—	H. h.
— <i>v. flore albo</i>	—	White-flowered ditto	—	H. h.
— <i>v. latifolia</i>	—	Broad-leaved ditto	—	H. h.
— <i>Stœchas</i>	—	French ditto	—	H. h.
Lavatera arborea	—	Tree Lavatera	—	H. ♂.
— <i>cretica</i>	—	Cretan ditto	—	H. ♂.
— <i>lusitanica</i>	—	Portugal ditto	—	G. ♂.
— <i>Olbia</i>	—	Downy-leaved ditto	—	G. h.
— <i>thuringiaca</i>	—	Great-flowered ditto	—	H. ♀.
— <i>trimestris</i>	—	Common annual ditto	—	H. ♂.
Ledum buxifolium	—	Box-leaved Ledum	—	H. h.
— <i>latifolium</i>	—	Broad-leaved ditto	—	H. h.
— <i>palustre</i>	—	Marsh ditto	—	H. h.
— <i>v. decumbens</i>	—	Dwarf ditto	—	H. h.
Lemna minor	—	Least Duck's-meat	—	H. ♀.
— <i>trifulca</i>	—	Ivy-leaved ditto	—	H. ♀.
Leontodon alpinum	—	Alpine Dandelion	—	H. ♀.
— <i>aureum</i>	—	Golden ditto	—	H. ♀.
— <i>autumnale</i>	—	Autumnal ditto	—	H. ♀.
— <i>hastile</i>	—	Spear-leaved ditto	—	H. ♀.
— <i>hirtum</i>	—	Hairy ditto	—	H. ♀.
— <i>hispidum</i>	—	Rough ditto	—	H. ♀.
— <i>Taraxacum</i>	—	Common ditto	—	H. ♀.
Leonurus Cardiaca	—	Common Mother-wort	—	H. ♀.
— <i>Marrubiastrum</i>	—	Small-flowered ditto	—	H. ♂.
— <i>tataricus</i>	—	Tartarian ditto	—	H. ♂.
Lepidium alpinum	—	Alpine Pepper-wort	—	H. ♀.
— <i>anglicum</i>	—	Procumbent ditto	—	H. ♂.
— <i>Iberis</i>	—	Bushy ditto	—	H. ♀.
— <i>latifolium</i>	—	Broad-leaved ditto	—	H. ♀.
— <i>perfoliatum</i>	—	Various-leaved ditto	—	H. ♂.

Lepidium ruderales	—	Narrow-leaved Pepper-wort	—	H. ☉.
— sativum	—	Garden Cress	—	H. ☉.
— spinofum	—	Prickly Pepper-wort	—	H. ☉.
— subulatum	—	Awl-leaved ditto	—	G. ♀.
— suffruticosum	—	Suffruticose ditto	—	G. ♀.
— virginicum	—	Virginian ditto	—	H. ☉.
Lerchea pentandra	—	Pentandrous Lerchea	—	H. ♀.
Leucojum æstivum	—	Summer Snow-flake	—	H. ♀.
— vernum	—	Spring ditto	—	H. ♀.
Ligusticum candicans	—	Pale Lovage	—	H. ♀.
— cornubiense	—	Cornish ditto	—	H. ♀.
— Leviticum	—	Common ditto	—	H. ♀.
— peloponnense	—	Hemlock-leaved ditto	—	H. ♀.
— scoticum	—	Scotch ditto	—	H. ♀.
Ligustrum vulgare	—	Common Privet	—	H. ♀.
Lilium bulbiferum	—	Orange Lily	—	H. ♀.
— v. foliis variegatis	—	Striped-leaved ditto	—	H. ♀.
— canadense	—	Canada Martagon ditto	—	H. ♀.
— candidum	—	Common White ditto	—	H. ♀.
— v. foliis variegatis	—	Striped white ditto	—	H. ♀.
— chalcædonicum	—	Scarlet Martagon ditto	—	H. ♀.
— Martagon	—	Purple Martagon ditto	—	H. ♀.
— pomponium	—	Pomponian ditto	—	H. ♀.
— superbum	—	Great yellow Martagon ditto	—	H. ♀.
Limodorum altum	—	Tall Limodorum	—	S. ♀.
— Tankervilleæ	—	Chinese ditto	—	S. ♀.
Limonia trifoliata	—	Three-leaved Orange	—	S. ♀.
Limofella aquatica	—	Bastard Plantain	—	H. ♀.
Linnæa borealis	—	Two-flowered Linnæa	—	H. ♀.
Linum africanum	—	African Flax	—	G. ♀.
— alpinum	—	Alpine ditto	—	H. ♀.
— angustifolium	—	Narrow-leaved ditto	—	H. ♂.
— catharticum	—	Purging ditto	—	H. ☉.
— flavum	—	Yellow ditto	—	H. ♀.
— perenne	—	Perennial ditto	—	H. ♀.
— Radiola	—	Least ditto, or Allseed	—	H. ☉.
— usitatissimum	—	Common ditto	—	H. ☉.
— viscosum	—	Viscous ditto	—	H. ♀.
Liquidambar imberbe	—	Oriental Liquidambar	—	H. ♀.
— Styraciflua	—	Maple-leaved ditto	—	H. ♀.
Liriodendron tulipifera	—	Common Tulip-tree	—	H. ♀.
Lithospermum arvense	—	Field Gromwell	—	H. ☉.
— officinale	—	Officinal ditto	—	H. ♀.
— orientale	—	Yellow ditto	—	H. ♀.
— purpureo-cæruleum	—	Creeping ditto	—	H. ♀.
Littorella lacustris	—	Small Littorella	—	H. ♀.
Lobelia Cardinalis	—	Scarlet Cardinal-flower	—	H. ♀.
— Cliffortiana	—	Purple ditto	—	H. ☉.

Lobelia coronopifolia	—	Buck's-horn Lobelia	—	G. ʒ.
— debilis	—	Slender ditto	—	G. ○.
— Dortmanna	—	Water ditto	—	H. ʒ.
— inflata	—	Bladder-podded ditto	—	H. ○.
— longiflora	—	Long-flowered ditto	—	S. ʒ.
— minuta	—	Least ditto	—	H. ʒ.
— pubescens	—	Downy-leaved ditto	—	G. ʒ.
— siphilitica	—	Blue ditto	—	H. ʒ.
— surinamensis	—	Shrubby ditto	—	S. h.
— urens	—	Acrid ditto	—	H. ○.
Lolium perenne	—	Perennial Ray-grass	—	H. ʒ.
— temulentum	—	Annual ditto	—	H. ○.
Lonicera alpigena	—	Red-berried upright Honey-suckle	H. h.	
— cærulea	—	Blue-berried upright ditto	—	H. h.
— Caprifolium	—	Italian early white ditto	—	H. h.
— v. rubra	—	Italian early red ditto	—	H. h.
— Diervilla	—	Yellow-flowered upright ditto	—	H. h.
— dioica	—	Glaucous ditto	—	H. h.
— grata	—	Evergreen ditto	—	H. h.
— implexa	—	Minorca ditto	—	H. h.
— nigra	—	Black-berried upright ditto	—	H. h.
— Peryclymenum	—	Common ditto	—	H. h.
— v. belgica	—	Dutch ditto	—	H. h.
— v. quercifolia	—	Oak-leaved ditto	—	H. h.
— v. serotina	—	Late red ditto	—	H. h.
— sempervirens	—	Great Trumpet ditto	—	H. h.
— v. minor	—	Small Trumpet ditto	—	H. h.
— symphoricarpos	—	Shrubby St. Peter's-wort	—	H. h.
— tatarica	—	Tartarian upright Honey-suckle	—	H. h.
— Xylosteum	—	Fly ditto	—	H. h.
Lotus angustissimus	—	Small-podded Bird's-foot Trefoil	H. ○.	
— corniculatus	—	Common ditto	—	H. ʒ.
— v. hirsutus	—	Hairy ditto	—	H. ʒ.
— creticus	—	Silvery ditto	—	G. h.
— Dorycnium	—	Shrubby ditto	—	G. h.
— glaucus	—	Shining ditto	—	G. h.
— hirsutus	—	Shrubby hairy ditto	—	G. h.
— jacobæus	—	Dark-flowered ditto	—	G. h.
— maritimus	—	Sea ditto	—	H. ʒ.
— ornithopodioides	—	Claw-podded ditto	—	H. ○.
— rectus	—	Upright ditto	—	H. ʒ.
— filiquosus	—	Square-podded ditto	—	H. ʒ.
— tetragonolobus	—	Winged Pea	—	H. ○.
— v. flore luteo	—	Yellow-flowered ditto	—	H. ○.
Lunaria annua	—	Annual Honesty	—	H. ○.
— rediviva	—	Perennial ditto	—	H. ʒ.
Lupinus albus	—	White Lupine	—	H. ○.
— angustifolius	—	Narrow-leaved blue ditto	—	H. ○.

<i>Lupinus hirsutus</i>	—	Great blue Lupine	—	H. ○.
— <i>luteus</i>	—	Yellow ditto	—	H. ○.
— <i>perennis</i>	—	Perennial ditto	—	H. ʒ.
— <i>pilosus</i>	—	Rose ditto	—	H. ○.
— <i>varius</i>	—	Small blue ditto	—	H. ○.
<i>Lychnis alpina</i>	—	Alpine Lychnis	—	H. ʒ.
— <i>chalcedonica</i>	—	Scarlet ditto	—	H. ʒ.
— <i>v. flore albo</i>	—	White chalcadonian ditto	—	H. ʒ.
— <i>v. flore pleno</i>	—	Double-flowered ditto	—	H. ʒ.
— <i>coronata</i>	—	Chinese ditto	—	G. ʒ.
— <i>dioica</i>	—	Dioicous ditto	—	H. ʒ.
— <i>v. alba</i>	—	White-flowered ditto	—	H. ʒ.
— <i>v. flore pleno</i>	—	Double-flowered ditto	—	H. ʒ.
— <i>Flos cuculi</i>	—	Meadow ditto	—	H. ʒ.
— <i>Viscaria</i>	—	Viscous Catchfly	—	H. ʒ.
<i>Lycium afrum</i>	—	African Boxthorn	—	G. h.
— <i>barbarum</i>	—	Willow-leaved ditto	—	H. h.
— <i>europæum</i>	—	European ditto	—	H. h.
— <i>japonicum</i>	—	Japan ditto	—	G. h.
— <i>v. flore pleno</i>	—	Double-flowered Japan ditto	—	G. h.
<i>Lycopodium alpinum</i>	—	Alpine Club-Moss	—	H. ʒ.
— <i>clavatum</i>	—	Common ditto	—	H. ʒ.
— <i>inundatum</i>	—	Marsh ditto	—	H. ʒ.
<i>Lycopsis arvensis</i>	—	Small wild Bugloss	—	H. ○.
— <i>vesicaria</i>	—	Inflated ditto	—	H. ○.
<i>Lycopus europæus</i>	—	European Lycopus	—	H. ʒ.
— <i>virginicus</i>	—	Virginian ditto	—	H. ʒ.
<i>Lygeum Spartum</i>	—	Rush-leaved Lygeum	—	H. ʒ.
<i>Lyfimachia bulbifera</i>	—	Bulb-bearing Loose-strife	—	H. ʒ.
— <i>ciliata</i>	—	Ciliated ditto	—	H. ʒ.
— <i>Ephemerum</i>	—	Willow-leaved ditto	—	H. ʒ.
— <i>Linum stellatum</i>	—	Smooth ditto	—	H. ○.
— <i>nemorum</i>	—	Wood ditto	—	H. ʒ.
— <i>Nummularia</i>	—	Creeping ditto	—	H. ʒ.
— <i>thyrsiflora</i>	—	Tufted ditto	—	H. ʒ.
— <i>vulgaris</i>	—	Common ditto	—	H. ʒ.
<i>Lythrum ciliatum</i>	—	Shrubby Willow-herb	—	G. h.
— <i>hyssopifolium</i>	—	Hyssop-leaved ditto	—	H. ○.
— <i>Salicaria</i>	—	Common ditto	—	H. ʒ.
— <i>virgatum</i>	—	Fine-branched ditto	—	H. ʒ.
<i>Magnolia acuminata</i>	—	Blue-flowered Magnolia	—	H. h.
— <i>glauca</i>	—	Swamp ditto	—	H. h.
— <i>grandiflora</i>	—	Common Laurel-leaved ditto	—	H. h.
— <i>v. ferruginea</i>	—	Ferruginous ditto	—	H. h.
— <i>tripetala</i>	—	Umbrella ditto	—	H. h.
<i>Mahernia incisa</i>	—	Cut-leaved Mahernia	—	G. h.
— <i>pinnata</i>	—	Winged ditto	—	G. h.
<i>Malachra capitata</i>	—	Heart-leaved Malachra	—	S. ○.

Malpighia glabra	—	Smooth-leaved Malpighia	—	S. ♀
— nitida	—	Shining-leaved ditto	—	S. ♀
— urens	—	Stinging ditto	—	S. ♀
Malva Alcea	—	Vervain Mallow	—	H. ♀
— capensis	—	Cape ditto	—	G. ♀
— caroliniana	—	Creeping ditto	—	H. ♂
— crispa	—	Curled ditto	—	H. ♂
— mauritiana	—	Ivy-leaved ditto	—	H. ♂
— moschata	—	Musk ditto	—	H. ♀
— parviflora	—	Small-flowered ditto	—	H. ♂
— peruviana	—	Peruvian ditto	—	H. ♂
— rotundifolia	—	Round-leaved ditto	—	H. ♂
— sylvestris	—	Common ditto	—	H. ♂
— verticillata	—	Whorl-flowered ditto	—	H. ♂
Manulea tomentosa	—	Woolly Manulea	—	G. ♂
Marrubium Alyssum	—	Plaited-leaved Horehound	—	H. ♀
— candidissimum	—	Woolly ditto	—	H. ♀
— crispum	—	Curled-leaved ditto	—	H. ♀
— hispanicum	—	Spanish ditto	—	H. ♀
— peregrinum	—	Peregrine ditto	—	H. ♀
— Pseudo-Dictamnus	—	Shrubby ditto	—	G. ♀
— lupinum	—	Procumbent ditto	—	H. ♀
— vulgare	—	Common ditto	—	H. ♀
Martynia Proboseidea	—	Hairy Martynia	—	S. ♂
Matricaria Chamomilla	—	Corn Feverfew	—	H. ♂
— Parthenium	—	Common ditto	—	H. ♀
Medeola asparagoides	—	Broad-leaved shrubby Medeola	—	G. ♀
Medicago arborea	—	Tree Moon-Trefoil	—	G. ♀
— falcata	—	Yellow Medick	—	H. ♀
— lupulina	—	Black ditto	—	H. ♂
— marina	—	Sea ditto	—	G. ♀
— polymorpha	—	Flat-podded ditto	—	H. ♂
— v. arabica	—	Heart ditto	—	H. ♂
— v. intertexta	—	Hedge-bog ditto	—	H. ♂
— v. muricata	—	Prickly ditto	—	H. ♂
— v. laciniata	—	Cut-leaved ditto	—	H. ♂
— v. rigidula	—	Thorny-podded ditto	—	H. ♂
— v. scutellata	—	Snail ditto	—	H. ♂
— v. tornata	—	Smooth-podded ditto	—	H. ♂
— v. turbinata	—	Turban ditto	—	H. ♂
— fativa	—	Lucern	—	H. ♀
Melaleuca coronata	—	Garland Melaleuca	—	G. ♀
— punctata	—	Dotted ditto	—	G. ♀
Melampyrum arvense	—	Purple Cow-wheat	—	H. ♂
— cristatum	—	Crested ditto	—	H. ♂
Melanthium lætum	—	Spear-leaved Melanthium	—	H. ♀
— virginicum	—	Virginian ditto	—	H. ♀
Melia Azederach	—	Bead-tree	—	G. ♀

Melianthus major	—	Great Honey-flower	—	G. h.
— minor	—	Small ditto	—	G. h.
Melica altissima	—	Tall Melic-grass	—	H. y.
— cærulea	—	Blue ditto	—	H. y.
— ciliata	—	Ciliated ditto	—	H. y.
— nutans	—	Mountain ditto	—	H. y.
— uniflora	—	Single-flowered ditto	—	H. y.
Melissa Calamintha	—	Mountain Balm	—	H. y.
— cretica	—	Cretan ditto	—	G. h.
— grandiflora	—	Great-flowered ditto	—	H. y.
— Nepeta	—	Field ditto	—	H. y.
— officinalis	—	Common ditto	—	H. y.
Melittis Melissophyllum	—	Common Bastard-balm	—	H. y.
Menispermum canadense	—	Canada Moon-feed	—	H. h.
— virginicum	—	Virginian ditto	—	H. h.
Mentha aquatica	—	Water Mint	—	H. y.
— arvensis	—	Corn ditto	—	H. y.
— cervina	—	Hyslop-leaved ditto	—	H. y.
— crispa	—	Curled-leaved ditto	—	H. y.
— gentilis	—	Red ditto	—	H. y.
— hirsuta	—	Hairy ditto	—	H. y.
— incana	—	Hoary ditto	—	H. y.
— parviflora	—	Small-flowered ditto	—	H. y.
— piperita	—	Peppermint	—	H. y.
— Pulegium	—	Pennyroyal	—	H. y.
— rotundifolia	—	Round-leaved Mint	—	H. y.
— fativa	—	Marsh ditto	—	H. y.
— sylvestris	—	Horfe ditto	—	H. y.
— viridis	—	Common Spear-mint	—	H. y.
Menyanthes indica	—	Indian Buck-Bean	—	S. y.
— nymphoides	—	Fringed ditto	—	H. y.
— ovata	—	Oval-leaved ditto	—	G. y.
— trifoliata	—	Common ditto	—	H. y.
Mercurialis annua	—	Annual Dog's Mercury	—	H. o.
— perennis	—	Perennial ditto	—	H. y.
Mesembryanthemum acinaciforme	—	Scymitar-leaved Fig-Marigold	—	G. h.
— *æquilaterum	—	Triangular-leaved ditto	—	G. h.
— albidum	—	White ditto	—	G. y.
— aureum	—	Golden-flowered ditto	—	G. h.
— australe	—	New-Zealand ditto	—	G. y.
— barbatum	—	Trailing-bearded ditto	—	G. h.
— bellidiflorum	—	Daisy-flowered ditto	—	G. y.
— bicolorum	—	Two-coloured ditto	—	G. h.
— brevifolium	—	Short-leaved ditto	—	G. h.
— v. prolixum	—	Rambling short-leaved ditto	—	G. h.

* The plants of the genus *Mesembryanthemum* marked with an asterisk, are as named by Mr. Haworth. *Vide his Observations on that Genus.*

Mesembryanthemum calamiforme	—	Quill-shaped Fig-Marigold	—	G.	γ.
*canaliculatum	—	Channelled ditto	—	G.	γ.
caninum	—	Dogs-chop ditto	—	G.	γ.
v. subsericeum	—	Smooth-leaved Dogs-chop ditto	—	G.	γ.
*carneum	—	Flesh-coloured ditto	—	G.	h.
*caulescens	—	Smooth-keeled Delta-leaved ditto	—	G.	h.
ciliatum	—	Ciliated ditto	—	G.	h.
*coccineum	—	Scarlet ditto	—	G.	h.
cordifolium	—	Heart-leaved ditto	—	G.	γ.
corniculatum	—	Long-horned ditto	—	G.	h.
cornutum (nov. spec.)	—	Shrubby-horned ditto	—	G.	h.
crassifolium	—	Thick-leaved ditto	—	G.	γ.
*cruciatum	—	Cross-leaved ditto	—	G.	γ.
crystallinum	—	Ice-Plant	—	G.	⊙.
*cymbiforme	—	Boat-shaped ditto	—	G.	h.
debile (nova species)	—	Small trailing ditto	—	G.	h.
decumbens	—	Decumbent ditto	—	G.	h.
deflexum	—	Bending ditto	—	G.	h.
deltoides	—	Small delta-leaved ditto	—	G.	h.
v. majus	—	Great delta-leaved ditto	—	G.	h.
*densum	—	Dwarf bearded ditto	—	G.	γ.
*denticulatum	—	Denticulated ditto	—	G.	γ.
difforme	—	Deformed ditto	—	G.	γ.
diffusum	—	Diffuse ditto	—	G.	h.
*diversifolium	—	Short-horned ditto	—	G.	γ.
dolabriforme	—	Hatchet-leaved ditto	—	G.	h.
echinatum	—	White-flowered echinated ditto	—	G.	h.
v. luteum	—	Yellow-flowered echinated ditto	—	G.	h.
edule	—	Esculent ditto	—	G.	h.
*emarginatoides	—	Shrubby white-leaved ditto	—	G.	h.
emarginatum	—	Notch-flowered ditto	—	G.	h.
expansum	—	Houfseck-leaved ditto	—	G.	h.
falcatum	—	Sickle-leaved ditto	—	G.	h.
*fastigiatum	—	Fastigate ditto	—	G.	h.
felinum	—	Cats-chops ditto	—	G.	γ.
filamentosum	—	Thready-flowered ditto	—	G.	h.
filiforme (nov. spec.)	—	Fine-stalked ditto	—	G.	h.
*fissum	—	Cleft ditto	—	G.	γ.
forficatum	—	Forked ditto	—	G.	h.
geniculiflorum	—	Joint-flowered ditto	—	G.	h.
*gibbosum	—	Gibbous ditto	—	G.	γ.
*glaucoides	—	Subglaucous-leaved ditto	—	G.	h.
glaucum	—	Glaucous-leaved ditto	—	G.	h.
glomeratum	—	Clustered ditto	—	G.	h.
*hirsutum	—	Hairy bearded ditto	—	G.	h.
*hirtellum	—	Pale-flowered bristly-stalked ditto	—	G.	h.
hispidum	—	Purple-flowered bristly-stalked do.	—	G.	h.
*lacerum	—	Purple-flowered ferrated ditto	—	G.	h.

<i>Mesemb- lævigatum</i> (<i>n. f.</i>)	Smooth-perfoliate Fig-Marigold	G. h.
— <i>lanceolatum</i> (<i>nov. sp.</i>)	Lance-leaved ditto	G. O.
— <i>linguiforme</i>	Common Tongue-leaved ditto	G. y.
— <i>*longum</i>	Long Tongue-leaved ditto	G. y.
— <i>loreum</i>	Thong ditto	G. y.
— <i>*maximum</i>	Moon-leaved ditto	G. h.
— <i>micans</i>	Glittering ditto	G. h.
— <i>v. minus</i>	<i>Lesser glittering ditto</i>	G. h.
— <i>*minimum</i>	Least ditto	G. y.
— <i>molle</i>	Soft ditto	G. h.
— <i>*moniliforme</i>	Necklace-shaped ditto	G. h.
— <i>marinum</i>	Mouse-chops ditto	G. y.
— <i>*mutabile</i>	Changeable ditto	G. h.
— <i>nitidum</i>	Shrubby icy ditto	G. h.
— <i>noctiflorum</i>	Night-flowering ditto	G. h.
— <i>obscurum</i>	Obscure ditto	G. h.
— <i>pallens</i>	Pale ditto	G. h.
— <i>*perfoliatum</i>	Great-hooked ditto	G. h.
— <i>*perviride</i>	Deep-green ditto	G. y.
— <i>pinnatum</i>	Jagged-leaved ditto	G. O.
— <i>*pubescens</i>	Downy-leaved ditto	G. y.
— <i>pugioniforme</i>	Dagger-leaved ditto	G. h.
— <i>*pulverulentum</i>	Dusty ditto	G. h.
— <i>*purpuro-erocum</i>	Saffron-flowered ditto	G. h.
— <i>*radiatum</i>	Radiated ditto	G. h.
— <i>reptans</i>	Creeping ditto	G. y.
— <i>*rostratoides</i>	Small Heron-beaked ditto	G. y.
— <i>rostratum</i>	Heron-beaked ditto	G. y.
— <i>*scalpatrum</i>	Broad Tongue-leaved ditto	G. y.
— <i>*semicylindricum</i>	Semicylindric ditto	G. y.
— <i>*speciosum</i>	Shewy ditto	G. h.
— <i>*spectabile</i>	Great purple-flowered ditto	G. h.
— <i>spinofum</i>	Thorny ditto	G. h.
— <i>*spinuliferum</i>	Spinulous ditto	G. h.
— <i>splendens</i>	Shining leaved ditto	G. h.
— <i>stipulaceum</i>	Upright shrubby ditto	G. h.
— <i>*striatum</i>	Striped-flower'd Brittly-stalked do.	G. h.
— <i>*subulatoides</i>	Entire Awl-leaved ditto	G. y.
— <i>*tenellum</i>	Slender perfoliate ditto	G. h.
— <i>tenuissimum</i>	Slender-leaved ditto	G. h.
— <i>testiculare</i>	Short white-leaved ditto	G. y.
— <i>*tigrinum</i>	Tigers-chops ditto	G. y.
— <i>tortuosum</i>	Twisted ditto	G. h.
— <i>*tricolorum</i>	Three-coloured ditto	G. h.
— <i>tripolium</i>	Tripolium-leaved ditto	G. O.
— <i>tuberosum</i>	Tuberous-rooted ditto	G. h.
— <i>turgidum</i> (<i>nov. spec.</i>)	Turgid ditto	G. y.
— <i>umbellatum</i>	Umbelled ditto	G. h.

Mesembryanth ^m uncinatum,	Hooked Fig-Marigold	—	G. h.
— veruculatum	Spit-leaved ditto	—	G. h.
— villosum	Villous ditto	—	G. h.
— *viride	Green perfoliate ditto	—	G. h.
— viridiflorum	Green-flowered ditto	—	G. h.
Mespilus Amelanchier	Alpine Mespilus	—	H. h.
— v. pendula	Weeping ditto	—	H. h.
— arbutifolia	Arbutus-leaved ditto	—	H. h.
— canadensis	Snowy ditto	—	H. h.
— Chamæmepilus	Bastard Quince, or ditto	—	H. h.
— Cotoneaster	Dwarf ditto	—	H. h.
— germanica	Narrow-leaved Dutch Medlar	—	H. h.
— v. diffusa	Broad-leaved ditto	—	H. h.
— Pyracantha	Evergreen Thorn	—	H. h.
— tomentosa	Quince-leaved Mespilus	—	H. h.
Metrosideros citrina	Harsh-leaved Metrosideros	—	G. h.
— hispida	Rough-leaved ditto	—	G. h.
Milium effusum	Common Millet-grass	—	H. ʒ.
— lendigerum	Yellow-spiked ditto	—	H. ⊙.
— paradoxum	Black-seeded ditto	—	H. ⊙.
Mimosa decurrens	Decurrent-leaved Mimosa	—	G. h.
— discolor	Dingy-flowered ditto	—	G. h.
— cornigera	Horn-spined ditto	—	S. h.
— farnesiana	Sweet-scented ditto	—	S. h.
— glauca	Glaucous ditto	—	S. h.
— pudica	Humble Plant	—	S. ♂.
— sensitiva	Sensitive Plant	—	S. h.
— suaveolens	Sweet-scented ditto	—	G. h.
— tenuifolia	Fine-leav'd New-Holland Mimosa	—	G. h.
— verticillata	Whorl-leaved ditto	—	G. h.
Mimulus atrantiacus	Orange Monkey-flower	—	G. h.
— ringens	Oblong-leaved ditto	—	H. ʒ.
Mirabilis dichotoma	Forked Marvel of Peru	—	S. ʒ.
— Jalapa	Common ditto	—	S. ʒ.
— longifolia	Sweet-scented ditto	—	S. ʒ.
Mitchella repens	Creeping Mitchellia	—	H. h.
Mitella diphylla	Two-leaved Mitella	—	H. ʒ.
Moehringia muscosa	Mossy Moehringia	—	H. ʒ.
Moluccella laevis	Smooth Molucca Balm	—	H. ⊙.
Momordica Elaterium	Squirting Cucumber	—	H. ʒ.
Monarda clinopodia	Wild Basil-leaved Monarda	—	H. ʒ.
— didyma	Scarlet ditto, or Oswego-tea	—	H. ʒ.
— fistulosa	Purple ditto	—	H. ʒ.
— oblongata	Long-leaved ditto	—	H. ʒ.
— punctata	Spotted ditto	—	H. ʒ.
— rugosa	White-flowered ditto	—	H. ʒ.
Monetia barlerioides	Four-spined Monetia	—	S. h.
Monsonia speciosa	Fine-leaved Monsonia	—	G. ʒ.

Montia fontana	—	Water Chickweed	—	H. ☉.
Montinia caryophyllacea	—	Sea-purslane-leaved Montinia	—	G. h.
Moræa iridioides	—	Sword-leaved Moræa	—	G. y.
— Northiana	—	Broad-leaved ditto	—	S. y.
— vegeta	—	Grass-leaved ditto	—	G. y.
Morus alba	—	White Mulberry-tree	—	H. h.
— nigra	—	Black ditto	—	H. h.
— papyrifera	—	Paper ditto	—	H. h.
— rubra	—	Red ditto	—	H. h.
— tatarica	—	Tartarian ditto	—	H. h.
Myagrum hispanicum	—	Spanish Gold of Pleasure	—	H. ☉.
— orientale	—	Oriental ditto	—	H. ☉.
— perenne	—	Perennial ditto	—	H. y.
— perfoliatum	—	Perfoliate ditto	—	H. ☉.
— rugosum	—	Wrinkled ditto	—	H. ☉.
— sativum	—	Common ditto	—	H. ☉.
— saxatile	—	Rock ditto	—	H. y.
Myosotis palustris	—	Marsh Mouse-ear Scorpion-grass,	—	H. y.
— scorpioides	—	Hairy ditto	—	H. ☉.
Myosurus minimus	—	Mouse-Tail	—	H. ☉.
Myrica æthiopica	—	Ethiopian Candle-berry Myrtle	—	G. h.
— cerifera	—	Common ditto	—	H. h.
— cordifolia	—	Heart-leaved ditto	—	G. h.
— Faya	—	Azorian ditto	—	G. h.
— Gale	—	Sweet Gale	—	H. h.
— quercifolia	—	Oak-leaved Myrtle, or ditto	—	G. h.
Myriophyllum spicatum	—	Spiked water Milfoil	—	H. y.
— verticillatum	—	Whorled ditto	—	H. y.
Myrsine africana	—	African Myrsine	—	G. h.
— retusa	—	Round-leaved ditto	—	G. h.
Myrtus communis	—	Common broad-leaved Myrtle	—	G. h.
— v. bætica	—	Orange-leaved ditto	—	G. h.
— v. belgica	—	Broad-leaved Dutch ditto	—	G. h.
— v. flore pleno	—	Double-flowering ditto	—	G. h.
— v. foliis variegatis	—	Stripe-leaved Nutmeg ditto	—	G. h.
— v. italica	—	Upright ditto	—	G. h.
— v. meschata	—	Nutmeg Myrtle	—	G. h.
— v. mucronata	—	Rosemary-leaved ditto	—	G. h.
— v. tarentina	—	Box-leaved ditto	—	G. h.
— v. verrucosa	—	Warted ditto	—	G. h.
— Pimenta	—	Long-leaved Jamaica Allspice	—	S. h.
— tomentosa	—	Woolly-leaved Myrtle	—	S. h.
Napæa lævis	—	Smooth Napæa	—	H. y.
— scabra	—	Rough ditto	—	H. y.
Narcissus angustifolius	—	Narrow-leaved Narcissus	—	H. y.
— biflorus	—	Two-flowered ditto	—	H. y.
— Bulbocodium	—	Hoop-petticoat ditto	—	H. y.
— incomparabilis	—	Peerless Daffodil	—	H. y.

Narcissus Jonquilla	—	Jonquil	—	—	H. ʒ.
— majalis	—	May Narcissus	—	—	H. ʒ.
— major	—	Great Daffodil	—	—	H. ʒ.
— minor	—	Small ditto	—	—	H. ʒ.
— odorus	—	Sweet-scented ditto	—	—	H. ʒ.
— orientalis	—	Oriental ditto	—	—	H. ʒ.
— Pseudo-Narcissus	—	Common Daffodil	—	—	H. ʒ.
— Tazetta	—	Polyanthus ditto	—	—	H. ʒ.
— tenuior	—	Slender ditto	—	—	H. ʒ.
— triandrus	—	Rush-leaved ditto	—	—	H. ʒ.
Nardus stricta	—	Mat-grass	—	—	H. ʒ.
Nepeta botryoides	—	Cut-leaved Cat-Mint	—	—	H. ○.
— carulea	—	Blue-flowered ditto	—	—	H. ʒ.
— Cataria	—	Common ditto	—	—	H. ʒ.
— italica	—	Italian ditto	—	—	H. ʒ.
— Nepetella	—	Small ditto	—	—	H. ʒ.
— nuda	—	Spanish ditto	—	—	H. ʒ.
— violacea	—	Violet-coloured ditto	—	—	H. ʒ.
Nerium coronarium	—	Broad-leaved Rose-bay	—	—	S. ʒ.
— Oleander	—	Common ditto	—	—	G. ʒ.
— v. flore albo	—	White-flowered common ditto	—	—	G. ʒ.
— v. flore pleno	—	Double-flowered common ditto	—	—	G. ʒ.
Nicotiana fruticosa	—	Shrubby Tobacco	—	—	G. ʒ.
— glutinosa	—	Glutinous ditto	—	—	H. ○.
— paniculata	—	Panicled ditto	—	—	S. ○.
— rustica	—	Common ditto	—	—	H. ○.
— Tabacum	—	Virginian ditto	—	—	H. ○.
Nigella arvensis	—	Field Fennel-flower	—	—	H. ○.
— damascena	—	Common ditto	—	—	H. ○.
— hispanica	—	Spanish ditto	—	—	H. ○.
— orientalis	—	Yellow ditto	—	—	H. ○.
— fativa	—	Small ditto	—	—	H. ○.
Nolana prostrata	—	Trailing Nolana	—	—	H. ○.
Nymphaea alba	—	White Water-Lily	—	—	H. ʒ.
— lutea	—	Yellow ditto	—	—	H. ʒ.
Nyssa denticulata	—	Water Tupelo	—	—	H. ʒ.
— integrifolia	—	Mountain ditto	—	—	H. ʒ.
Ocimum Basilicum	—	Common Sweet Basil	—	—	H. ○.
— minimum	—	Bush ditto	—	—	S. ○.
Oedera prolifera	—	Proliferous Oedera	—	—	G. ʒ.
Oenanthe crocata	—	Hemlock Dropwort	—	—	H. ʒ.
— fistulosa	—	Common ditto	—	—	H. ʒ.
— peucedanifolia	—	Peucedanum-leaved ditto	—	—	H. ʒ.
— pimpinelloides	—	Parfly-leaved ditto	—	—	H. ʒ.
Oenothera biennis	—	Broad-leaved Tree-Primrose	—	—	H. ♂.
— fruticosa	—	Shrubby ditto	—	—	H. ʒ.
— grandiflora	—	Great-flowered ditto	—	—	H. ♂.
— longiflora	—	Long-flowered ditto	—	—	H. ♂.

Oenothera mollissima	—	Soft-leaved Tree-Primrose	—	H.	♂.
— muricata	—	Rough-stalked ditto	—	H.	♂.
— parviflora	—	Small-flowered ditto	—	H.	♂.
— pumila	—	Dwarf ditto	—	H.	♀.
— purpurea	—	Purple-flowered ditto	—	H.	♂.
— rosea	—	Rose-coloured ditto	—	G.	♀.
— sinuata	—	Scollop-leaved ditto	—	H.	♂.
Olea americana	—	American Olive	—	G.	h.
— capensis	—	Cape ditto	—	G.	h.
— europæa	—	European ditto	—	G.	h.
— v. <i>buxifolia</i>	—	<i>Box-leaved european ditto</i>	—	G.	h.
— fragrans	—	Sweet-scented ditto	—	G.	h.
Olyra latifolia	—	Broad-leaved Olyra	—	S.	♀.
Onoclea sensibilibis	—	Sensitive Fern	—	H.	♀.
Ononis alopecuroides	—	Fox-tail Rest-harrow	—	H.	♂.
— arvensis	—	Common ditto	—	H.	♀.
— crispa	—	Curled-leaved ditto	—	G.	h.
— fruticosa	—	Shrubby ditto	—	H.	h.
— hircina	—	Stinking ditto	—	H.	♀.
— mitissima	—	Cluster-flowered annual ditto	—	H.	♂.
— Natix	—	Yellow shrubby ditto	—	G.	h.
— repens	—	Creeping-rooted ditto	—	H.	♀.
— spinosa	—	Prickly ditto	—	H.	♀.
— viscosa	—	Clammy ditto	—	G.	♂.
Onopordum Acanthium	—	Cotton Thistle	—	H.	♂.
— acaule	—	Dwarf ditto	—	H.	♂.
— arabicum	—	Arabian ditto	—	H.	♂.
— illyricum	—	Illyrian ditto	—	H.	♂.
Opercularia paleacea	—	Paleaceous Opercularia	—	G.	♂.
Ophioglossum vulgatum	—	Adder's Tongue	—	H.	♀.
Ophioxylum serpentinum	—	Scarlet Ophioxylum	—	S.	h.
Ophrys anthropophora	—	Man Ophrys	—	H.	♀.
— apifera	—	Bee ditto	—	H.	♀.
— fucifera	—	Green-winged Bee ditto	—	H.	♀.
— monorchis	—	Musk ditto	—	H.	♀.
— muscifera	—	Fly ditto	—	H.	♀.
— ovata	—	Tway-blade	—	H.	♀.
— spiralis	—	Lady's Traces	—	H.	♀.
Orchis bifolia	—	Butterfly Orchis	—	H.	♀.
— conopsea	—	Red-handed ditto	—	H.	♀.
— fusca	—	Great ditto	—	H.	♀.
— latifolia	—	Broad-leaved ditto	—	H.	♀.
— maculata	—	Spotted ditto	—	H.	♀.
— mascula	—	Male ditto	—	H.	♀.
— militaris	—	Man ditto	—	H.	♀.
— Morio	—	Female ditto	—	H.	♀.
— pyramidalis	—	Pyramidal ditto	—	H.	♀.
— ustulata	—	Dwarf ditto	—	H.	♀.

<i>Origanum ægyptiacum</i>	—	Egyptian Marjoram	—	G. h.
— <i>Dictamnus</i>	—	Dittany of Crete	—	G. h.
— <i>heracleoticum</i>	—	Winter Marjoram	—	H. y.
— <i>Majorana</i>	—	Sweet ditto	—	G. o.
— <i>Onites</i>	—	Pot ditto	—	H. y.
— <i>sipyleum</i>	—	Dittany of Sipylus	—	G. h.
— <i>vulgare</i>	—	Common Marjoram	—	H. y.
<i>Ornithogalum arabicum</i>	—	Great-flowered Star of Bethlehem	—	G. y.
— <i>aureum</i>	—	Golden ditto	—	G. y.
— <i>caudatum</i>	—	Long-spiked ditto	—	G. y.
— <i>latifolium</i>	—	Broad-leaved ditto	—	H. y.
— <i>luteum</i>	—	Yellow ditto	—	H. y.
— <i>nutans</i>	—	Neapolitan ditto	—	H. y.
— <i>pyramidale</i>	—	Pyramidal ditto	—	H. y.
— <i>pyrenaicum</i>	—	Pyrenean ditto	—	H. y.
— <i>umbellatum</i>	—	Umbell'd ditto	—	H. y.
<i>Ornithopus compressus</i>	—	Hairy Bird's-Foot	—	H. o.
— <i>perpusillus</i>	—	Common ditto	—	H. o.
— <i>scorpioides</i>	—	Scorpion ditto	—	H. o.
<i>Orobus angustifolius</i>	—	Narrow-leaved Bitter-vetch	—	H. y.
— <i>lathyroides</i>	—	Upright ditto	—	H. y.
— <i>luteus</i>	—	Yellow ditto	—	H. y.
— <i>niger</i>	—	Black ditto	—	H. y.
— <i>sylvaticus</i>	—	Wood ditto	—	H. y.
— <i>tuberosus</i>	—	Tuberous-rooted ditto	—	H. y.
— <i>varius</i>	—	Various-flowered ditto	—	H. y.
— <i>vernus</i>	—	Spring ditto	—	H. y.
<i>Orontium japonicum</i>	—	Japan Orontium	—	G. y.
<i>Oryza sativa</i>	—	Rice	—	S. o.
<i>Osmunda crispa</i>	—	Curled Osmunda	—	H. y.
— <i>Lunaria</i>	—	Moon-wort	—	H. y.
— <i>regalis</i>	—	Flowering Fern	—	H. y.
— <i>Spicant</i>	—	Rough Spleen-wort	—	H. y.
— <i>Struthiopteris</i>	—	Russian Osmunda	—	H. y.
<i>Osteospermum moniliferum</i>	—	Poplar-leaved Osteospermum	—	G. h.
<i>Othonna abrotanifolia</i>	—	Southernwood-l'd African Ragwort	—	G. h.
— <i>cheirifolia</i>	—	Stock-leaved ditto	—	H. h.
— <i>denticulata</i>	—	Denticulated ditto	—	G. h.
— <i>pectinata</i>	—	Wormwood-leaved ditto	—	G. h.
— <i>tenuissima</i>	—	Fine-leaved ditto	—	G. h.
<i>Oxalis Acetosella</i>	—	Common wood Sorrel	—	H. y.
— <i>caprina</i>	—	Goat's-foot ditto	—	G. y.
— <i>v. flore pleno</i>	—	Double-flowering Goat's-foot ditto	—	G. y.
— <i>corniculata</i>	—	Yellow ditto	—	H. o.
— <i>Dillenii</i>	—	Dillenius's ditto	—	H. y.
— <i>flabelliformis</i>	—	Fan-leaved ditto	—	G. y.
— <i>flava</i>	—	Narrow-leaved ditto	—	G. y.
— <i>grandiflora</i>	—	Great-flowered ditto	—	G. y.

<i>Oxalis hirta</i>	—	Hairy wood Sorrel	—	G. ʒ.
— <i>incarnata</i>	—	Flesh-coloured ditto	—	G. ʒ.
— <i>lugubris</i>	—	Dingy ditto	—	H. ʒ.
— <i>purpurea</i>	—	Purple ditto	—	G. ʒ.
— <i>versicolor</i>	—	Stripe-flowered ditto	—	G. ʒ.
— <i>violacea</i>	—	Violet-coloured ditto	—	G. ʒ.
<i>Pæonia coralloides</i>	—	Single Peony	—	H. ʒ.
— <i>officinalis</i>	—	Common double ditto	—	H. ʒ.
— <i>v. flore albo</i>	—	White double ditto	—	H. ʒ.
— <i>v. flore incarnato</i>	—	Flesh-coloured double ditto	—	H. ʒ.
— <i>tenuifolia</i>	—	Fine-leaved ditto	—	H. ʒ.
<i>Panax aculeatum</i>	—	Prickly Panax	—	S. ʒ.
<i>Pancratium amboinense</i>	—	Broad-leaved Pancratium	—	S. ʒ.
— <i>caribæum</i>	—	Caribbean ditto	—	S. ʒ.
— <i>carolinianum</i>	—	Carolina ditto	—	S. ʒ.
— <i>illyricum</i>	—	Illyrian ditto	—	G. ʒ.
— <i>littorale</i>	—	Tall ditto	—	S. ʒ.
— <i>maritimum</i>	—	Sea ditto	—	H. ʒ.
— <i>mexicanum</i>	—	Mexican ditto	—	S. ʒ.
— <i>verecundum</i>	—	Narcissus-leaved ditto	—	S. ʒ.
<i>Panicum capillare</i>	—	Fine Panic-grass	—	H. ○.
— <i>colonum</i>	—	Purple ditto	—	H. ○.
— <i>Crus corvi</i>	—	Crow's-foot ditto	—	H. ○.
— <i>Crus galli</i>	—	Thick-spiked Cock's-foot ditto	—	H. ○.
— <i>Dactylon</i>	—	Creeping ditto	—	H. ʒ.
— <i>glaucum</i>	—	Glaucous ditto	—	H. ○.
— <i>italicum</i>	—	Italian ditto	—	H. ○.
— <i>miliaceum</i>	—	Millet	—	H. ○.
— <i>fanguinale</i>	—	Slender-spiked ditto	—	H. ○.
— <i>verticillatum</i>	—	Rough ditto	—	H. ○.
— <i>viride</i>	—	Green ditto	—	H. ○.
<i>Papaver Argemone</i>	—	Rough Poppy	—	H. ○.
— <i>cambricum</i>	—	Welsh ditto	—	H. ʒ.
— <i>dubium</i>	—	Smooth ditto	—	H. ○.
— <i>hybridum</i>	—	Bastard ditto	—	H. ○.
— <i>orientale</i>	—	Oriental ditto	—	H. ʒ.
— <i>Rhœas</i>	—	Corn ditto	—	H. ○.
— <i>forniferum</i>	—	White ditto	—	H. ○.
<i>Parietaria arborea</i>	—	Tree Pellitory	—	G. ʒ.
— <i>officinalis</i>	—	Wall ditto	—	H. ʒ.
<i>Paris quadrifolia</i>	—	Herb Paris	—	H. ʒ.
<i>Parnassia palustris</i>	—	Grass of Parnassus	—	H. ʒ.
<i>Parthenium Hysterophorus</i>	—	Cut-leaved Parthenium	—	S. ○.
— <i>integrifolium</i>	—	Entire-leaved ditto	—	H. ʒ.
<i>Paspalum stoloniferum</i>	—	Stoloniferous Paspalum	—	S. ʒ.
<i>Passerina capitata</i>	—	Capitate Sparrow-wort	—	G. ʒ.
— <i>filiformis</i>	—	African ditto	—	G. ʒ.
— <i>spicata</i>	—	Spiked ditto	—	G. ʒ.
<i>Passiflora alata</i>	—	Wing-stalked Passion-flower	—	S. ʒ.

<i>Passiflora caerulea</i>	—	Common Passion-flower	—	H. h.
— <i>v. angustifolia</i>	—	Narrow-leaved common ditto	—	H. h.
— <i>ciliata</i>	—	Ciliated ditto	—	S. h.
— <i>fœtida</i>	—	Stinking ditto	—	S. ♂.
— <i>glauca</i>	—	Glaucous-leaved ditto	—	S. h.
— <i>heterophylla</i>	—	Narrow-leaved ditto	—	S. h.
— <i>holosericea</i>	—	Silky-leaved ditto	—	S. h.
— <i>incarnata</i>	—	Three-leaved ditto	—	G. y.
— <i>laurifolia</i>	—	Laurel-leaved ditto	—	S. h.
— <i>lutea</i>	—	Yellow ditto	—	G. y.
— <i>maliformis</i>	—	Apple-fruited ditto	—	S. h.
— <i>minima</i>	—	Small flowered ditto	—	S. h.
— <i>Murucuja</i>	—	Bat-leaved ditto	—	S. h.
— <i>pedata</i>	—	Curled-flowered ditto	—	S. h.
— <i>punctata</i>	—	Dotted ditto	—	S. h.
— <i>quadrangularis</i>	—	Square-stalked ditto	—	S. h.
— <i>rubra</i>	—	Red-fruited ditto	—	S. h.
— <i>ferratifolia</i>	—	Notch-leaved ditto	—	S. h.
— <i>puberula</i>	—	Cork-barked ditto	—	S. h.
— <i>Vespertilio</i>	—	Sharp-pointed Bat-leaved ditto	—	S. h.
<i>Pastinaca Opopanax</i>	—	Rough Parsnip	—	H. y.
— <i>fativa</i>	—	Garden ditto	—	H. ♂.
— <i>sylvestris</i>	—	Wild ditto	—	H. ♂.
<i>Pedicularis palustris</i>	—	Marsh Louse-wort	—	H. ♂.
— <i>sylvatica</i>	—	Common ditto	—	H. ♂.
<i>Pelargonium acetosum</i>	—	Sorrel Crane's-bill	—	G. h.
— <i>adulterinum</i>	—	Hoary trifid-leaved ditto	—	G. h.
— <i>alchemilloides</i>	—	Lady's mantle-leaved ditto	—	G. y.
— <i>angulosum</i>	—	Marsh-mallow-leaved ditto	—	G. h.
— <i>betulinum</i>	—	Birch-leaved ditto	—	G. h.
— <i>bicolor</i>	—	Two-coloured ditto	—	G. h.
— <i>capitatum</i>	—	Rose-scented ditto	—	G. h.
— <i>carnosum</i>	—	Fleshy-stalked ditto	—	G. h.
— <i>ceratophyllum</i>	—	Horn-leaved ditto	—	G. h.
— <i>cordatum</i>	—	Heart-leaved ditto	—	G. h.
— <i>coriandrifolium</i>	—	Coriander-leaved ditto	—	G. ♂.
— <i>Cotyledonis</i>	—	Holly-hock-leaved ditto	—	G. h.
— <i>crispum</i>	—	Curly-leaved ditto	—	G. h.
— <i>cucullatum</i>	—	Cup-leaved ditto	—	G. h.
— <i>echinatum</i>	—	Prickly-stalked ditto	—	G. h.
— <i>extipulatum</i>	—	Soft trifid-leaved ditto	—	G. h.
— <i>flavum</i>	—	Carrot-leaved ditto	—	G. y.
— <i>fragrans</i>	—	Peppermint-scented ditto	—	G. h.
— <i>fulgidum</i>	—	Celandine-leaved ditto	—	G. h.
— <i>gibbosum</i>	—	Gouty-stalked ditto	—	G. h.
— <i>glaucum</i>	—	Lance-leaved ditto	—	G. h.
— <i>glutinosum</i>	—	Clammy ditto	—	G. h.
— <i>graveolens</i>	—	Strong-scented ditto	—	G. h.

<i>Pelargonium hybridum</i>	—	Bastard Crane's-bill	—	G. h.
— <i>incisum</i>	—	Cut-leaved ditto	—	G. h.
— <i>inquinans</i>	—	Scarlet-flowered ditto	—	G. h.
— <i>lacerum</i>	—	Jagged-leaved ditto	—	G. g.
— <i>lateripes</i>	—	Ivy-leaved ditto	—	G. h.
— <i>lobatum</i>	—	Vine-leaved ditto	—	S. y.
— <i>odoratissimum</i>	—	Sweet-scented ditto	—	G. y.
— <i>ovale</i>	—	Oval-leaved ditto	—	G. h.
— <i>papilionaceum</i>	—	Butterfly ditto	—	G. h.
— <i>peltatum</i>	—	Peltated ditto	—	G. h.
— <i>quercifolium</i>	—	Oak-leaved ditto	—	G. h.
— <i>radula</i>	—	Multifid-leaved ditto	—	G. h.
— <i>scabrum</i>	—	Rough-leaved ditto	—	G. h.
— <i>tabulare</i>	—	Rough-stalked ditto	—	G. y.
— <i>tenuifolium</i>	—	Fine-leaved ditto	—	G. h.
— <i>ternatum</i>	—	Ternate ditto	—	G. h.
— <i>tetragonum</i>	—	Square-stalked ditto	—	G. h.
— <i>tricolor</i>	—	Three coloured ditto	—	G. h.
— <i>tricuspidatum</i>	—	Three-pointed leaved ditto	—	G. h.
— <i>triste</i>	—	Night-scented ditto	—	G. h.
— <i>vitifolium</i>	—	Balm-scented ditto	—	G. h.
— <i>zonale</i>	—	Horse-shoe ditto	—	G. h.
— <i>v. foliis variegatis</i>	—	Striped-leaved ditto	—	G. h.
<i>Peganum Harmala</i>	—	Syrian Rue	—	H. y.
<i>Peltaria alliacea</i>	—	Garlick-scented Peltaria	—	H. y.
<i>Penthorum sedoides</i>	—	American Penthorum	—	H. y.
<i>Penstemon lævigata</i>	—	Smooth Penstemon	—	H. y.
<i>Peplis Portula</i>	—	Water Purslane	—	H. o.
<i>Periploca africana</i>	—	African Periploca	—	G. h.
— <i>græca</i>	—	Common ditto	—	H. h.
<i>Petiveria alliacea</i>	—	Guinea-hen-weed	—	S. h.
<i>Peucedanum officinale</i>	—	Common Sulphur-wort	—	H. y.
— <i>Silau</i>	—	Meadow ditto	—	H. y.
<i>Phaca alpina</i>	—	Alpine Phaca	—	H. y.
<i>Phalaris aquatica</i>	—	Water Canary-grass	—	H. o.
— <i>arundinacea</i>	—	Reed ditto	—	H. y.
— <i>v. versicolor</i>	—	Striped ditto, or Ribbon-grass	—	H. y.
— <i>canariensis</i>	—	Birds ditto	—	H. o.
— <i>paradoxa</i>	—	Bristly-spiked ditto	—	H. o.
— <i>phleoides</i>	—	Naked-cupped ditto	—	H. y.
<i>Phaseolus nanus</i>	—	Dwarf Kidney-Bean	—	H. o.
— <i>vulgaris</i>	—	Common climbing ditto	—	H. o.
— <i>v. coccineus</i>	—	Scarlet ditto	—	H. o.
<i>Phellandrium aquaticum</i>	—	Water Phellandrium	—	H. g.
— <i>Musellina</i>	—	Mountain ditto	—	H. y.
<i>Philadelphus aromaticus</i>	—	Sweet-scented Philadelphus	—	G. h.
— <i>Coronaria</i>	—	Common Syringa	—	H. h.
— <i>v. nana</i>	—	Dwarf ditto	—	H. h.

Philadelphus laniger	—	Hoary Philadelphus	—	G.	h.
Phillyrea angustifolia	—	Common narrow-leaved Phillyrea,	H.	h.	
— <i>v. rosmarinifolia</i>	—	Rosemary-leaved ditto	—	H.	h.
— <i>latifolia</i>	—	Smooth broad-leaved ditto	—	H.	h.
— <i>v. obliqua</i>	—	Ilex-leaved ditto	—	H.	h.
— <i>v. spinosa</i>	—	Prickly broad-leaved ditto	—	H.	h.
— <i>media</i>	—	Privet-leaved ditto	—	H.	h.
— <i>v. buxifolia</i>	—	Box-leaved ditto	—	H.	h.
— <i>v. oleaefolia</i>	—	Olive-leaved ditto	—	H.	h.
— <i>v. pendula</i>	—	Drooping ditto	—	H.	h.
— <i>v. virgata</i>	—	Long-branched ditto	—	H.	h.
Phleum alpinum	—	Alpine Cat's-tail Grass	—	H.	γ.
— <i>arenarium</i>	—	Sand ditto	—	H.	⊙.
— <i>nodosum</i>	—	Bulbous ditto	—	H.	γ.
— <i>paniculatum</i>	—	Panicled ditto	—	H.	⊙.
— <i>pratense</i>	—	Meadow ditto, or Timothy-grass,	H.	γ.	
Phlomis caribæa	—	Caribbean Phlomis	—	S.	⊙.
— <i>fruticosa</i>	—	Shrubby ditto	—	H.	h.
— <i>Leonurus</i>	—	Narrow-leaved do. or Lion's-tail,	G.	h.	
— <i>nepetifolia</i>	—	Cat-mint-leaved ditto	—	S.	⊙.
— <i>purpurea</i>	—	Purple ditto	—	G.	h.
— <i>tuberosa</i>	—	Tuberous ditto	—	H.	γ.
Phlox carolina	—	Carolina Lychnidea	—	H.	γ.
— <i>divaricata</i>	—	Early-flowering ditto	—	H.	γ.
— <i>glaberrima</i>	—	Smooth ditto	—	H.	γ.
— <i>maculata</i>	—	Spotted ditto	—	H.	γ.
— <i>ovata</i>	—	Oval-leaved ditto	—	H.	γ.
— <i>paniculata</i>	—	Panicled ditto	—	H.	γ.
— <i>setacea</i>	—	Setaceous ditto	—	H.	γ.
— <i>suaveolens</i>	—	White-flowered ditto	—	H.	γ.
— <i>subulata</i>	—	Awl-leaved ditto	—	H.	γ.
Phoenix dactylifera	—	Date Palm	—	S.	h.
Phylica buxifolia	—	Box leaved Phylica	—	G.	h.
— <i>ericoides</i>	—	Heath-leaved ditto	—	G.	h.
— <i>plumosa</i>	—	Woolly leaved ditto	—	G.	h.
Phyllis Nobla	—	Bastard Hare's ear	—	G.	h.
Physalis Alkekengi	—	Common Winter Cherry	—	H.	γ.
— <i>barbadensis</i>	—	Barbadoes ditto	—	S.	⊙.
— <i>pubescens</i>	—	Pubescent ditto	—	G.	h.
— <i>somnifera</i>	—	Cluster ditto	—	G.	h.
Phyteuma hemisphærica	—	Linear-leaved horned Rampion	H.	γ.	
— <i>orbicularis</i>	—	Round-headed ditto	—	H.	γ.
— <i>spicata</i>	—	Spiked ditto	—	H.	γ.
Phytolacca decandra	—	Branching Phytolacca	—	H.	γ.
— <i>dioica</i>	—	Red ditto	—	S.	h.
— <i>octandra</i>	—	White-flowered ditto	—	S.	h.
Picris echinoides	—	Rough Ox-tongue	—	H.	⊙.
— <i>hieracioides</i>	—	Hawk-weed ditto	—	H.	⊙.

<i>Pilularia globulifera</i>	—	Pepper-grass	—	H.	γ.
<i>Pimpinella Anisum</i>	—	Anise	—	H.	⊙.
— <i>dioica</i>	—	Dioicous Burnet Saxifrage	—	H.	γ.
— <i>italica</i>	—	Italian ditto	—	H.	γ.
— <i>magna</i>	—	Great ditto	—	H.	γ.
— <i>Saxifraga</i>	—	Small ditto	—	H.	γ.
<i>Pinguicula vulgaris</i>	—	Common Butter-wort	—	H.	γ.
<i>Pinus Abies</i>	—	Norway Spruce Fir	—	H.	h.
— <i>alba</i>	—	White Spruce ditto	—	H.	h.
— <i>balsamea</i>	—	Balm of Gilead Fir	—	H.	h.
— <i>canadensis</i>	—	Hemlock Spruce ditto	—	H.	h.
— <i>Cedrus</i>	—	Cedar of Lebanon	—	H.	h.
— <i>Cembra</i>	—	Siberian Stone-Pine	—	H.	h.
— <i>halepensis</i>	—	Aleppo ditto	—	H.	h.
— <i>inops</i>	—	Jersey ditto	—	H.	h.
— <i>Larix</i>	—	Red Larch	—	H.	h.
— <i>palustris</i>	—	Swamp Pine	—	H.	h.
— <i>pendula</i>	—	Black Larch	—	H.	h.
— <i>picea</i>	—	Silver Spruce-Fir	—	H.	h.
— <i>Pinaster</i>	—	Cluster-Pine, or Pinaster	—	H.	h.
— <i>pinex</i>	—	Stone-Pine	—	H.	h.
— <i>resinosa</i>	—	American Pitch ditto	—	H.	h.
— <i>Strobus</i>	—	Weymouth ditto	—	H.	h.
— <i>sylvestris</i>	—	Scotch ditto	—	H.	h.
— <i>v. montana</i>	—	Mountain ditto	—	H.	h.
— <i>v. tatarica</i>	—	Tartarian ditto	—	H.	h.
— <i>Tæda</i>	—	Fox-tail ditto	—	H.	h.
— <i>v. rigida</i>	—	Three-leaved Virginian ditto	—	H.	h.
— <i>v. variabilis</i>	—	Two and three-leaved ditto	—	H.	h.
<i>Piper Amalago</i>	—	Rough-leaved Pepper	—	S.	h.
— <i>nigrum</i>	—	Black ditto	—	S.	h.
— <i>obtusifolium</i>	—	Blunt-leaved ditto	—	S.	h.
— <i>polystachyon</i>	—	Many-spiked ditto	—	S.	γ.
— <i>pulchellum</i>	—	Small-leaved ditto	—	S.	γ.
<i>Piscidia Erythrina</i>	—	Jamaica Dog-wood	—	S.	h.
<i>Pistacia Lentiscus</i>	—	Common Mastick-tree	—	G.	h.
— <i>officinarum</i>	—	Pistacia-tree	—	G.	h.
— <i>Terebinthus</i>	—	Turpentine-tree	—	G.	h.
<i>Pisum maritimum</i>	—	Sea Pea	—	H.	γ.
— <i>Ochrus</i>	—	Yellow-flowered ditto	—	H.	⊙.
— <i>fativum</i>	—	Common garden ditto	—	H.	⊙.
<i>Pitcarnia bromeliæfolia</i>	—	Scarlet-flowered Pitcarnia	—	S.	γ.
— <i>latifolia</i>	—	Broad-leaved ditto	—	S.	γ.
<i>Pittosporum coreaceum</i>	—	Thick-leaved Pittosporum	—	G.	h.
<i>Plantago alpina</i>	—	Alpine Plantain	—	H.	γ.
— <i>altissima</i>	—	Tall ditto	—	H.	γ.
— <i>Coronopus</i>	—	Buck's-horn ditto	—	H.	♂.
— <i>Cynopa</i>	—	Shrubby ditto	—	H.	h.

Plantago indica	—	Indian Plantain	—	H. ☉.
— Lagopus	—	Round-headed ditto	—	H. ☉.
— lanceolata	—	Ribwort ditto	—	H. ♀.
— Lœflingii	—	Narrow-leaved ditto	—	H. ☉.
— major	—	Great ditto	—	H. ♀.
— v. <i>purpurea</i>	—	Great purple ditto	—	H. ♀.
— maritima	—	Sea ditto	—	H. ♀.
— media	—	Hoary ditto	—	H. ♀.
— v. <i>rosea</i>	—	Rose ditto	—	H. ♀.
— Pſyllium	—	Clammy ditto	—	H. ☉.
— subulata	—	Awl-leaved ditto	—	H. ♀.
— virginica	—	Virginian ditto	—	H. ☉.
Platanus occidentalis	—	American Plane	—	H. ♀.
— orientalis	—	Oriental ditto	—	H. ♀.
— v. <i>acerifolia</i>	—	Spaniſh ditto	—	H. ♀.
— v. <i>latifolia</i>	—	Cree's Plane	—	H. ♀.
— v. <i>undulata</i>	—	Wave-leaved ditto	—	H. ♀.
Plectranthus fruticosus	—	Shrubby Plectranthus	—	G. ♀.
— punctatus	—	Dotted ditto	—	G. ♂.
Plumbago europæa	—	European Lead-wort	—	H. ♀.
— rosea	—	Rose-coloured ditto	—	S. ♀.
— zeylanica	—	Ceylon ditto	—	S. ♀.
Plumeria alba	—	White Plumeria	—	S. ♀.
Poa alpina	—	Alpine Meadow-grass	—	H. ♀.
— angustifolia	—	Narrow-leaved ditto	—	H. ♀.
— annua	—	Annual ditto	—	H. ☉.
— aquatica	—	Water ditto	—	H. ♀.
— compressa	—	Flat-stalked ditto	—	H. ♀.
— cristata	—	Crested ditto	—	H. ♀.
— glauca	—	Glaucous ditto	—	H. ♀.
— nemoralis	—	Wood ditto	—	H. ♀.
— pratensis	—	Smooth-stalked ditto	—	H. ♀.
— rigida	—	Hard ditto	—	H. ☉.
— rupestris	—	Rock ditto	—	H. ♀.
— trivialis	—	Rough-stalked ditto	—	H. ♀.
Podophyllum peltatum	—	Duck's-Foot	—	H. ♀.
Poinciana pulcherrima	—	Barbadoes Flower-fence	—	S. ♀.
Polemonium cœruleum	—	Blue Greek Valerian	—	H. ♀.
— reptans	—	Creeping ditto	—	H. ♀.
Polianthes tuberosa	—	Common Tuberose	—	S. ♀.
Polycarpon tetraphyllum	—	Four-leaved Polycarpon	—	H. ☉.
Polycnemum arvenſe	—	Trailing Polycnemum	—	H. ☉.
Polygala Chamæbuxus	—	Box-leaved Milkwort	—	H. ♀.
— major	—	Great red-flowered ditto	—	G. ♀.
— myrtifolia	—	Myrtle-leaved ditto	—	G. ♀.
— vulgaris	—	Common ditto	—	H. ♀.
Polygonum amphibium	—	Amphibious Perficaria	—	H. ♀.
— aviculare	—	Common Knot-grass	—	H. ☉.

Polygonum Bistorta	—	Great Bistort	—	—	H. γ .
— Convolvulus	—	Black Bindweed	—	—	H. \odot .
— divaricatum	—	Divaricated Persicaria	—	—	H. γ .
— Fagopyrum	—	Buck-Wheat	—	—	H. \odot .
— frutescens	—	Shrubby Persicaria	—	—	H. γ .
— Hydropiper	—	Biting ditto	—	—	H. \odot .
— minus	—	Small ditto	—	—	H. \odot .
— orientale	—	Oriental ditto	—	—	H. \odot .
— v. flore albo	—	White Persicaria	—	—	H. \odot .
— pennsylvanicum	—	Pennsylvanian ditto	—	—	H. \odot .
— Persicaria	—	Spotted ditto	—	—	H. \odot .
— scandens	—	Climbing ditto	—	—	H. γ .
— undulatum	—	Undulated ditto	—	—	H. γ .
— virginianum	—	Virginian ditto	—	—	H. γ .
— viviparum	—	Viviparous ditto	—	—	H. γ .
Polypodium aculeatum	—	Prickly Polypody	—	—	H. γ .
— aureum	—	Golden ditto	—	—	S. γ .
— cambricum	—	Welsh ditto	—	—	H. γ .
— cristatum	—	Crested ditto	—	—	H. γ .
— Dryopteris	—	Branching ditto	—	—	H. γ .
— Filix femina	—	Female ditto	—	—	H. γ .
— Filix mas	—	Male ditto	—	—	H. γ .
— fragile	—	Brittle ditto	—	—	H. γ .
— lobatum	—	Lobed ditto	—	—	H. γ .
— Lonchitis	—	Rough ditto	—	—	H. γ .
— oreopteris	—	Mountain ditto	—	—	H. γ .
— Phegopteris	—	Wood ditto	—	—	H. γ .
— rhæticum	—	Stone ditto	—	—	H. γ .
— Thelypteris	—	Marsh ditto	—	—	H. γ .
— vulgare	—	Common ditto	—	—	H. γ .
Populus alba	—	Common white Poplar	—	—	H. γ .
— v. nivea	—	Great ditto, or Abele-tree	—	—	H. γ .
— angulata	—	Carolina Poplar	—	—	H. γ .
— balsamifera	—	Tacamahac ditto	—	—	H. γ .
— candicans	—	Heart-leaved ditto	—	—	H. γ .
— dilatata	—	Lombardy, or Po ditto	—	—	H. γ .
— græca	—	Athenian ditto	—	—	H. γ .
— heterophylla	—	Various-leaved ditto	—	—	H. γ .
— lævigata	—	Smooth ditto	—	—	H. γ .
— monilifera	—	Canadian ditto	—	—	H. γ .
— nigra	—	Black ditto	—	—	H. γ .
— tremula	—	Trembling ditto, or Aspen Tree,	—	—	H. γ .
Portlandia grandiflora	—	Great-flowered Portlandia	—	—	S. γ .
Portulaca Anacampseros	—	Round-leaved Purslane	—	—	G. γ .
— oleracea	—	Garden ditto	—	—	H. \odot .
Portulacaria afra	—	Purslane-tree	—	—	G. γ .
Potamogeton compressum	—	Flat-stalked Pond-weed	—	—	H. γ .
— crispum	—	Curled ditto	—	—	H. γ .
— lucens	—	Shining ditto	—	—	H. γ .

Potamogeton natans. —	Broad-leaved Pond-weed —	H. ½.
Potentilla alba —	White Cinque-foil —	H. ½.
— Anserina —	Silver ditto —	H. ½.
— argentea —	Satin ditto —	H. ½.
— astracantha —	Downy ditto —	H. ½.
— aurea —	Golden ditto —	H. ½.
— bifurca —	Bifid-leaved ditto —	H. ½.
— fragaroides —	Strawberry ditto —	H. ½.
— fruticosa —	Shrubby ditto —	H. ½.
— grandiflora —	Great-flowered ditto —	H. ½.
— hirta —	Hairy ditto —	H. ½.
— monspeliensis —	Montpelier ditto —	H. ½.
— multifida —	Multifid ditto —	H. ½.
— norvegica —	Norway ditto —	H. ½.
— opaca —	Scotch ditto —	H. ½.
— pennsylvanica —	Agrimony-leaved ditto —	H. ½.
— recta —	Upright ditto —	H. ½.
— reptans —	Common ditto —	H. ½.
— rupestris —	Rock ditto —	H. ½.
— tridentata —	Trifid-leaved ditto —	H. ½.
— verna —	Spring ditto —	H. ½.
Poterium Sanguiforba —	Common Burnet —	H. ½.
— spinosum —	Prickly shrubby ditto —	G. ½.
Prasium majus —	Great Spanish Hedge-Nettle —	G. ½.
— minus —	Small Spanish ditto —	G. ½.
Prenanthes muralis —	Wall Prenanthes —	H. ½.
— purpurea —	Purple ditto —	H. ½.
— viminea —	Twiggy ditto —	H. ½.
Primula acaulis —	Common Primrose —	H. ½.
— Auricula —	Common Auricula —	H. ½.
— cortusifoides —	Cortusa-leaved Primula —	H. ½.
— elatior —	Oxlip —	H. ½.
— farinosa —	Bird's-eye Primula —	H. ½.
— Helvetica —	Switzerland ditto —	H. ½.
— integrifolia —	Entire-leaved ditto —	H. ½.
— longifolia —	Long-leaved ditto —	H. ½.
— marginata —	Silver-edged ditto —	H. ½.
— nivea —	White-flowered ditto —	H. ½.
— officinalis —	Common Cowslip —	H. ½.
— villosa —	Mountain Primula —	H. ½.
— viscosa —	Viscous ditto —	H. ½.
Prinos glaber —	Evergreen Winter-berry —	H. ½.
— verticillatus —	Deciduous ditto —	H. ½.
Protea argentea —	Silver-leaved Protea —	G. ½.
— conifera —	Cone-bearing ditto —	G. ½.
— glauca —	Glaucous ditto —	G. ½.
— hirta —	Hairy ditto —	G. ½.
— Levifanus —	Smooth-leaved ditto —	G. ½.

<i>Protea mellifera</i>	—	Honey-bearing Protea	—	G. h.
— <i>pallens</i>	—	Pale ditto	—	G. h.
— <i>saligna</i>	—	Willow-leaved ditto	—	G. h.
— <i>sericea</i>	—	Silky-leaved ditto	—	G. h.
— <i>spatulata</i>	—	Spatula-leaved ditto	—	G. h.
— <i>spicata</i>	—	Spiked-flowered ditto	—	G. h.
<i>Prunella grandiflora</i>	—	Great-flowered Self-heal	—	H. y.
— <i>hyssopifolia</i>	—	Hyssop-leaved ditto	—	H. y.
— <i>intermedia</i>	—	Intermediate ditto	—	H. y.
— <i>laciniata</i>	—	Cut-leaved ditto	—	H. y.
— <i>vulgaris</i>	—	Common ditto	—	H. y.
<i>Prunus Armeniaca</i>	—	Apricot-Tree	—	H. h.
— <i>avium</i>	—	Bird Cherry	—	H. h.
— <i>canadensis</i>	—	Canada Bird-cherry	—	H. h.
— <i>caroliniana</i>	—	Evergreen ditto	—	H. h.
— <i>Cerasus</i>	—	Cultivated Cherry	—	H. h.
— <i>v. flore pleno</i>	—	Double-flowering ditto	—	H. h.
— <i>domestica</i>	—	Common Plum Tree	—	H. h.
— <i>infinitia</i>	—	Common Bullace	—	H. h.
— <i>Laurus-cerasus</i>	—	Common Laurel	—	H. h.
— <i>lustranica</i>	—	Portugal ditto	—	H. h.
— <i>Mahaleb</i>	—	Perfumed Cherry	—	H. h.
— <i>nigra</i>	—	Black ditto	—	H. h.
— <i>Padus</i>	—	Common Bird-cherry	—	H. h.
— <i>pennsylvanica</i>	—	Upright Bird-cherry	—	H. h.
— <i>pumila</i>	—	Dwarf Canadian ditto	—	H. h.
— <i>rubra</i>	—	Cornish Bird-cherry	—	H. h.
— <i>spinosa</i>	—	Sloe Tree	—	H. h.
— <i>virginiana</i>	—	Common American Bird-cherry	—	H. h.
<i>Psidium pyrifera</i>	—	White Guava	—	S. h.
<i>Ptelea americana</i>	—	American Ptelea	—	G. h.
— <i>bituminosa</i>	—	Bituminous ditto	—	G. h.
— <i>bracteata</i>	—	Oval-spiked ditto	—	G. h.
— <i>capitata</i>	—	Capitate ditto	—	G. h.
— <i>corylifolia</i>	—	Nut-leaved ditto	—	S. c.
— <i>glandulosa</i>	—	Striped-flowered ditto	—	G. h.
— <i>hirta</i>	—	Hairy ditto	—	G. h.
— <i>pinnata</i>	—	Pinnated ditto	—	G. h.
<i>Ptelea trifoliata</i>	—	Shrubby Bean-trefoil	—	H. h.
<i>Pteris aquilina</i>	—	Common Brakes	—	H. y.
— <i>caudata</i>	—	Great American ditto	—	H. y.
— <i>cheiranthifolia</i>	—	Stock-leaved ditto	—	S. y.
<i>Pulmonaria angustifolia</i>	—	Narrow-leaved Lung-wort	—	H. y.
— <i>maritima</i>	—	Sea ditto	—	H. y.
— <i>officinalis</i>	—	Common ditto	—	H. y.
— <i>virginica</i>	—	Virginian ditto	—	H. y.
<i>Punica Granatum</i>	—	Common Pomegranate	—	H. h.
— <i>v. floribus plenis</i>	—	Double-flowering ditto	—	H. h.

<i>Punica nana</i>	—	Dwarf Pomegranate	—	H. h.
<i>Pyrola minor</i>	—	Lesser Winter Green	—	H. y.
— <i>rotundifolia</i>	—	Round leaved ditto	—	H. y.
<i>Pyrus angustifolia</i>	—	Narrow-leaved Crab Tree	—	H. h.
— <i>baccata</i>	—	Small-fruited ditto	—	H. h.
— <i>communis</i>	—	Common Pear	—	H. h.
— <i>coronaria</i>	—	Sweet-scented Crab	—	H. h.
— <i>Cydonia</i>	—	Quince Tree	—	H. h.
— <i>Malus</i>	—	Common Apple Tree	—	H. h.
— <i>v. floribus magnis</i>	—	Siberian Crab	—	H. h.
— <i>Pollveria</i>	—	Woolly-leaved Pear	—	H. h.
— <i>falicifolia</i>	—	Willow-leaved Crab	—	H. h.
— <i>pectabilis</i>	—	Chinese Apple Tree	—	H. h.
<i>Quercus Ægilops</i>	—	Great prickly-cupped Oak	—	H. h.
— <i>alba</i>	—	White ditto	—	H. h.
— <i>aquatica</i>	—	Common Water ditto	—	H. h.
— <i>v. attenuata</i>	—	Narrow-leaved water ditto	—	H. h.
— <i>v. elongata</i>	—	Long-leaved water ditto	—	H. h.
— <i>v. heterophylla</i>	—	Various-leaved water ditto	—	H. h.
— <i>v. indivisa</i>	—	Entire-leaved water ditto	—	H. h.
— <i>Cerris</i>	—	Common Turkey ditto	—	H. h.
— <i>v. bullata</i>	—	Rough-leaved Turkey ditto	—	H. h.
— <i>v. sinuata</i>	—	Narrow-leaved Turkey ditto	—	H. h.
— <i>Coccifera</i>	—	Kermes ditto	—	H. h.
— <i>Esculus</i>	—	Small prickly cupped ditto	—	H. h.
— <i>Ilex</i>	—	Common ever-green ditto	—	H. h.
— <i>v. oblongata</i>	—	Long-leaved ever-green ditto	—	H. h.
— <i>v. ferrata</i>	—	Saw-leaved ever-green ditto	—	H. h.
— <i>gramuntia</i>	—	Hollow-leaved ditto	—	H. h.
— <i>nigra</i>	—	Black ditto	—	H. h.
— <i>Phellos</i>	—	Common Willow-leaved ditto	—	H. h.
— <i>v. sericea</i>	—	Dwarf Willow-leaved ditto	—	H. h.
— <i>Prinus</i>	—	Chestnut-leaved ditto	—	H. h.
— <i>Robur</i>	—	Common ditto	—	H. h.
— <i>rubra</i>	—	Champion ditto	—	H. h.
— <i>v. coccinea</i>	—	Scarlet ditto	—	H. h.
— <i>Suber</i>	—	Cork-tree ditto	—	H. h.
<i>Ranunculus aconitifolius</i>	—	Aconite-leaved Crowfoot	—	H. y.
— <i>v. flore pleno</i>	—	Double-flowered ditto	—	H. y.
— <i>acris</i>	—	Upright ditto	—	H. y.
— <i>v. flore pleno</i>	—	Double-flowered upright ditto	—	H. y.
— <i>alpestris</i>	—	Alpine ditto	—	H. y.
— <i>amplexicaulis</i>	—	Plantain-leaved ditto	—	H. y.
— <i>aquatilis</i>	—	Water ditto	—	H. y.
— <i>arvensis</i>	—	Corn ditto	—	H. G.
— <i>asiaticus</i>	—	Garden Ranunculus	—	H. y.
— <i>auricomus</i>	—	Wood Crowfoot	—	H. O.
— <i>bulbosus</i>	—	Bulbous ditto	—	H. y.

Ranunculus Ficaria —	Pilewort Crowfoot —	H. γ .
— Flammula —	Small Spearwort ditto —	H. γ .
— glacialis —	Two-flowered ditto —	H. γ .
— gramineus —	Grass-leaved ditto —	H. γ .
— hederaceus —	Ivy-leaved ditto —	H. γ .
— hirsutus —	Pale-flowered ditto —	H. \odot .
— illyricus —	Illyrian ditto —	H. γ .
— Lingua —	Great Spearwort ditto —	H. γ .
— muricatus —	Spreading prickly ditto —	H. \odot .
— nivalis —	Alpine yellow ditto —	H. γ .
— parnassifolius —	Parnassia-leaved ditto —	H. γ .
— parviflorus —	Small-flowered ditto —	H. \odot .
— pennsylvanicus —	Pennsylvanian ditto —	H. δ .
— pyrenæus —	Pyrenean ditto —	H. γ .
— repens —	Creeping ditto —	H. γ .
— rutæfolius —	Rue-leaved ditto —	H. γ .
— sceleratus —	Marsh ditto —	H. \odot .
— Thora —	Kidney-leaved ditto —	H. γ .
Raphanus Raphanistrum	Wild Radish —	H. \odot .
— sativus —	Common Garden ditto —	H. \odot .
— tenellus —	Small ditto —	H. \odot .
Renealmia exaltata —	Superb Renealmia —	S. γ .
Reseda alba —	Upright Reseda —	H. \odot .
— lutea —	Yellow ditto —	H. \odot .
— Luteola —	Dyer's ditto —	H. \odot .
— odorata —	Mignonette, or sweet ditto —	H. \odot .
— Phyteuma —	Trifid ditto —	H. \odot .
Restio dichotomus —	Forked Restio —	G. γ .
Rhamnus Alaternus —	Common Alaternus —	H. h .
— v. angustifolius —	Jagged-leaved ditto —	H. h .
— alnifolius —	Alder-leaved ditto —	H. h .
— alpinus —	Alpine ditto —	H. h .
— catharticus —	Purging Buckthorn —	H. h .
— Frangula —	Berry-bearing ditto —	H. h .
— infectorius —	Dwarf ditto —	H. h .
— latifolius —	Azorian ditto —	H. h .
— lineatus —	Supple-Jack Tree —	H. h .
— Paliurus —	Christ's Thorn —	H. h .
— saxatilis —	Rock Buckthorn —	H. h .
— theezans —	Tea ditto —	H. h .
— Zizyphus —	Shining-leaved ditto —	H. h .
Rheum compactum —	Thick-leaved Rhubarb —	H. γ .
— hybridum —	Bastard ditto —	H. γ .
— palmatum —	Officinal ditto —	H. γ .
— Rhaponticum —	Rhapontic ditto —	H. γ .
— undulatum —	Wave-leaved ditto —	H. γ .
Rhexia mariana —	Fringed-leaved Rhexia —	H. γ .
Rhinanthus Crista galli —	Yellow Rattle —	H. \odot .

<i>Rhodiola rosea</i>	—	Rose-root	—	H.	u.
<i>Rhododendrum ferrugineum</i>	—	Rusty-leaved Rhododendrum	—	H.	b.
— <i>hirsutum</i>	—	Hairy ditto	—	H.	b.
— <i>maximum</i>	—	Broad-leaved ditto	—	H.	b.
— <i>ponticum</i>	—	Purple ditto	—	H.	b.
— <i>punctatum</i>	—	Dotted-leaved ditto	—	H.	b.
<i>Rhodora canadensis</i>	—	Canadian Rhodora	—	H.	b.
<i>Rhus angustifolium</i>	—	Narrow-leaved Sumach	—	G.	b.
— <i>copallinum</i>	—	Lentiscus-leaved ditto	—	H.	b.
— <i>Coriaria</i>	—	Elm-leaved ditto	—	H.	b.
— <i>Cotinus</i>	—	Venus's ditto	—	H.	b.
— <i>elegans</i>	—	Carolina ditto	—	H.	b.
— <i>glabrum</i>	—	Scarlet ditto	—	H.	b.
— <i>lævigatum</i>	—	Smooth-leaved ditto	—	G.	b.
— <i>lucidum</i>	—	Small shining-leaved ditto	—	G.	b.
— <i>radicans</i>	—	Upright Poison Oak	—	H.	b.
— <i>suaveolens</i>	—	Sweet Sumach	—	H.	b.
— <i>tomentosum</i>	—	Woolly ditto	—	G.	b.
— <i>Toxicodendron</i>	—	Trailing Poison Oak	—	H.	b.
— <i>typhinum</i>	—	Virginian Sumach	—	H.	b.
— <i>Vernix</i>	—	Varnish ditto	—	G.	b.
<i>Ribes alpinum</i>	—	Alpine Currant	—	H.	b.
— <i>Cynosbati</i>	—	Prickly-fruited ditto	—	H.	b.
— <i>floridum</i>	—	American black ditto	—	H.	b.
— <i>glandulosum</i>	—	Glandulous ditto	—	H.	b.
— <i>Grossularia</i>	—	Common Gooseberry	—	H.	b.
— <i>nigrum</i>	—	Common black Currant	—	H.	b.
— <i>oxyacanthoides</i>	—	Hawthorn-leaved ditto	—	H.	b.
— <i>rubrum</i>	—	Red ditto	—	H.	b.
— <i>v. album</i>	—	White ditto	—	H.	b.
— <i>Uva crispa</i>	—	Smooth-fruited Gooseberry	—	H.	b.
<i>Ricinus communis</i>	—	Palma-Christi	—	S.	b.
<i>Rivinia humilis</i>	—	Downy Rivinia	—	S.	b.
— <i>lævis</i>	—	Smooth ditto	—	S.	b.
<i>Robinia Caragana</i>	—	Siberian Robinia	—	H.	b.
— <i>Chamlagu</i>	—	Shining ditto	—	H.	b.
— <i>frutescens</i>	—	Shrubby ditto	—	H.	b.
— <i>Halodendron</i>	—	Salt-tree ditto	—	H.	b.
— <i>hispidâ</i>	—	Rose-Acacia	—	H.	b.
— <i>Pseud-Acacia</i>	—	Common Acacia	—	H.	b.
— <i>pygmæa</i>	—	Dwarf ditto	—	H.	b.
— <i>spinosa</i>	—	Thorny ditto	—	H.	b.
<i>Rondeletia americana</i>	—	American Rondeletia	—	S.	b.
<i>Rosa alba</i>	—	Single White Rose	—	H.	b.
— <i>v. incarnate</i>	—	Maiden's Blush ditto	—	H.	b.
— <i>v. plena</i>	—	Double White ditto	—	H.	b.
— <i>alpina</i>	—	Thornless ditto	—	H.	b.
— <i>canina</i>	—	Dog ditto	—	H.	b.

Rosa caroliniana	Great Burnet-leaved Rose	H. 2.
centifolia	Dutch hundred-leaved ditto	H. h.
v. burgundica	Burgundy ditto	H. h.
v. holosericea	Single velvet ditto	H. h.
v. holosericea plena	Double velvet ditto	H. h.
v. major	Great Royal ditto	H. h.
v. rubicans	Blush hundred-leaved ditto	H. h.
v. Singletoni	Singleton's hundred-leaved ditto	H. h.
v. sultana	Sultan ditto	H. h.
v. ———	Bishop ditto	H. h.
v. ———	Lisbon ditto	H. h.
cinnamomea	Single Cinnamon ditto	H. h.
damaſcena	Red Damask ditto	H. h.
v. alba	White monthly ditto	H. h.
v. belgica	Blush-belgic ditto	H. h.
v. carnea	Blush monthly ditto	H. h.
v. incarnata	Blush Damask ditto	H. h.
v. menſtrualis	Red monthly ditto	H. h.
v. verſicolor	York and Lancaſter ditto	H. h.
gallica	Red-official ditto	H. h.
v. marmorea	Marbled ditto	H. h.
v. verſicolor	Rosa Mundi	H. h.
———	Virgin ditto	H. h.
indica	Pale-flowered ever-blowing Rose,	G. h.
lutea	Single yellow ditto	H. h.
moſchata	Single muſk ditto	H. h.
v. rubra	Red muſk ditto	H. h.
muſcoſa	Mos Provence ditto	H. h.
pimpinellifolia	Small burnet-leaved ditto	H. h.
provincialis	Common Provence ditto	H. h.
v. alba	White Provence ditto	H. h.
v. pallida	Blush Provence ditto	H. h.
v. proliſera	Childing Provence ditto	H. h.
v. ruberrima	Red Provence ditto	H. h.
v. ———	De Meux	H. h.
v. ———	De Rheims	H. h.
v. ———	Pompon	H. h.
pumila	Dwarf auſtrian ditto	H. h.
rubiginofa	Common Sweet-briar	H. h.
v. multiplicata	Semi-double ditto	H. h.
v. plena	Double ditto	H. h.
v. ſempervirens	Manning's ditto	H. h.
ſemplorens	Ever-blowing Rose	G. h.
ſempvirens	Evergreen ditto	H. h.
ſinica	Chineſe ditto	G. h.
ſpinoſiſſima	Common Scotch ditto	H. h.
v. maculata	Marbled Scotch ditto	H. h.
v. plena	Double Scotch ditto	H. h.

Rosa sulphurea	—	Levant, or double yellow Rose	H. h.
— turbinata	—	Frankfort ditto	H. h.
— villosa	—	Single Apple-bearing ditto	H. h.
— v. plena	—	Double Apple-bearing ditto	H. h.
Rosmarinus officinalis	—	Rosemary	H. h.
Rottboellia incurvata	—	Sea Hard Grass	H. h.
Royena glabra	—	Myrtle-leav. African Bladder-nut	G. h.
— hirsuta	—	Hairy-leaved ditto	G. h.
— lucida	—	Shining ditto	G. h.
— polyandra	—	Oval-leaved ditto	G. y.
Rubia peregrina	—	Wild Madder	H. y.
— tinctoria	—	Dyer's ditto	H. y.
Rubus arcticus	—	Dwarf Bramble	H. y.
— cæsius	—	Dewberry ditto	H. h.
— Chamæmorus	—	Mountain ditto	H. y.
— Dalibarda	—	Simple-leaved ditto	H. y.
— fruticosus	—	Common ditto	H. h.
— v. albus	—	White-fruited ditto	H. h.
— v. apiifolius	—	Parsley-leaved ditto	H. h.
— v. inermis	—	Smooth ditto	H. h.
— v. plenus	—	Double-flowered ditto	H. h.
— hispidus	—	Bristly ditto	H. h.
— idæus	—	Red Raspberry	H. h.
— v. albus	—	White ditto	H. h.
— v. lævigatus	—	Smooth, or Cause ditto	H. h.
— occidentalis	—	Virginian ditto	H. h.
— odoratus	—	Flowering ditto	H. h.
— saxatilis	—	Stone Bramble	H. h.
— villosus	—	Hairy ditto	H. h.
Rudbeckia amplexifolia	—	Annual Rudbeckia	H. o.
— digitata	—	Narrow jagged-leaved ditto	H. y.
— fulgida	—	Bright ditto	H. y.
— hirta	—	Hairy ditto	H. o.
— laciniata	—	Broad jagged-leaved ditto	H. y.
— purpurea	—	Purple ditto	H. y.
Rumex Acetosa	—	Garden Sorrel	H. y.
— Acetofella	—	Sheep's ditto	H. y.
— aculeatus	—	Prickly-seeded Dock	H. o.
— acutus	—	Sharp-pointed ditto	H. y.
— alpinus	—	Alpine ditto	H. y.
— aureus	—	Golden ditto	H. o.
— crispus	—	Curled ditto	H. y.
— digynus	—	Mountain ditto	H. y.
— Hydrolapathum	—	Water ditto	H. y.
— Lunaria	—	Tree ditto	G. h.
— maritimus	—	Small Water ditto	H. y.
— obtusifolius	—	Blunt-leaved ditto	H. y.
— Patientia	—	Patience ditto, or Rhubarb	H. y.

<i>Rumex pulcher</i>	— —	Fiddle Dock	— — —	H. γ .
— <i>sanguineus</i>	— —	Bloody ditto	— — —	H. γ .
— <i>scutatus</i>	— —	French Sorrel	— — —	H. γ .
— <i>tuberosus</i>	— —	Tuberous Dock	— — —	H. γ .
— <i>vesicarius</i>	— —	Bladder ditto	— — —	H. \odot .
<i>Rufcus aeuleatus</i>	—	Prickly Butcher's Broom	—	H. h .
— <i>androgynus</i>	— —	Climbing ditto	— — —	G. h .
— <i>Hypoglossum</i>	— —	Double-leaved ditto	— — —	H. h .
— <i>Hypophyllum</i>	— —	Broad-leaved ditto	— — —	H. h .
— <i>racemosus</i>	— —	Alexandrian Laurel	— — —	H. h .
<i>Ruta graveolens</i>	— —	Common Rue	— — —	H. h .
— <i>chalepensis</i>	— —	Broad-leaved African ditto	— — —	G. h .
<i>Saccharum officinarum</i>	—	Sugar Cane	— — —	S. γ .
<i>Sagina apetala</i>	— —	Annual Pearl-wort	— — —	H. \odot .
— <i>erecta</i>	— —	Upright ditto	— — —	H. \odot .
— <i>procumbens</i>	— —	Procumbent ditto	— — —	H. γ .
<i>Sagittaria sagittifolia</i>	— —	Common Arrow Head	— — —	H. γ .
<i>Salicornia arabica</i>	— —	Arabian jointed Saltwort	— — —	S. h .
— <i>europæa</i>	— —	Marsh ditto	— — —	H. \odot .
— <i>fruticosa</i>	— —	Shrubby ditto	— — —	H. h .
<i>Salisburia adiantoides</i>	— —	Maiden-hair Tree	— — —	H. h .
<i>Salix acuminata</i>	— —	Sharp-pointed-leaved Willow	— — —	H. h .
— <i>alba</i>	— —	White ditto	— — —	H. γ .
— <i>amygdalina</i>	— —	Almond-leaved ditto	— — —	H. γ .
— <i>arbuscula</i>	— —	Dwarf ditto	— — —	H. h .
— <i>arenaria</i>	— —	Sand ditto	— — —	H. h .
— <i>aurita</i>	— —	Small round-eared ditto	— — —	H. h .
— <i>babylonica</i>	— —	Weeping ditto	— — —	H. h .
— <i>Caprea</i>	— —	Common Sallow	— — —	H. h .
— <i>fragilis</i>	— —	Crack Willow	— — —	H. h .
— <i>fusca</i>	— —	Brown ditto	— — —	H. h .
— <i>glauca</i>	— —	Glaucous ditto	— — —	H. h .
— <i>hastata</i>	— —	Halbert-leaved ditto	— — —	H. h .
— <i>herbacea</i>	— —	Herbaceous ditto	— — —	H. h .
— <i>incubacea</i>	— —	Trailing ditto	— — —	H. h .
— <i>lanata</i>	— —	Downy ditto	— — —	H. h .
— <i>lapponum</i>	— —	Lapland ditto	— — —	H. h .
— <i>monandra</i>	— —	Bitter ditto	— — —	H. h .
— <i>Myrsinites</i>	— —	Whortle-leaved ditto	— — —	H. h .
— <i>myrtilloides</i>	— —	Myrtle-leaved ditto	— — —	H. h .
— <i>pentandra</i>	— —	Sweet ditto	— — —	H. h .
— <i>phylicifolia</i>	— —	Wave-leaved ditto	— — —	H. h .
— <i>reticulata</i>	— —	Wrinkled ditto	— — —	H. h .
— <i>retusa</i>	— —	Blunt-leaved ditto	— — —	H. h .
— <i>rosmarinifolia</i>	— —	Rosemary-leaved ditto	— — —	H. h .
— <i>triandra</i>	— —	Triandrous ditto	— — —	H. h .
— <i>trifida</i>	— —	Narrow-leaved American ditto	— — —	H. h .
— <i>viminalis</i>	— —	Osier ditto	— — —	H. h .

<i>Salix vitellina</i>	— —	Yellow, or Dutch Willow	—	H.	h.
<i>Salsola fruticosa</i>	— —	Shrubby Salswort	—	H.	h.
— <i>Kali</i>	— —	Prickly ditto	—	H.	o.
— <i>prostrata</i>	— —	Trailing ditto	—	G.	h.
— <i>rofacea</i>	— —	Rose ditto	—	H.	o.
— <i>sericea</i>	— —	Silky-leaved ditto	—	G.	h.
<i>Salvia ægyptiaca</i>	—	Egyptian Sage	—	H.	o.
— <i>Æthiopis</i>	—	Woolly ditto	—	H.	z.
— <i>africana</i>	—	African ditto	—	G.	h.
— <i>arborea</i>	—	Tree ditto	—	G.	h.
— <i>aurea</i>	—	Golden ditto	—	G.	h.
— <i>austriaca</i>	—	Austrian ditto	—	H.	z.
— <i>bicolor</i>	—	Two-coloured ditto	—	G.	z.
— <i>canariensis</i>	—	Canary ditto	—	G.	h.
— <i>coccinea</i>	—	Scarlet ditto	—	S.	z.
— <i>cretica</i>	—	Cretan ditto	—	H.	h.
— <i>disermas</i>	—	Long spiked ditto	—	H.	z.
— <i>formosa</i>	—	Shining-leaved ditto	—	G.	h.
— <i>glutinosa</i>	—	Yellow ditto	—	H.	z.
— <i>Horminum</i>	—	Purple-top'd Clary	—	H.	o.
— <i>v. coma rubra</i>	—	Red-top'd ditto	—	H.	o.
— <i>indica</i>	—	Indian ditto	—	H.	z.
— <i>lyrata</i>	—	Lyrate ditto	—	H.	z.
— <i>mexicana</i>	—	Mexican ditto	—	G.	h.
— <i>nemorosa</i>	—	Spear-leaved ditto	—	H.	z.
— <i>nutans</i>	—	Nodding ditto	—	H.	z.
— <i>officinalis</i>	—	Garden ditto	—	H.	h.
— <i>paniculata</i>	—	Panicled ditto	—	G.	h.
— <i>pinnata</i>	—	Wing-leaved ditto	—	H.	z.
— <i>pratensis</i>	—	Meadow ditto	—	H.	z.
— <i>rugosa</i>	—	Wrinkled-leaved ditto	—	G.	h.
— <i>Scalaria</i>	—	Common Clary	—	H.	z.
— <i>Verbenaca</i>	—	Wild ditto	—	H.	z.
— <i>verticillata</i>	—	Whorl-flowered ditto	—	H.	z.
— <i>virgata</i>	—	Long-branched ditto	—	H.	z.
— <i>vifcosa</i>	—	Clammy ditto	—	H.	z.
<i>Sambucus canadensis</i>	—	Canadian Elder	—	H.	h.
— <i>Ebulus</i>	—	Dwarf ditto	—	H.	h.
— <i>nigra</i>	—	Common ditto	—	H.	h.
— <i>v. viridis</i>	—	White-berried ditto	—	H.	h.
— <i>v. latiniata</i>	—	Parsley-leaved ditto	—	H.	h.
— <i>racemosa</i>	—	Red-berried ditto	—	H.	h.
<i>Samolus Valerandi</i>	—	Water Pimpernel	—	H.	z.
<i>Sanguinaria canadensis</i>	—	Canada Puccoon	—	H.	z.
<i>Sanguisorba canadensis</i>	—	Canadian Burnet Saxifrage	—	H.	z.
— <i>media</i>	—	Short-spiked ditto	—	H.	z.
— <i>officinalis</i>	—	Common ditto	—	H.	z.
<i>Sanicula europæa</i>	—	Common Sanicle	—	H.	z.

<i>Sanicula marilandica</i>	—	Maryland Sanicle	—	—	H. 2.
<i>Santolina Chamæcyparissus</i>	—	Lavender Cotton	—	—	H. 2.
— <i>rosmarinifolia</i>	—	Rosemary-leaved ditto	—	—	G. 2.
<i>Sapindus Saponaria</i>	—	Common Soap-berry	—	—	S. 2.
<i>Saponaria ocymoides</i>	—	Basil-leaved Soapwort	—	—	H. 2.
— <i>officinalis</i>	—	Common ditto	—	—	H. 2.
— <i>v. flore pleno</i>	—	Double ditto	—	—	H. 2.
— <i>v. hybrida</i>	—	Hollow leaved ditto	—	—	H. 2.
— <i>Vaccaria</i>	—	Perfoliate ditto	—	—	H. 2.
<i>Sarracenia purpurea</i>	—	Purple Side-saddle flower	—	—	H. 2.
<i>Satureja græca</i>	—	Grecian Savory	—	—	G. 2.
— <i>hortensis</i>	—	Summer ditto	—	—	H. 2.
— <i>montana</i>	—	Winter ditto	—	—	H. 2.
— <i>Thymbra</i>	—	Whorl-flowered ditto	—	—	G. 2.
— <i>viminea</i>	—	Twiggy ditto	—	—	S. 2.
<i>Satyrion albidum</i>	—	White Satyrion	—	—	H. 2.
— <i>hircinum</i>	—	Lizard ditto	—	—	H. 2.
— <i>repens</i>	—	Creeping ditto	—	—	H. 2.
— <i>viride</i>	—	Frog ditto	—	—	H. 2.
<i>Saururus cernuus</i>	—	Lizard's Tail	—	—	H. 2.
<i>Saxifraga ajugifolia</i>	—	Ajuga-leaved Saxifrage	—	—	H. 2.
— <i>Aizoon</i>	—	Evergreen ditto	—	—	H. 2.
— <i>angustifolia</i>	—	Narrow-leaved ditto	—	—	H. 2.
— <i>aspera</i>	—	Rough ditto	—	—	H. 2.
— <i>autumnalis</i>	—	Autumnal ditto	—	—	H. 2.
— <i>caespitosa</i>	—	Turfy ditto	—	—	H. 2.
— <i>cordifolia</i>	—	Heart-leaved ditto	—	—	H. 2.
— <i>Cotyledon</i>	—	Pyramidal ditto	—	—	H. 2.
— <i>crassifolia</i>	—	Thick-leaved ditto	—	—	H. 2.
— <i>cuneifolia</i>	—	Wedge-leaved ditto	—	—	H. 2.
— <i>geranoides</i>	—	Crane's-bill-leaved ditto	—	—	H. 2.
— <i>Geum</i>	—	Kidney-leaved ditto	—	—	H. 2.
— <i>granulata</i>	—	White ditto	—	—	H. 2.
— <i>v. flore pleno</i>	—	Double white ditto	—	—	H. 2.
— <i>groenlandica</i>	—	Greenland ditto	—	—	H. 2.
— <i>Hierulus</i>	—	Marsh ditto	—	—	H. 2.
— <i>hypnoides</i>	—	Moss ditto	—	—	H. 2.
— <i>ligulata</i>	—	Strap-leaved ditto	—	—	H. 2.
— <i>mutata</i>	—	Changeable ditto	—	—	H. 2.
— <i>nivalis</i>	—	Snowy ditto	—	—	H. 2.
— <i>oppositifolia</i>	—	Purple ditto	—	—	H. 2.
— <i>pennsylvanica</i>	—	Pennsylvanian ditto	—	—	H. 2.
— <i>petraea</i>	—	Rock ditto	—	—	H. 2.
— <i>rosularis</i>	—	Rose-leaved ditto	—	—	H. 2.
— <i>rotundifolia</i>	—	Round-leaved ditto	—	—	H. 2.
— <i>sarmentosa</i>	—	China ditto	—	—	H. 2.
— <i>stellaris</i>	—	Starry ditto	—	—	H. 2.
— <i>tridactylites</i>	—	Rue-leaved ditto	—	—	H. 2.

<i>Saxifraga umbrosa</i>	—	London Pride	—	H.	Y.
— viscosa	—	Clammy Saxifrage	—	H.	Y.
<i>Scabiosa africana</i>	—	African Scabious	—	G.	h.
— alpina	—	Alpine ditto	—	H.	Y.
— arvensis	—	Field ditto	—	H.	Y.
— atropurpurea	—	Sweet ditto	—	H.	O.
— columbaria	—	Fine-leaved ditto	—	H.	Y.
— cretica	—	Cretan ditto	—	G.	h.
— leucantha	—	Snowy ditto	—	H.	Y.
— ochroleuca	—	Pale white ditto	—	H.	Y.
— rigida	—	Rough-leaved ditto	—	G.	h.
— stellata	—	Starry ditto	—	H.	O.
— sylvatica	—	Broad-leaved ditto	—	H.	Y.
— Succisa	—	Devil's Bit ditto	—	H.	Y.
— ucranica	—	Ukraine ditto	—	H.	Y.
<i>Scandix Anthriscus</i>	—	Rough Chervil	—	H.	O.
— Cerefolium	—	Garden ditto	—	H.	O.
— odorata	—	Sweet Myrrh	—	H.	Y.
— Pecten	—	Shepherd's Needle	—	H.	O.
<i>Schinus molle</i>	—	Peruvian Mastick Tree	—	G.	h.
<i>Schoenus albus</i>	—	White Bog Rush	—	H.	Y.
— compressus	—	Compressed ditto	—	H.	Y.
— Mariscus	—	Prickly ditto	—	H.	Y.
— nigricans	—	Black ditto	—	H.	Y.
<i>Schotia speciosa</i>	—	Lentiscus-leaved Schotia	—	G.	h.
<i>Scilla amœna</i>	—	Nodding Squil	—	H.	Y.
— autumnalis	—	Autumnal ditto	—	H.	Y.
— bifolia	—	Two-leaved ditto	—	H.	Y.
— campanulata	—	Spanish ditto	—	H.	Y.
— italica	—	Italian ditto	—	H.	Y.
— maritima	—	officinal ditto	—	G.	Y.
— peruviana	—	Peruvian ditto	—	H.	Y.
— v. flore albo	—	White-flowering Peruvian ditto	—	H.	Y.
— præcox	—	Early Squil	—	H.	Y.
— verna	—	Vernal ditto	—	H.	Y.
<i>Scirpus acicularis</i>	—	Needle-Club Rush	—	H.	Y.
— atropurpureus	—	Dark purple ditto	—	H.	Y.
— cespitosus	—	Turfy ditto	—	H.	Y.
— fluitans	—	Floating ditto	—	H.	Y.
— lacustris	—	Tall ditto	—	H.	Y.
— maritimus	—	Round-rooted Sea ditto	—	H.	Y.
— mucronatus	—	Pointed ditto	—	H.	Y.
— palustris	—	Marsh ditto	—	H.	Y.
— romanus	—	Roman ditto	—	H.	Y.
— setaceus	—	Least ditto	—	H.	Y.
— sylvaticus	—	Wood ditto	—	H.	Y.
<i>Scleranthus annuus</i>	—	Annual Knawel	—	H.	O.
<i>Scolymus maculatus</i>	—	Annual Golden Thistle	—	H.	O.

<i>Scorpiurus muricata</i>	Two-flowered Caterpillar	H. ☉.
— <i>fulcata</i>	Furrowed ditto	H. ☉.
— <i>vermiculata</i>	Common ditto	H. ☉.
<i>Scrophthera graminifolia</i>	Grass-leaved Viper's Grass	H. ♀.
— <i>hispanica</i>	Viper's Grass	H. ♀.
— <i>laciniosa</i>	Cut-leaved ditto	H. ♂.
— <i>tingitana</i>	Tangier ditto	H. ☉.
<i>Scrophularia aquatica</i>	Water Fig-wort	H. ♀.
— <i>canina</i>	Cut-leaved ditto	H. ♀.
— <i>lucida</i>	Shining ditto	H. ☉.
— <i>nodosa</i>	Knobby-rooted ditto	H. ♀.
— <i>orientalis</i>	Hemp-leaved ditto	H. ♀.
— <i>peregrina</i>	Nettle-leaved ditto	H. ♂.
— <i>vernalis</i>	Yellow ditto	H. ♂.
— <i>viridiflora</i>	Green-flowered ditto	H. ♀.
<i>Scutellaria alba</i>	Hairy Scull-cap	H. ♀.
— <i>alpina</i>	Alpine ditto	H. ♀.
— <i>altissima</i>	Tall ditto	H. ♀.
— <i>galericulata</i>	Common ditto	H. ♀.
— <i>integrifolia</i>	Entire leaved ditto	H. ♀.
— <i>lateriflora</i>	Virginian ditto	H. ♀.
— <i>jupulina</i>	Great-flowered ditto	H. ♀.
— <i>minor</i>	Least ditto	H. ♀.
— <i>peregrina</i>	Florentine ditto	H. ♀.
<i>Secale cereale</i>	Common Rye	H. ☉.
— <i>villosum</i>	Villous ditto	H. ☉.
<i>Sedum aore</i>	Biting Stonecrop	H. ♀.
— <i>Aizoon</i>	Yellow ditto	H. ♀.
— <i>album</i>	White ditto	H. ♀.
— <i>Anacampteros</i>	Evergreen Orpine	H. ♀.
— <i>anglicum</i>	English Stonecrop	H. ♀.
— <i>annuum</i>	Annual ditto	H. ☉.
— <i>Cepæa</i>	Purslane-leaved ditto	H. ♀.
— <i>dasyphyllum</i>	Round-leaved ditto	H. ♀.
— <i>deficiens</i>	Deficient ditto	H. ♀.
— <i>glaucum</i>	Glaucous ditto	H. ♀.
— <i>hispanicum</i>	Spanish ditto	H. ♀.
— <i>hybridum</i>	Germander-leaved ditto	H. ♀.
— <i>majus</i>	Great Orpine	H. ♀.
— <i>populifolium</i>	Poplar-leaved Stonecrop	H. ♀.
— <i>reflexum</i>	Small reflex-leaved ditto	H. ♀.
— <i>rupestre</i>	Rock ditto	H. ♀.
— <i>sexangulare</i>	Six-angled ditto	H. ♀.
— <i>stellatum</i>	Starry ditto	H. ☉.
— <i>Telephium</i>	Common small Orpine	H. ♀.
— <i>villosum</i>	Hairy Stonecrop	H. ☉.
— <i>virens</i>	Green ditto	H. ♀.
<i>Selago corymbosa</i>	Fine-leaved Selago	G. ♀.

<i>Selinum Monnieri</i>	—	Annual Selinum	—	H. ☉.
— <i>palustre</i>	—	Marsh ditto	—	H. ♀.
— <i>Seguieri</i>	—	Fennel-leaved ditto	—	H. ♀.
<i>Sempervivum arachnoideum</i>	—	Cobweb House-leek	—	H. ♀.
— <i>arborescens</i>	—	Tree ditto	—	G. ♀.
— <i>canariense</i>	—	Canary ditto	—	G. ♀.
— <i>cuspidatum</i>	—	Sharp-pointed ditto	—	H. ♀.
— <i>globiferum</i>	—	Globular ditto	—	H. ♀.
— <i>monanthes</i>	—	Clustered ditto	—	S. ♀.
— <i>montanum</i>	—	Mountain ditto	—	H. ♀.
— <i>sediforme</i>	—	Stonecrop-leaved ditto	—	H. ♀.
— <i>stellatum</i>	—	Starry ditto	—	G. ☉.
— <i>tectorum</i>	—	Common ditto	—	H. ♀.
— <i>tortuosum</i>	—	Gouty ditto	—	G. ♀.
<i>Senecio abrotanifolius</i>	—	Southernwood-leaved Groundsel	—	H. ♀.
— <i>aquaticus</i>	—	Water ditto	—	H. ☉.
— <i>coriaceus</i>	—	Thick-leaved ditto	—	H. ♀.
— <i>Dorio</i>	—	Broad-leaved ditto	—	H. ♀.
— <i>Doronicum</i>	—	Alpine ditto	—	H. ♀.
— <i>elegans</i>	—	Purple Ragwort	—	H. ☉.
— <i>v. flore pleno</i>	—	Double-flowered ditto	—	H. ☉.
— <i>erucifolius</i>	—	Hoary perennial Groundsel	—	H. ♀.
— <i>Jacobæa</i>	—	Common Ragwort	—	H. ♀.
— <i>lividus</i>	—	Livid Groundsel	—	H. ☉.
— <i>muralis</i>	—	Wall ditto	—	H. ☉.
— <i>paludosus</i>	—	Marsh ditto	—	H. ♀.
— <i>rigidus</i>	—	Rough-leaved ditto	—	G. ♀.
— <i>rosmarinifolius</i>	—	Rosemary-leaved ditto	—	H. ☉.
— <i>serotenicus</i>	—	Creeping ditto	—	H. ♀.
— <i>sylvaticus</i>	—	Wood ditto	—	H. ☉.
— <i>venustus</i>	—	Wing-leaved ditto	—	G. ♀.
— <i>viscosus</i>	—	Stinking ditto	—	H. ☉.
— <i>vulgaris</i>	—	Common ditto	—	H. ☉.
<i>Serapias grandiflora</i>	—	Great-flowered Helleborine	—	H. ♀.
— <i>palustris</i>	—	Marsh ditto	—	H. ♀.
<i>Seriphium cinereum</i>	—	Heath-leaved Seriphium	—	G. ♀.
<i>Serratula alpina</i>	—	Mountain Saw-wort	—	H. ♀.
— <i>arvensis</i>	—	Corn ditto	—	H. ♀.
— <i>coronata</i>	—	Siberian ditto	—	H. ♀.
— <i>præalta</i>	—	Tall ditto	—	H. ♀.
— <i>spicata</i>	—	Spiked ditto	—	H. ♀.
— <i>tinctoria</i>	—	Common ditto	—	H. ♀.
<i>Seseli aristatum</i>	—	Bearded meadow Saxifrage	—	H. ♂.
— <i>montanum</i>	—	Long-leaved ditto	—	H. ♀.
<i>Sherardia arvensis</i>	—	Field Madder	—	H. ☉.
<i>Sibbaldia procumbens</i>	—	Procumbent Sibbaldia	—	H. ♀.
<i>Sibthorpia europæa</i>	—	Bastard Money-wort	—	H. ♀.
<i>Sida Abutilon</i>	—	Broad-leaved Sida	—	S. ☉.

<i>Sida cordifolia</i>	—	Heart-leaved Sida	—	S. ○.
— <i>cristata</i>	—	Crested ditto	—	S. ○.
— <i>indica</i>	—	Shrubby ditto	—	S. h.
— <i>rhombifolia</i>	—	Rhombus-leaved ditto	—	S. δ.
<i>Sideris canariensis</i>	—	Canary Iron-wort	—	G. h.
— <i>candicans</i>	—	Mullein-leaved ditto	—	G. h.
— <i>elegans</i>	—	Dark-flowered ditto	—	H. ○.
— <i>hyssopifolia</i>	—	Hyssop-leaved ditto	—	H. γ.
— <i>perfoliata</i>	—	Perfoliate ditto	—	H. γ.
— <i>romana</i>	—	Roman ditto	—	H. δ.
— <i>scordoides</i>	—	Crenated ditto	—	H. γ.
— <i>syriaca</i>	—	Sage-leaved ditto	—	G. h.
<i>Sideroxylum lycioides</i>	—	Willow-leaved Iron-wood	—	H. h.
— <i>tenax</i>	—	Silver-leaved ditto	—	H. h.
<i>Siegesbeckia flosculosa</i>	—	Small-flowered Siegesbeckia	—	H. ○.
<i>Silene acaulis</i>	—	Dwarf Catch-fly	—	H. γ.
— <i>alpestris</i>	—	Austrian ditto	—	H. γ.
— <i>anglica</i>	—	English ditto	—	H. ○.
— <i>antirrhina</i>	—	Snapdragon-leaved ditto	—	H. ○.
— <i>Armeria</i>	—	Lobel's ditto	—	H. ○.
— <i>belkaidifolia</i>	—	Daisy-leaved ditto	—	H. ○.
— <i>cerastoides</i>	—	Chickweed-leaved ditto	—	H. ○.
— <i>conica</i>	—	Conic ditto	—	H. ○.
— <i>conoidea</i>	—	Corn ditto	—	H. ○.
— <i>cretica</i>	—	Daisy-leaved ditto	—	H. ○.
— <i>fruticosa</i>	—	Shrubby ditto	—	G. h.
— <i>gigantea</i>	—	Gigantic ditto	—	G. h.
— <i>inaperta</i>	—	Small-flowered ditto	—	H. ○.
— <i>lusitanica</i>	—	Portugal ditto	—	H. ○.
— <i>noctiflora</i>	—	Forked night-flowering ditto	—	H. ○.
— <i>nutans</i>	—	Nottingham ditto	—	H. γ.
— <i>orchiidea</i>	—	Orchis-flowered ditto	—	H. ○.
— <i>ornata</i>	—	Dark-coloured ditto	—	G. δ.
— <i>pendula</i>	—	Pendulous ditto	—	H. ○.
— <i>quinquevulnera</i>	—	Variegated ditto	—	H. ○.
— <i>Saxifraga</i>	—	Saxifrage ditto	—	H. γ.
— <i>vallesia</i>	—	Woolly-leaved ditto	—	H. γ.
— <i>viridiflora</i>	—	Green-flowered ditto	—	H. δ.
<i>Silphium connotum</i>	—	Round-stalked Silphium	—	H. γ.
— <i>laciniatum</i>	—	Jagged-leaved ditto	—	H. γ.
— <i>perfoliatum</i>	—	Square-stalked ditto	—	H. γ.
— <i>terebinthinum</i>	—	Broad-leaved ditto	—	H. γ.
— <i>trifoliatum</i>	—	Three-leaved ditto	—	H. γ.
<i>Sinapis alba</i>	—	White Mustard	—	H. ○.
— <i>arvensis</i>	—	Wild ditto, or Charlock	—	H. ○.
— <i>junceae</i>	—	Fine-leaved Mustard	—	H. ○.
— <i>lavigata</i>	—	Smooth ditto	—	H. δ.
— <i>nigra</i>	—	Black ditto	—	H. ○.

<i>Sinapis orientalis</i>	—	Oriental Mustard	—	H. ♂.
— <i>pubescens</i>	—	Pubescent ditto	—	H. ♂.
<i>Sison Amomum</i>	—	Field Hong-wort	—	H. ♂.
— <i>inundatum</i>	—	Water ditto	—	H. ♀.
— <i>segetum</i>	—	Corn ditto	—	H. ♂.
— <i>verticillatum</i>	—	Whorled ditto	—	H. ♀.
<i>Sisymbrium amphibium</i>	—	Water Radish	—	H. ♀.
— <i>purifolium</i>	—	White-flowered ditto	—	H. ♂.
— <i>Columnae</i>	—	Column's Sisymbrium	—	H. ♂.
— <i>Iris</i>	—	London Rocket	—	H. ♂.
— <i>millefolium</i>	—	Milkfoil-leaved Sisymbrium	—	G. ♀.
— <i>monense</i>	—	Procumbent ditto	—	H. ♂.
— <i>murale</i>	—	Wall-Rocket	—	H. ♀.
— <i>Nasturtium</i>	—	Common Water-cress	—	H. ♀.
— <i>polyceratum</i>	—	Dandelion-leaved ditto	—	H. ♂.
— <i>pyrenaicum</i>	—	Pyrenean ditto	—	H. ♀.
— <i>Sophia</i>	—	Flix-Weed	—	H. ♂.
— <i>sylvestre</i>	—	Water-Rocket	—	H. ♀.
— <i>terrestre</i>	—	Annual Water Radish	—	H. ♂.
<i>Sisyrinchium bermudianum</i>	—	Small Sisyrinchium	—	H. ♀.
— <i>iridioides</i>	—	Iris-leaved ditto	—	G. ♀.
— <i>striatum</i>	—	Stripe-flowered ditto	—	H. ♀.
<i>Sium angustifolium</i>	—	Narrow-leaved Water Parsnip	—	H. ♀.
— <i>Falcaria</i>	—	Decurrent ditto	—	H. ♀.
— <i>latifolium</i>	—	Great ditto	—	H. ♀.
— <i>podiflorum</i>	—	Joint-flowering ditto	—	H. ♀.
— <i>repens</i>	—	Creeeping ditto	—	H. ♀.
— <i>Sisarum</i>	—	Common Skirret	—	H. ♀.
<i>Smilax aspera</i>	—	Rough Smilax	—	H. ♀.
— <i>caduca</i>	—	Deciduous ditto	—	H. ♀.
— <i>laurifolia</i>	—	Laurel-leaved Smilax	—	H. ♀.
— <i>lanceolata</i>	—	Lance-leaved ditto	—	H. ♀.
— <i>rotundifolia</i>	—	Round-leaved ditto	—	H. ♀.
— <i>Sarsaparilla</i>	—	Sarsaparilla	—	H. ♀.
— <i>tamnioides</i>	—	Briony-leaved Bindweed	—	H. ♀.
<i>Smyrniolum aureum</i>	—	Golden Alexanders	—	H. ♀.
— <i>Olusatrum</i>	—	Common ditto	—	H. ♂.
— <i>perfoliatum</i>	—	Perfoliate ditto	—	H. ♂.
<i>Solandra grandiflora</i>	—	Great-flowered Solandra	—	S. ♀.
<i>Solanum aculeatissimum</i>	—	Prickly oak-leaved Solanum	—	G. ♀.
— <i>Dulcamara</i>	—	Woody Nightshade	—	H. ♀.
— <i>Lycopersicum</i>	—	Love-apple	—	H. ♂.
— <i>laciniatum</i>	—	Cut-leaved Nightshade	—	S. ♀.
— <i>marginatum</i>	—	White ditto	—	G. ♀.
— <i>Melongena</i>	—	Egg-Plant	—	S. ♂.
— <i>nigrum</i>	—	Common Nightshade	—	H. ♂.
— <i>v. villosum</i>	—	Yellow-berried ditto	—	H. ♂.
— <i>Pseudo-capficum</i>	—	Shrubby Winter-Cherry	—	G. ♀.

<i>Solanum tomentosum</i>	Woolly Nightshade	G. h.
— <i>tuberosum</i>	Potatoe	H. v.
— <i>verbastrifolium</i>	Mullein-leaved Nightshade	S. h.
<i>Soldanella alpina</i>	Alpine Soldanella	H. v.
<i>Solidago altissima</i>	Tall Golden Rod	H. v.
— <i>ambigua</i>	Angular-stalked ditto	H. v.
— <i>arguta</i>	Sharp-notched ditto	H. v.
— <i>aspera</i>	Rough-leaved ditto	H. v.
— <i>bicolor</i>	Two-coloured ditto	H. v.
— <i>caesia</i>	Maryland ditto	H. v.
— <i>cambrica</i>	Welsh ditto	H. v.
— <i>canadensis</i>	Canadian ditto	H. v.
— <i>elliptica</i>	Oval-leaved ditto	H. v.
— <i>flexicaulis</i>	Crooked-stalked ditto	H. v.
— <i>laevigata</i>	Fleshy-leaved ditto	H. v.
— <i>lanceolata</i>	Grass-leaved ditto	H. v.
— <i>lateriflora</i>	Lateral-flowered ditto	H. v.
— <i>mexicana</i>	Mexican ditto	H. v.
— <i>multiradiata</i>	Labradore ditto	H. v.
— <i>odora</i>	Sweet-scented ditto	H. v.
— <i>perfoliatis</i>	Late-flowering ditto	H. v.
— <i>reflexa</i>	Reflexed ditto	H. v.
— <i>rigida</i>	Hard-leaved ditto	H. v.
— <i>sempervirens</i>	Evergreen ditto	H. v.
— <i>stricta</i>	Willow-leaved ditto	H. v.
— <i>viminea</i>	Twiggy ditto	H. v.
— <i>Virgaurea</i>	Common ditto	H. v.
<i>Sonchus alpinus</i>	Alpine Sow-thistle	H. v.
— <i>arvensis</i>	Corn ditto	H. o.
— <i>canadensis</i>	Canadian ditto	H. v.
— <i>fruticosus</i>	Shrubby ditto	G. h.
— <i>oleraceus</i>	Common ditto	H. o.
— <i>palustris</i>	Marsh ditto	H. v.
— <i>sibiricus</i>	Willow-leaved ditto	H. v.
— <i>tenerrimus</i>	Clammy ditto	H. o.
<i>Sophora alba</i>	White Sophora	H. v.
— <i>alopeuroides</i>	Fox-tail ditto	H. v.
— <i>australis</i>	Blue ditto	H. v.
— <i>biflora</i>	Two-flowered ditto	G. h.
— <i>capensis</i>	Vetch-leaved ditto	G. h.
— <i>flavescens</i>	Siberian ditto	H. v.
— <i>japonica</i>	Shining-leaved ditto	H. h.
— <i>microphylla</i>	Small-leaved ditto	H. h.
— <i>tetraptera</i>	Winged-podded ditto	H. h.
— <i>tinctoria</i>	Dyer's ditto	H. v.
<i>Sorbus aucuparia</i>	Mountain Ash	H. h.
— <i>domestica</i>	True Service	H. h.
— <i>hybrida</i>	Bastard ditto	H. h.

Sowerbea juncifolia	—	Ruff-leaved Sowerbea	—	G.	γ.
Sparganium ramifolium	—	Great Bur-Reed	—	H.	γ.
— simplex	—	Small ditto	—	H.	γ.
Spartium decumbens	—	Trailing Broom	—	H.	h.
— junceum	—	Spanish ditto	—	H.	h.
— v. flore pleno	—	Double-flowered Spanish ditto	—	H.	h.
— monospermum	—	Single-seeded ditto	—	G.	h.
— multiflorum	—	Portugal white ditto	—	H.	h.
— radiatum	—	Starry ditto	—	H.	h.
— scoparium	—	Common ditto	—	H.	h.
— virgatum	—	Small-branched ditto	—	G.	h.
Spergula arvensis	—	Corn Spurry	—	H.	○.
— nodosa	—	Knotted ditto	—	H.	γ.
— faginoides	—	Pearlwort ditto	—	H.	γ.
Spigelia marilandica	—	Perennial Worm-grass	—	H.	γ.
Spilanthus Acmella	—	Balm-leaved Spilanthus	—	S.	○.
Spinacia oleracea	—	Prickly Spinach	—	H.	○.
Spiræa Aruncus	—	Goat's-beard Spiræa	—	H.	γ.
— chamædrifolia	—	Germander-leaved ditto	—	H.	h.
— crenata	—	Hawthorn-leaved ditto	—	H.	h.
— Filipendula	—	Drop-wort	—	H.	γ.
— hypericifolia	—	Hypericum-leaved Spiræa	—	H.	h.
— lævigata	—	Smooth-leaved ditto	—	H.	h.
— lobata	—	Lobe-leaved ditto	—	H.	γ.
— opulifolia	—	Virginian ditto	—	H.	h.
— salicifolia	—	Willow-leaved ditto	—	H.	h.
— v. paniculata	—	Panicled Willow-leaved ditto	—	H.	h.
— forbifolia	—	Service-tree-leaved ditto	—	H.	h.
— tomentosa	—	Scarlet ditto	—	H.	h.
— trifoliata	—	Three-leaved ditto	—	H.	γ.
— Ulmaria	—	Meadow-sweet	—	H.	γ.
— v. flore pleno	—	Double-flowered ditto	—	H.	γ.
Stachys alpina	—	Alpine Stachys	—	H.	γ.
— annua	—	Annual white ditto	—	H.	○.
— arvensis	—	Corn ditto	—	H.	○.
— circinata	—	Blunt-leaved ditto	—	H.	γ.
— cretica	—	Cretan ditto	—	H.	γ.
— germanica	—	Base Horehound	—	H.	γ.
— lanata	—	Woolly Stachys	—	H.	γ.
— maritima	—	Sea ditto	—	H.	γ.
— palustris	—	Clown's All-heal	—	H.	γ.
— recta	—	Upright Stachys	—	H.	γ.
— sylvatica	—	Wood ditto	—	H.	γ.
Stapelia articulata	—	Jointed Stapelia	—	S.	h.
— hirsuta	—	Hairy ditto	—	S.	h.
— variegata	—	Variegated ditto	—	S.	h.
Staphylea pinnata	—	Five-leaved Bladder-nut	—	H.	h.

Staphylea trifoliata	—	Three-leaved Bladder-Nut	—	H. h.
Statice Armeria	—	Common Thrift	—	H. y.
— Cephalotes	—	Large single-stalked ditto	—	H. y.
— cordata	—	Heart-leaved ditto	—	H. y.
— Limonium	—	Common Sea ditto	—	H. y.
— minuta	—	Small ditto	—	H. y.
— monopetala	—	Broad-leaved shrubby ditto	—	G. h.
— mucronata	—	Curled ditto	—	G. h.
— oleifolia	—	Olive-leaved ditto	—	H. y.
— reticulata	—	Matted ditto	—	H. y.
— sinuata	—	Scollop-leaved ditto	—	G. ♂.
— tatarica	—	Tartarian ditto	—	H. y.
Stellaria cerasifoides	—	Chickweed-leaved Stitch-wort	—	H. y.
— graminea	—	Grass-leaved ditto	—	H. y.
— Holosteia	—	Great ditto	—	H. y.
— nemorum	—	Broad-leaved ditto	—	H. y.
— scapigera	—	Scape-bearing ditto	—	H. y.
— uliginosa	—	Marsh ditto	—	H. y.
Stipa juncea	—	Rush-leaved Feather-Grass	—	H. y.
— pinnata	—	Soft ditto	—	H. y.
Stratiotes alooides	—	Fresh-water Soldier	—	H. y.
Struthiola erecta	—	Upright Struthiola	—	G. h.
— virgata	—	Twiggy ditto	—	G. h.
Stuartia marilandica	—	Maryland Stuartia	—	H. h.
Styrax grandifolium	—	Great-leaved Styrax	—	H. h.
— laevigatum	—	Smooth ditto	—	H. h.
Swertia perennis	—	Marsh Swertia	—	H. y.
Swietenia Mahagoni	—	Mahogany-Tree	—	S. h.
Symphytum officinale	—	Common Comfrey	—	H. y.
— v. flore rubra	—	Red-flowered ditto	—	H. y.
— tuberosum	—	Tuberous-rooted ditto	—	H. y.
Syringa perfica	—	Perfian Lilac	—	H. h.
— v. laciniata	—	Cut-leaved ditto	—	H. h.
— vulgaris	—	Common blue ditto	—	H. h.
— v. alba	—	White ditto	—	H. h.
— v. foliis variegatis	—	Variegated ditto	—	H. h.
Tabernæmontana Amfonia,	—	Citron-leaved Tabernæmontana,	—	H. y.
Tagetes erecta	—	African Marigold	—	H. ☉.
— patula	—	French ditto	—	H. ☉.
Tamarindus indica	—	Tamarind-Tree	—	S. h.
Tamarix gallica	—	French Tamarisk	—	H. h.
— germanica	—	German ditto	—	H. h.
Tamus communis	—	Black Briony	—	H. y.
Tanacetum Balsamita	—	Costmary	—	H. y.
— flabelliforme	—	Fan-leaved Tanfy	—	G. h.
— macrophyllum	—	Great-leaved ditto	—	H. y.
— suffruticosum	—	Shrubby ditto	—	G. h.
— vulgare	—	Common ditto	—	H. y.

<i>Tarchananthus camphoratus</i>	Shrubby African Flea-bane	G. h.
<i>Taxus baccata</i>	Common Yew-tree	H. h.
— <i>elongata</i>	African ditto	G. h.
— <i>nucifera</i>	Nut-bearing ditto	G. h.
<i>Telephium imperati</i>	True Orpine	H. y.
<i>Tetragonia crystallina</i>	Diamond Tetragonia	S. o.
— <i>expansa</i>	Horned ditto	G. s.
— <i>fruticosa</i>	Shrubby ditto	G. h.
— <i>herbacea</i>	Herbaceous ditto	G. y.
<i>Teucrium abutiloidea</i>	Mulberry-leaved Germander	G. y.
— <i>asiaticum</i>	Asiatic ditto	G. h.
— <i>Botrys</i>	Cut-leaved Annual ditto	H. o.
— <i>canadense</i>	Nettle-leaved ditto	H. y.
— <i>Chamædrys</i>	Common ditto	H. y.
— <i>Chamæpitys</i>	Ground Pine	H. o.
— <i>flavum</i>	Yellow-flowered Shrubby ditto	H. h.
— <i>fruticans</i>	Narrow-leaved tree ditto	G. h.
— <i>Ricanicum</i>	Betony-leaved ditto	H. y.
— <i>latifolium</i>	Broad-leaved tree ditto	G. h.
— <i>lucidum</i>	Shining ditto	H. y.
— <i>Marum</i>	Cat Thyme	G. h.
— <i>montanum</i>	Dwarf Germander	H. y.
— <i>Bolium</i>	White mountain ditto	H. y.
— <i>pyrenaicum</i>	Pyrenean ditto	H. y.
— <i>regium</i>	Royal ditto	H. y.
— <i>Scordium</i>	Water ditto	H. y.
— <i>Scorodonia</i>	Wood ditto	H. y.
<i>Thalia dealbata</i>	White-hued Thalia	S. y.
<i>Thalictrum alpinum</i>	Alpine Meadow-Rue	H. y.
— <i>angustifolium</i>	Narrow-leaved ditto	H. y.
— <i>aquilegifolium</i>	Feathered Columbine	H. y.
— <i>Cornuti</i>	Canadian Meadow-Rue	H. y.
— <i>flavum</i>	Common ditto	H. y.
— <i>lucidum</i>	Shining-leaved ditto	H. y.
— <i>minus</i>	Small ditto	H. y.
— <i>rugosum</i>	Rough-leaved ditto	H. y.
— <i>simplex</i>	Simple-stalked ditto	H. y.
<i>Thapsia villosa</i>	Deadly Carrot	H. y.
<i>Thea Bohea</i>	Bohea Tea	G. h.
— <i>viridis</i>	Green ditto	G. h.
<i>Theobroma Guazuma</i>	Bastard Cedar	S. h.
<i>Thesium linophyllum</i>	Common Bastard-Toad-Flax	H. y.
<i>Thlaspi alpestre</i>	Dwarf Bastard-cress	H. o.
— <i>arvense</i>	Field ditto	H. o.
— <i>Bursa-Pastoris</i>	Shepherd's Purse	H. o.
— <i>ceratocarpon</i>	Siberian Bastard-cress	H. o.
— <i>hirtum</i>	Hairy ditto	H. s.
— <i>montanum</i>	Mountain ditto	H. s.

<i>Thlaspi perfoliatum</i>	—	Perfoliate Bastard-cress	—	H. ♂.
— saxatile	—	Stone ditto	—	H. ♂.
<i>Thuja occidentalis</i>	—	American Arbor-vitæ	—	H. h.
— orientalis	—	Chinese ditto	—	H. h.
<i>Thymus Acinos</i>	—	Basil Thyme	—	H. ☉.
— alpinus	—	Alpine ditto	—	H. ♂.
— mastichina	—	Mastick ditto	—	G. h.
<i>Serpyllum</i>	—	Common Mother of Thyme	—	H. h.
— v. citrinus	—	Lemon-Thyme	—	H. h.
— v. hirsutus	—	Hairy Mother of Thyme	—	H. h.
— virginicus	—	Savory Thyme	—	H. h.
— vulgaris	—	Common ditto	—	H. h.
— v. foliis variegatis	—	Variegated ditto	—	H. h.
— v. odoratus	—	Sweet-scented ditto	—	H. h.
<i>Zygis</i>	—	Linear-leaved ditto	—	H. h.
<i>Tiarella cordifolia</i>	—	Heart-leaved Tiarella	—	H. ♀.
<i>Tilia alba</i>	—	White Lime-Tree	—	H. h.
— americana	—	Broad-leaved ditto	—	H. h.
— europæa	—	Common ditto	—	H. h.
— v. corallina	—	Red-twigg'd ditto	—	H. h.
— v. parvifolia	—	Small-leaved ditto	—	H. h.
— pubescens	—	Pubescent ditto	—	H. h.
<i>Tillæa carnea</i>	—	Fleshy Tillæa	—	G. ♂.
— muscosa	—	Procumbent ditto	—	H. ☉.
<i>Tordylium apulum</i>	—	Small Heart-wort	—	H. ☉.
— maximum	—	Great ditto	—	H. ☉.
— officinale	—	Officinal ditto	—	H. ☉.
— syriacum	—	Syrian ditto	—	H. ☉.
<i>Tormentilla officinalis</i>	—	Common Tormentil	—	H. ♀.
— reptans	—	Creeping ditto	—	H. ♀.
<i>Trachelium cæruleum</i>	—	Blue Throat-wort	—	G. ♂.
<i>Tradescantia discolor</i>	—	Purple-leaved Spider-wort	—	S. ♀.
— virginica	—	Virginian ditto	—	H. ♀.
<i>Tragopogon majus</i>	—	Great Goat's-beard	—	H. ♂.
— porrifolium	—	Purple ditto	—	H. ♂.
— pratense	—	Yellow ditto	—	H. ♂.
<i>Trichomanes canariense</i>	—	Hare's-foot Fern	—	S. ♀.
— tunbrigiense	—	Tunbridge ditto	—	H. ☉.
<i>Trientalis europæa</i>	—	Common Trientalis	—	H. ♀.
<i>Trifolium agrarium</i>	—	Hop Trefoil	—	H. ☉.
— alpestre	—	Oval-spiked ditto	—	H. ♀.
— alpinum	—	Alpine ditto	—	H. ♀.
— arvense	—	Hare's-foot ditto	—	H. ☉.
— filiforme	—	Small ditto	—	H. ☉.
— flexuosum	—	Bending-stalked ditto	—	H. ♀.
— fragiferum	—	Strawberry ditto	—	H. ♀.
— glomeratum	—	Round-headed ditto	—	H. ☉.
— hybridum	—	Bastard ditto	—	H. ♀.

<i>Trifolium incarnatum</i>	—	Flesh-coloured Trefoil	—	H. ☉.
— <i>Lupinaster</i>	—	Bastard Lupine	—	H. ♀.
— <i>maritimum</i>	—	Sea ditto	—	H. ☉.
— <i>Melilotus cærulea</i>	—	Blue Melilot	—	H. ☉.
— <i>Mel. indica</i>	—	Indian ditto	—	H. ☉.
— <i>Mel. italica</i>	—	Italian ditto	—	H. ☉.
— <i>Mel. officinalis</i>	—	Official ditto	—	H. ☉.
— <i>montanum</i>	—	Mountain Trefoil	—	H. ♀.
— <i>ochroleucum</i>	—	Pallid ditto	—	H. ♀.
— <i>ornithopodioides</i>	—	Bird's-foot ditto	—	H. ☉.
— <i>pratense</i>	—	Red Clover	—	H. ♀.
— <i>procumbens</i>	—	Procumbent Trefoil	—	H. ♀.
— <i>reflexum</i>	—	Reflexed ditto	—	H. ♀.
— <i>repens</i>	—	Dutch Clover	—	H. ♀.
— <i>rubens</i>	—	Long-spiked ditto	—	H. ♀.
— <i>scabrum</i>	—	Rough Trefoil	—	H. ☉.
— <i>spumosum</i>	—	Bladdered ditto	—	H. ☉.
— <i>stellatum</i>	—	Starry ditto	—	H. ☉.
— <i>striatum</i>	—	Striated ditto	—	H. ☉.
— <i>subterraneum</i>	—	Subterraneous ditto	—	H. ☉.
— <i>suffocatum</i>	—	Suffocated ditto	—	H. ☉.
— <i>tomentosum</i>	—	Woolly ditto	—	H. ☉.
<i>Triglochin maritimum</i>	—	Sea Triglochin	—	H. ♀.
— <i>palustre</i>	—	Marsh ditto	—	H. ♂.
<i>Trigonella Fœnum-græcum</i>	—	Common Fœnugreek	—	H. ☉.
— <i>monspeliaca</i>	—	Trailing ditto	—	H. ☉.
— <i>polycerata</i>	—	Broad-leaved ditto	—	H. ☉.
<i>Trillium sessile</i>	—	Sessile-flowered Trillium	—	H. ♀.
<i>Trioiteum perfoliatum</i>	—	Fever-root	—	H. ♀.
<i>Tripsacum dactyloides</i>	—	Rough-seeded Tripsacum	—	H. ♀.
<i>Triticum æstivum</i>	—	Summer Wheat	—	H. ☉.
— <i>compositum</i>	—	Egyptian ditto	—	H. ☉.
— <i>hybernum</i>	—	Winter ditto	—	H. ☉.
— <i>juncum</i>	—	Rusby Wheat-grass	—	H. ♀.
— <i>maritimum</i>	—	Sea ditto	—	H. ☉.
— <i>monococcon</i>	—	One-grained Wheat	—	H. ☉.
— <i>polonicum</i>	—	Polish ditto	—	H. ☉.
— <i>repens</i>	—	Couchy Wheat-grass	—	H. ♀.
— <i>Spelta</i>	—	Spelt Wheat	—	H. ☉.
— <i>turgidum</i>	—	Cone ditto	—	H. ☉.
<i>Trollius asiaticus</i>	—	Asiatic Globe-flower	—	H. ♀.
— <i>europæus</i>	—	European ditto	—	H. ♀.
<i>Tropeolum majus</i>	—	Great Indian Cress	—	H. ☉.
— <i>v. flore pleno</i>	—	Double-flowered ditto	—	G. ♀.
— <i>minus</i>	—	Small ditto	—	H. ☉.
<i>Tulipa Gesneriana</i>	—	Common Tulip	—	H. ♀.
— <i>sylvestris</i>	—	Italian yellow ditto	—	H. ♀.
<i>Turnera ulmifolia</i>	—	Elm-leaved Turnera	—	S. ♂.
<i>Turritis glabra</i>	—	Smooth Tower-Mustard	—	H. ♂.

<i>Turritis hirsuta</i>	— —	Hairy Tower-Mustard	— —	H. ☉.
<i>Tussilago alba</i>	— —	White Colt's-foot, or Butter-Burr,	— —	H. ♀.
— <i>alpina</i>	— —	Alpine ditto	— —	H. ♀.
— <i>Farfara</i>	— —	Common ditto	— —	H. ♀.
— <i>v. foliis variegatis</i>	— —	Striped-leaved ditto	— —	H. ♀.
— <i>frigida</i>	— —	Lapland ditto	— —	H. ♀.
— <i>hybrida</i>	— —	Long-stalked ditto	— —	H. ♀.
— <i>palmata</i>	— —	Palmated ditto	— —	H. ♀.
— <i>paradoxa</i>	— —	Downy-leaved ditto	— —	H. ♀.
<i>Typha angustifolia</i>	— —	Small Cat's-tail	— —	H. ♀.
— <i>latifolia</i>	— —	Great ditto	— —	H. ♀.
<i>Ulex europæus</i>	— —	Common Furze	— —	H. ♀.
— <i>v. nana</i>	— —	Dwarf or Welsh ditto	— —	H. ♀.
<i>Ulmus americana</i>	— —	American Elm	— —	H. ♀.
— <i>v. alba</i>	— —	White American ditto	— —	H. ♀.
— <i>v. pendula</i>	— —	Drooping American ditto	— —	H. ♀.
— <i>campestris</i>	— —	Common ditto	— —	H. ♀.
— <i>v. fungosa</i>	— —	Dutch ditto	— —	H. ♀.
— <i>v. glabra</i>	— —	Smooth ditto	— —	H. ♀.
— <i>v. latifolia</i>	— —	Welsh ditto	— —	H. ♀.
— <i>v. stricta</i>	— —	Cornish ditto	— —	H. ♀.
— <i>v. variegata</i>	— —	Variegated ditto	— —	H. ♀.
— <i>crispa</i>	— —	Curled-leaved ditto	— —	H. ♀.
— <i>nemorialis</i>	— —	Horn-beam-leaved ditto	— —	H. ♀.
— <i>pumila</i>	— —	Dwarf ditto	— —	H. ♀.
<i>Uniola paniculata</i>	— —	Panicled Uniola	— —	H. ♀.
<i>Urena lobata</i>	— —	Angular-leaved Urena	— —	S. ♀.
<i>Urtica canadensis</i>	— —	Canadian Nettle	— —	H. ♀.
— <i>cylindrica</i>	— —	Cylindrical ditto	— —	H. ♀.
— <i>dioica</i>	— —	Common ditto	— —	H. ♀.
— <i>Dodartii</i>	— —	Pellitory-leaved ditto	— —	H. ☉.
— <i>nivea</i>	— —	White-leaved ditto	— —	G. ♀.
— <i>pilulifera</i>	— —	Roman ditto	— —	H. ☉.
— <i>urens</i>	— —	Stinging ditto	— —	H. ☉.
<i>Utricularia vulgaris</i>	— —	Common Hooded Milfoil	— —	H. ♀.
<i>Uvularia amplexifolia</i>	— —	Heart-leaved Uvularia	— —	H. ♀.
— <i>perfoliata</i>	— —	Perfoliate ditto	— —	H. ♀.
<i>Vaccinium amænum</i>	— —	Broad-leaved Whortle-berry	— —	H. ♀.
— <i>Myrtillus</i>	— —	Common ditto	— —	H. ♀.
— <i>macrocarpon</i>	— —	American Cranberry	— —	H. ♀.
— <i>Oxycoccus</i>	— —	Common ditto	— —	H. ♀.
— <i>uliginosum</i>	— —	Marsh Bilberry	— —	H. ♀.
— <i>Vitis idæa</i>	— —	Red ditto	— —	H. ♀.
<i>Valantia cruciata</i>	— —	Common Cross-wort	— —	H. ♀.
— <i>glabra</i>	— —	Smooth ditto	— —	H. ♀.
<i>Valeriana Calcitrapa</i>	— —	Cut-leaved Valerian	— —	H. ☉.
— <i>dentata</i>	— —	Tooth-leaved ditto	— —	H. ☉.
— <i>dioica</i>	— —	Marsh ditto	— —	H. ♀.

Valeriana Locusta	—	Corn-Sallad	—	H. ☉.
— montana	—	Mountain Valerian	—	H. ♀.
— officinalis	—	Official ditto	—	H. ♀.
— Phu	—	Garden ditto	—	H. ♀.
— rubra	—	Red ditto	—	H. ♀.
— v. alba	—	White ditto	—	H. ♀.
Vella annua	—	Annual Crefs-Rocket	—	H. ☉.
— Pseudo-cytifus	—	Shrubby Vella	—	H. ♀.
Veratrum album	—	White Veratrum	—	H. ♀.
— nigrum	—	Black-flowered ditto	—	H. ♀.
— viride	—	Green-flowered ditto	—	H. ♀.
Verbascum Blattaria	—	Moth Mullein	—	H. ♂.
— Boerhavii	—	Boerhave's ditto	—	H. ☉.
— Lychnitis	—	White ditto	—	H. ♂.
— Myconi	—	Borage-leaved ditto	—	H. ♀.
— nigrum	—	Black ditto	—	H. ♀.
— phlomoides	—	Woolly ditto	—	H. ♂.
— phoeniceum	—	Purple ditto	—	H. ♂.
— pulverulentum	—	Norfolk ditto	—	H. ♂.
— Thapfus	—	Bastard ditto	—	H. ♂.
Verbena Aubletia	—	Cut-leaved Rose Vervain	—	H. ♂.
— bonariensis	—	Cluster-flowered ditto	—	H. ♂.
— indica	—	Indian ditto	—	S. ♀.
— hastata	—	Halbert-leaved ditto	—	H. ♀.
— nodiflora	—	Creeping ditto	—	S. ♀.
— officinalis	—	Official ditto	—	H. ♀.
— supina	—	Trailing ditto	—	H. ☉.
— triphylla	—	Three-leaved ditto	—	G. ♀.
— urticifolia	—	Nettle-leaved ditto	—	H. ♀.
Verbesina alata	—	Wing-stalked Verbesina	—	S. ♀.
Veronica agrestis	—	Germander Speedwell	—	H. ☉.
— alpina	—	Alpine ditto	—	H. ♀.
— Anagallis	—	Long-leaved water ditto	—	H. ☉.
— aphylla	—	Naked-stalked ditto	—	H. ♀.
— arvensis	—	Corn ditto	—	H. ☉.
— austriaca	—	Austrian ditto	—	H. ♀.
— Becabunga	—	Brooklime ditto	—	H. ♀.
— bellidioides	—	Daisy-leaved ditto	—	H. ♀.
— Chamædrys	—	Wild Germander, or ditto	—	H. ♀.
— decussata	—	Cross-leaved ditto	—	G. ♀.
— fruticulosa	—	Purple-stalked evergreen ditto	—	H. ♀.
— hederifolia	—	Ivy-leaved ditto	—	H. ☉.
— humifusa	—	Trailing ditto	—	H. ♀.
— hybrida	—	Welsh ditto	—	H. ♀.
— incana	—	Hoary ditto	—	H. ♀.
— incisa	—	Cut-leaved ditto	—	H. ♀.
— laciniata	—	Jagged-leaved ditto	—	H. ♀.
— latifolia	—	Broad-leaved ditto	—	H. ♀.

Veronica longifolia	—	Long-leaved Speedwell	—	H.	γ.
— maritima	—	Sea ditto	—	H.	γ.
— v. flore albo	—	White-flowered sea ditto	—	H.	γ.
— v. flore incarnato	—	Flesh-coloured sea ditto	—	H.	γ.
— montana	—	Mountain ditto	—	H.	γ.
— multifida	—	Multifid ditto	—	H.	γ.
— officinalis	—	Official male ditto	—	H.	γ.
— peregrina	—	Knot-grass-leaved ditto	—	H.	γ.
— pinnata	—	Wing-leaved ditto	—	H.	γ.
— saxatilis	—	Rock ditto	—	H.	γ.
— scutellata	—	Narrow-leaved water ditto	—	H.	⊙.
— serpyllifolia	—	Smooth ditto	—	H.	γ.
— sibirica	—	Siberian ditto	—	H.	γ.
— spicata	—	Upright male ditto	—	H.	γ.
— spuria	—	Barbard ditto	—	H.	γ.
— Teucrium	—	Hungarian ditto	—	H.	γ.
— triphylla	—	Triad ditto	—	H.	⊙.
— verna	—	Spring ditto	—	H.	⊙.
— virginica	—	White-flowered Virginian ditto	—	H.	γ.
— v. flore incarnato	—	Blue-flowered Virginian ditto	—	H.	γ.
Viburnum acerifolium	—	Maple-leaved Viburnum	—	H.	γ.
— cassinoides	—	Thick-leaved ditto	—	H.	γ.
— dentatum	—	Tooth-leaved ditto	—	H.	γ.
— levigatum	—	Cassioberly Bush	—	H.	γ.
— Lantana	—	Way-faring Tree	—	H.	γ.
— v. grandifolium	—	Large-leaved ditto	—	H.	γ.
— Lentago	—	Pear-leaved Viburnum	—	H.	γ.
— nitidum	—	Shining-leaved ditto	—	H.	γ.
— nudum	—	Oval-leaved ditto	—	H.	γ.
— Opulus	—	Marsh Gelder-rose	—	H.	γ.
— v. americana	—	American ditto	—	H.	γ.
— v. rosea	—	Snow-ball ditto	—	H.	γ.
— prunifolium	—	Plumb-leaved Viburnum	—	H.	γ.
— Tinus	—	Hairy Laurastinus	—	H.	γ.
— v. lucidum	—	Shining-leaved ditto	—	H.	γ.
— v. strictum	—	Upright ditto	—	H.	γ.
— v. virgatum	—	Common ditto	—	H.	γ.
Vicia alba	—	White Vetch	—	H.	⊙.
— benghalensis	—	Bengal ditto	—	H.	⊙.
— biennis	—	Biennial ditto	—	H.	⊙.
— bithymica	—	Bithynian ditto	—	H.	γ.
— Cracca	—	Tufted ditto	—	H.	γ.
— Faba	—	Common Garden Bean	—	H.	⊙.
— hybrida	—	Hairy-flowered yellow Vetch	—	H.	⊙.
— Lathyroides	—	Dwarf ditto	—	H.	⊙.
— lutea	—	Smooth-flowered yellow ditto	—	H.	⊙.
— narbonensis	—	Broad-leaved ditto	—	H.	⊙.
— pannonica	—	Hungarian ditto	—	H.	⊙.

Vicia pisiformis	—	Pale-flowered Vetch	—	H.	γ.
— <i>fativa</i>	—	Common ditto	—	H.	○.
— <i>sepium</i>	—	Bush ditto	—	H.	γ.
— <i>ferratifolia</i>	—	Saw-leaved ditto	—	H.	○.
— <i>sylvatica</i>	—	Wood ditto	—	H.	γ.
Vinca major	—	Great Periwinkle	—	H.	h.
— <i>minor</i>	—	Small ditto	—	H.	h.
— <i>v. foliis variegatis</i>	—	Striped-leaved ditto	—	H.	h.
— <i>rosea</i>	—	Madagascar ditto	—	S.	h.
— <i>v. flore albo</i>	—	White-flowered ditto	—	S.	h.
Viola amœna	—	Pleasant Violet	—	H.	γ.
— <i>arborescens</i>	—	Shrubby ditto	—	G.	h.
— <i>biflora</i>	—	Two-flowered ditto	—	H.	γ.
— <i>calcarata</i>	—	Alpine ditto	—	H.	γ.
— <i>canina</i>	—	Dog's ditto	—	H.	γ.
— <i>cornuta</i>	—	Pyrenean ditto	—	H.	γ.
— <i>cucullata</i>	—	Hollow-leaved ditto	—	H.	γ.
— <i>grandiflora</i>	—	Great-flowered ditto	—	H.	γ.
— <i>hirta</i>	—	Hairy ditto	—	H.	γ.
— <i>lanceolata</i>	—	Lance-leaved ditto	—	H.	γ.
— <i>littoralis</i>	—	Sea-shore ditto	—	H.	○.
— <i>lutea</i>	—	Yellow ditto	—	H.	γ.
— <i>mirabilis</i>	—	Broad-leaved ditto	—	H.	γ.
— <i>montana</i>	—	Mountain ditto	—	H.	γ.
— <i>obliqua</i>	—	Oblique-leaved ditto	—	H.	γ.
— <i>odorata</i>	—	White-flowered sweet ditto	—	H.	γ.
— <i>v. flore pleno</i>	—	Double-flowered sweet ditto	—	H.	γ.
— <i>v. flore purpureo</i>	—	Purple-flowered sweet ditto	—	H.	γ.
— <i>v. neapolitana</i>	—	Neapolitan ditto	—	H.	γ.
— <i>pallens</i>	—	Pale ditto	—	H.	γ.
— <i>Pallasii</i>	—	Pallas's ditto	—	H.	γ.
— <i>palustris</i>	—	Marsh ditto	—	H.	γ.
— <i>pilosa</i>	—	Bristly ditto	—	H.	γ.
— <i>striata</i>	—	Striped-flowered ditto	—	H.	γ.
— <i>tricolor</i>	—	Heart's-ease, or Pansies	—	H.	○.
— <i>v. bortenfis</i>	—	Garden ditto	—	H.	○.
— <i>uniflora</i>	—	One-flowered Violet	—	H.	γ.
Viscum album	—	Common Mistletoe	—	H.	h.
Vitex Agnus castus	—	Narrow-leaved Chaste-Tree	—	H.	h.
— <i>v. latifolia</i>	—	Broad-leaved ditto	—	H.	h.
— <i>Negundo</i>	—	Five-leaved ditto	—	G.	h.
Vitis arborea	—	Pepper-Vine	—	H.	h.
— <i>Labrusca</i>	—	Downy-leaved ditto	—	H.	h.
— <i>laciniosa</i>	—	Parsley-leaved ditto	—	H.	h.
— <i>vinifera</i>	—	Common ditto	—	H.	h.
— <i>vulpina</i>	—	Fox-Grape	—	H.	h.
Volkameria aculeata	—	Prickly Volkameria	—	S.	h.
— <i>inermis</i>	—	Oval-leaved smooth ditto	—	S.	h.

Voikameria Kämpferia —	Kämpfer's Voikameria — —	S. h.
Wachendorfia paniculata —	Panicled Wachendorfia —	G. γ.
— thyrsiflora —	Simple-stalked ditto — —	G. γ.
Xanthium spinosum —	Thorny Xanthium — —	S. ⊙.
— Strumarium —	Lesser Burdock — —	H. ⊙.
Xanthoxylum Clava Herculis ,	Tooth-ach Tree — —	H. h.
Xanthorrhiza apiifolia —	Parsley-leaved Xanthorrhiza —	H. h.
Xeranthemum annuum —	Annual Xeranthemum —	H. ⊙.
— fulgidum —	Great Yellow ditto — —	G. γ.
— retortum — —	Trailing ditto — —	G. h.
Xylophylla angustifolia —	Narrow-leaved Xylophylla —	S. h.
— latifolia —	Broad-leaved ditto —	S. h.
Yucca aloifolia —	Aloe-leaved Adam's-needle —	G. h.
— filamentosa —	Thready ditto — —	H. γ.
— Gloriosa — —	Superb ditto — —	H. γ.
Zamia integrifolia —	Dwarf Zamia — —	S. h.
Zannichellia aquatica —	Water Zannichellia — —	H. ⊙.
Zea Mays — —	Indian Corn — —	H. ⊙.
Zinnia multiflora —	Red Zinnia — — —	H. ⊙.
— pauciflora — —	Yellow ditto — —	H. ⊙.
— verticillata —	Whorl leaved ditto — —	H. ⊙.
Zizania aquatica — —	Water Zizania — —	H. ⊙.
Ziziphora capitata —	Oval-leaved Ziziphora —	H. ⊙.
— tenuior — —	Spear-leaved ditto — —	H. ⊙.
Zygophyllum arboreum —	Shrubby Bean-Caper — —	G. h.
— Fabago —	Common ditto — —	H. γ.
— insuave — —	Unpleasant ditto — —	G. h.
— sessilifolium —	Sessile-leaved ditto — —	G. h.







INDEX

O F

ENGLISH NAMES.

A		B	
ABELE Tree	— Populus	Balm	— Melissa
Acacia	— Gleditsia	Balm of Gilead	— Dracocephalum
Adam's-Needle	— Yucca	Balsam	— Impatiens
Adder's-Tongue	— Ophioglossum	Balsam-Tree	— Clusia
African Bladder-nut	— Roycna	Bamboo Cane	— Arundo
African Flea-bane	— Tarchonanthus	Barbadoes Bastard Cedar	— Cedrela
African Marigold	— Tagetes	Barbadoes Gooseberry	— Castus
African Rag-wort	— Othonna	Barley	— Hordeum
Agrimony	— Agrimonia	Barren-wort	— Epimedium
Alaternus	— Rhamnus	Bare Horehound	— Stachys
Alder-Tree	— Betula	Basil	— Ocimum
Alexanders	— Smyrnium	Bastard Balm	— Melittis
Alexandrian Laurel	— Ruscus	Bastard Cedar	— Theobroma
Alkanet	— Anchusa	Bastard Cinnamon	— Laurus
All-spice	— Myrtus	Bastard Cress	— Thlaspi
Almond-Tree	— Amygdalus	Bastard Cyperus	— Carex
Allseed	— Chenopodium	Bastard Daisy	— Bellium
Althæa-frutex	— Hibiscus	Bastard Hare's-ear	— Phyllis
Amber-Tree	— Anthospermum	Bastard Hatchet-vetch	— Biferrula
American Earth-nut	— Arachis	Bastard Hemp	— Datisca
American Cowslip	— Dodecatheon	Bastard Jesuit's Bark-tree	— Iva
Amethyslea	— Amethyslea	Bastard Indigo	— Amorpha
Anise	— Pimpinella	Bastard Knot-grass	— Corrigiola
Aniseed-Tree	— Illicium	Bastard Lupine	— Trifolium
Apple-Tree	— Pyrus	Bastard Money-wort	— Sibthorpia
Archangel	— Lamium	Bastard Plantain	— Limosella
Arrow-head	— Sagittaria	Bastard Quince	— Mespilus
Artichoke	— Cynara	Bastard Saffron	— Carthamus
Asarabacca	— Asarum	Bastard Toad-flax	— Theflum
Ash	— Fraxinus	Bawd-Money	— Aethusa
Aspen-Tree	— Populus	Bay	— Laurus
Asphodel	— Asphodelus	Beard-Tree	— Melia
Avens	— Geum	Bean	— Vicia
Auricula	— Primula	Bean Caper	— Zygophyllum

I N D E X.

Bean Trefoil	—	Anagyris
Bear's-breech	—	Acanthus
Bear's-foot	—	Helleborus
Bedstraw	—	Galium
Beech-Tree	—	Fagus
Bee Orchis	—	Ophrys
Beet	—	Beta
Bell-flower	—	Campanula
Bent-grass	—	Agrostis
Bermudas Cedar	—	Juniperus
Berry-bearing Alder	—	Rhamnus
Betony	—	Betonica
Bilberry	—	Vaccinium
Bindweed	—	Smilax
Birch-Tree	—	Betula
Bird-cherry	—	Prunus
Bird-pepper	—	Capicum
Bird's-foot	—	Ornithopus
Bird's-foot-trefoil	—	Lotus
Birth-wort	—	Aristolochia
Bishop's-weed	—	Ammi
Bistort	—	Polygonum
Bitter-gourd	—	Cucumis
Bitter-vetch	—	Orobis
Black Bindweed	—	Polygonum
Black Briony	—	Tamus
Black Horehound	—	Ballota
Black Maiden-hair	—	Aspplenium
Black Master-wort	—	Atrantia
Bladder-nut	—	Scaphylea
Bladder-Senna	—	Colutea
Blessed Thistle	—	Centaurea
Blood-flower	—	Hæmanthus
Bog-rush	—	Schæmus
Bonduc	—	Gurandina
Borage	—	Borago
Borecole	—	Brassica
Box	—	Buxus
Box-thorn	—	Lycium
Brake	—	Pieris
Bramble	—	Rubus
Brasiletto	—	Cæsalpinia
Briony	—	Brionia
Brome-grass	—	Bromus
Broom	—	Spartium
Buck-bean	—	M nyan.hes
Buckthorn	—	Rhamnus
Buck-wheat	—	Polygonum
Bug-bane	—	Cimicifuga
Bugloss	—	Anchusa
Burdock	—	Arctium
Burnet	—	Poterium
Burnet Saxifrage	—	Sanguiforba
Bur-reed	—	Sparganium
Butcher's-broom	—	Ruscus
Butter-bur	—	Tussilago
Butter-wort	—	Pinquicula
Button-wood	—	Cephalanthus

C	
Cabbage	— Brassica
Camomile	— Anthemis
Camphire-Tree	— Laurus
Campion	— Silene
Canary-grass	— Phalaris
Candleberry-Myrtle	— Myrica
Candy-tuft	— Iberis
Cape Aster	— Cineraria
Cape Jasmine	— Gardenia
Cape Phillyrea	— Cassine
Caper-bush	— Capparis
Carraway	— Carum
Cardinal-flower	— Lobelia
Carnation	— Dianthus
Carolina All-spice	— Calycanthus
Carrot	— Daucus
Cassioberry-bush	— Viburnum
Catalpa	— Bignonia
Catchfly	— Silene
Caterpillar	— Scorpionus
Catmint	— Nepeta
Cat's-tail	— Typha
Cat's-tail-grass	— Phleum
Cat-thyme	— Teucrium
Cauliflower	— Brassica
Cedar	— Juniperus
Cedar of Lebanon	— Pinus
Celandine	— Chelidonium
Celery	— Apium
Centaur	— Centaurea
Changeable Rose	— Hibiscus
Charlock	— Sinapis
Chardoon	— Cynara
Chaste-Tree	— Vitex
Cherry-Tree	— Prunus
Chervil	— Scandix
Chestnut-tree	— Fagus
Chickling-vetch	— Lathyrus
Chick-Pea	— Cicer
Chickweed	— Alfine
China Rose	— Hibiscus
Christmas Rose	— Helleborus
Christ's-thorn	— Rhamnus
Cinnamon-Tree	— Laurus
Cinquefoil	— Potentilla
Cives	— Allium
Clary	— Salvia
Cleavers	— Galium
Clover	— Trifolium
Clown's All-heal	— Stachys
Club-Mo's	— Lycopodium
Club-Rush	— Scirpus
Cockle	— Agrostemma
Cock's-comb	— Celosia
Cock's-foot-grass	— Dactylis
Cockspur Thorn	— Cratægus
Coffee-Tree	— Coffea

I N D E X.

Colt's-foot — Tussilago
 Columbine — Aquilegia
 Cornfrey — Symphytum
 Contrayerva — Dorstenia
 Coral-Tree — Erythrina
 Coriander — Coriandrum
 Cork-Tree — Quercus
 Cornelian Cherry — Cornus
 Corn-flag — Gladiolus
 Costmary — Tanacetum
 Cotton-grass — Eriophorum
 Cotton Thistle — Onopordon
 Couch-grass — Triticum
 Cow-itch — Dolichos
 Cow Parsnip — Heracleum
 Cowslip — Primula
 Cow-weed — Charophyllum
 Cow-wheat — Melampyrum
 Crab-tree — Pyrus
 Crane's-bill — Geranium
 Cress — Lipidium
 Cress-rocket — Vella
 Cress-wort — Valantia
 Crow-berry — Empetrum
 Crow-foot — Ranunculus
 Crown Imperial — Fritillaria
 Cucumber — Cucumis
 Cud-weed — Filago
 Cumin — Cuminum
 Currant — Ribes
 Cultard-Apple — Annona
 Cypress-Tree — Cupressus

D

Daffodil — Narcissus
 Daisy — Bellis
 Dandelion — Leontodon
 Date-palm — Phoenix
 Date-plumb Tree — Diospyrus
 Day-Lily — Hemerocallis
 Deadly Carrot — Thapsia
 Deadly Nightshade — Atropa
 Dead Nettle — Lamium
 Dew-berry — Rubus
 Devil's-Fig — Argemone
 Dill — Anethum
 Dittany — Origanum
 Dock — Rumex
 Dodder — Cuscuta
 Dog's-bane — Apocynum
 Dog's-Mercury — Mercurialis
 Dog's-tail-grass — Cynofurus
 Dog's-tooth-violet — Erythronium
 Dog-wood — Cornus
 Dragon's-head — Dracocephalum
 Dragon-Tree — Diacena
 Drop-wort — Spiza

Duck's-foot — Podophyllum
 Duck's-meat — Lemna

E

Earth-nut — Bunium
 Earth-Pea — Arachis
 Egg-Plant — Solanum
 Elder — Sambucus
 Elecampane — Inula
 Elephant's-foot — Elephantopus
 Elm — Ulmus
 Enchanters-night-shade, Circea
 Endive — Cichorium
 Eryngo — Eryngium
 Evergreen Thorn — Mespilus
 Everlasting Pea — Lathyrus
 Eyebright — Euphrasia

F

False Acacia — Robinia
 Fan-Palm — Chamærops
 Feathered Columbine — Thalictrum
 Feather-grass — Stipa
 Fennel — Anethum
 Fennel-flower — Nigella
 Fennugreek — Trigonella
 Fern-leaved Gale — Comptonia
 Fescue-grass — Festuca
 Feverfew — Matricaria
 Fever-root — Triosteum
 Fiddlewood — Citharexylum
 Fig-marigold — Mesembryanthemum
 Fig-Tree — Ficus
 Fig-wort — Scrophularia
 Filbert — Corylus
 Fir-Tree — Pinus
 Flax — Linum
 Flea-bane — Conyza
 Flix-weed — Silymbrium
 Flower de Luce — Iris
 Flower-fence — Poinciana
 Flowering Rush — Butomus
 Fly Honey-suckle — Halleria
 Fool's Parsley — Æthusa
 Fox-glove — Digitalis
 Fox-grape — Vitis
 Fox-tail-grass — Alopecurus
 Fraxinella — Dictamnus
 French Honey-suckle — Hedyfarum
 French Marigold — Tagetes
 Fresh-water-foldier — Ifoetes
 Friar's-Cowl — Arum
 Fringe-Tree — Chionanthus
 Frog-bit — Hydrocharis
 Fumitory — Fumaria
 Furze — Ulex

INDEX.

G

Garden Rocket	—	Hesperis
Garden Rocket	—	Brassica
Galangal	—	Kæmpferia
Gale	—	Myrica
Garlick	—	Allium
Gelder Rose	—	Viburnum
Gentian	—	Gentiana
Gentianella	—	Gentiana
Germander	—	Teucrium
Gigantic Fennel	—	Ferula
Ginger	—	Amomum
Gladwin	—	Iris
Globe Amaranth	—	Gomphrena
Globe-flower	—	Trollius
Globe Thistle	—	Echinops
Goat's-beard	—	Tragopogon
Goat's-thorn	—	Astragalus
Golden Rod	—	Solidago
Golden Rod Tree	—	Bosca
Golden Saxifrage	—	Chrysosplenium
Golden Thistle	—	Scolymus
Gold of Pleasure	—	Myagrum
Goldy-locks	—	Chrylocoma
Gooseberry	—	Ribes
Goose-grass	—	Galium
Goose-foot	—	Chenopodium
Gourd	—	Cucurbita
Gout-weed	—	Ægopodium
Grains of Paradise	—	Amomum
Grass of Parnassus	—	Parnassia
Gromwell	—	Lithospermum
Greek Valerian	—	Polemonium
Ground-ivy	—	Glechoma
Groundsel	—	Senecio
Ground-Pine	—	Teucrium
Guava	—	Psidium
Guinea Hen-weed	—	Petiveria

H

Hair-grass	—	Aira
Hard-grass	—	Ægilops
Hare-bells	—	Hyacinthus
Hare's-ear	—	Bupleurum
Hare's-foot Fern	—	Trichomanes
Hart-wort	—	Tordylium
Hart's-tongue	—	Asplenium
Hatchet-vetch	—	Coronilla
Hawk-weed	—	Hieracium
Hawthorn	—	Crataegus
Hazel-nut-tree	—	Corylus
Heart's-ease	—	Viola
Heart-feed	—	Cardiospermum
Heath	—	Erica
Hedge-hyssop	—	Gratiola
Hedge-mustard	—	Erysimum

Hellebore	—	Helleborus
Helleborine	—	Serapias
Hemlock	—	Conium
Hemp	—	Cannabis
Hemp Agrimony	—	Eupatorium
Henbane	—	Hyoscyamus
Hepatica	—	Anemone
Herb Christopher	—	Athæa
Herb-Paris	—	Paris
Herb-Robert	—	Geranium
Hickery	—	Juglans
Holly	—	Ilex
Holly-hock	—	Alcea
Honesty	—	Lunaria
Hone-wort	—	Sison
Honey-flower	—	Melanthus
Honey-suckle	—	Lonicera
Honey-wort	—	Cerinthæ
Hooded-milfoil	—	Utricularia
Hop	—	Humulus
Hornbeam-Tree	—	Carpinus
Horned Poppy	—	Chelidonium
Horned Rampion	—	Phyteuma
Horn-wort	—	Ceratophyllum
Horse-Chestnut	—	Æsculus
Horse-radish	—	Cochlearia
Horse-shoe-vetch	—	Hippocrepis
Horse-tail	—	Equisetum
Hottentot Cherry	—	Cassia
Hound's-tongue	—	Cynoglossum
House-leek	—	Sempervivum
Humble Plant	—	Mimosa
Hyacinth	—	Hyacinthus
Hyssop	—	Hyssopus

I

Jamaica Dog-wood	—	Piscidia
Japan Rose	—	Camellia
Jasmine	—	Jasminum
Ice-plant	—	Meibomia
Jerusalem Artichoke	—	Helianthus
Indian Corn	—	Zea
Indian Cress	—	Tropæolum
Indian Fig	—	Cactus
Indian Millet	—	Holcus
Indian Reed	—	Canna
Indigo	—	Indigofera
Job's Tears	—	Coix
Jointed Salt-wort	—	Salicornia
Jonquil	—	Narcissus
Iron-wood	—	Sideroxylum
Iron-wort	—	Sideritis
Judas-Tree	—	Cercis
Juniper	—	Juniperus
Jupiter's-beard	—	Anthyllis
Ivy	—	Hedera

I N D E X.

K

Kidney-bean	—	Phaseolus
King's-spear	—	Asphodelus
Knap-weed	—	Centaurea
Knawel	—	Scleranthus
Knot-grass	—	Polygonum

L

Laburnum	—	Cytisus
Ladies-mantle	—	Alchemilla
Lady's-slipper	—	Cypripedium
Lady's-smock	—	Cardamine
Lady's-traces	—	Ophrys
Larch-Tree	—	Pinus
Lark-spur	—	Delphinium
Lafer-wort	—	Laferpitium
Lavender	—	Lavandula
Lavender-Cotton	—	Santolina
Laurel	—	Prunus
Laurustine	—	Viburnum
Lead-wort	—	Plumbago
Leather-wood	—	Dicra
Lemon-Tree	—	Citrus
Lentil	—	Ervum
Leopard's-bane	—	Doronicum
Lettuce	—	Lactuca
Lilac	—	Syringa
Lily	—	Lilium
Lily	—	Amaryllis
Lily	—	Agapanthus
Lily of the Valley	—	Convallaria
Lily-Thorn	—	Catebæa
Lime-Tree	—	Tillea
Lion's-tail	—	Phlomis
Liquorice	—	Glycyrrhiza
Lizard's-tail	—	Saururus
Loblolly-Bay	—	Gordonia
London-pride	—	Saxifraga
London-Rocket	—	Sifymbrium
Loofe-strife	—	Lyfimachia
Lovage	—	Ligusticum
Love-apple	—	Solanum
Love-lies-bleeding	—	Amaranthus
Loufe-wort	—	Pedicularis
Lucern	—	Medicago
Lung-wort	—	Pulmonaria
Lupine	—	Lupinus
Lychnidea	—	Phlox
Lyme-grass	—	Elymus

M

Macedonian Parsley	—	Bubon
Madder	—	Rubia
Mad-wort	—	Alyssum

Mahogany-Tree	—	Swietenia
Maiden-hair	—	Adiantum
Maiden-hair Tree	—	Salisburia
Malabar Nightshade	—	Phytolacca
Malabar Nut	—	Justicia
Mallow	—	Malva
Mandrake	—	Atropa
Mangold-Wurzel	—	Beta
Maple	—	Acer
Mare's-tail	—	Hippuris
Marjoram	—	Origanum
Marsh Cinquefoil	—	Comarum
Marsh Mallow	—	Althæa
Marsh Marigold	—	Caltha
Marvel of Peru	—	Mirabilis
Marigold	—	Calendula
Masterwort	—	Imperatoria
Mastick-Tree	—	Pistachia
Mat-grass	—	Nardus
Maudlin	—	Achillea
May-weed	—	Anthemis
Meadow-grass	—	Poa
Meadow-rue	—	Thalictrum
Meadow-saffron	—	Colchicum
Meadow-saxifrage	—	Pimpinella
Meadow-sweet	—	Spiræa
Medick	—	Medicago
Medlar	—	Mespilus
Melic-grass	—	Melica
Melilot	—	Trifolium
Melon	—	Cucumis
Melon-Thistle	—	Cactus
Mercury	—	Mercurialis
Mezereon	—	Daphne
Mignonette	—	Reseda
Milfoil	—	Achillea
Milk-vetch	—	Astragalus
Milk-wort	—	Polygala
Millet	—	Panicum
Millet-grass	—	Milium
Mint	—	Mentha
Mistletoe	—	Viscum
Mithridate Mustard	—	Thlaspi
Moldavian Balm	—	Dracocephalum
Molucca Balm	—	Moluccella
Moly	—	Allium
Monkey-flower	—	Mimulus
Monk's-hood	—	Aconitum
Moon-feed	—	Menispermum
Moon Trefoil	—	Medicago
Moon-wort	—	Osmunda
Mofchatel	—	Adoxa
Mother-wort	—	Leonurus
Mother of Thyme	—	Thymus
Mountain Ash	—	Sorbus
Moufe-ear	—	Hieracium
Moufe-tail	—	Myosurus
Moving-plant	—	Hedysarum
Mug-wort	—	Artemisia

I N D E X.

Mulberry-Tree	—	Morus
Mullein	—	Verbascum
Mustard	—	Sinapis
Myrtle	—	Myrtus
Myrtle-leaved Sumach	—	Coriaria

N

Navel-wort	—	Cotyledon
Nectarine-Tree	—	Amygdalus
Nettle	—	Urtica
Nettle-Tree	—	Celtis
Nicker-Tree	—	Guilandina
Nightshade	—	Solanum
Nipple-wort	—	Lapsana
Nut-Tree	—	Corylus

O

Oak-Tree	—	Quercus
Oat-grass	—	Avena
Oats	—	Avena
Oleaster	—	Eleagnus
Olive	—	Olea
Onion	—	Allium
Orach	—	Atriplex
Orange-Tree	—	Citrus
Orpine	—	Tetephium
Osier	—	Salix
Oswego Tea	—	Monarda
Ox-eye	—	Euphthalmum
Ox-eye Daisy	—	Chrysanthemum
Oxlip	—	Primula
Ox-tongue	—	Picris

P

Patience Rhubarb	—	Rumex
Paeony	—	Paeonia
Palma-Christi	—	Ricinus
Panic-grass	—	Panicum
Panicles	—	Viola
Parsley	—	Apium
Parsley-Piert	—	Aphanes
Parinip	—	Paltanaca
Passion-flower	—	Passiflora
Pea	—	Pisum
Peach-Tree	—	Amygdalus
Pearl-wort	—	Sagina
Pear-Tree	—	Pyrus
Pellitory	—	Parictaria
Penny-wort	—	Hydrocotyle
Pepper	—	Piper
Pepper-grass	—	Pidularia
Periwinkle	—	Vinca
Perficaria	—	Polygonum

Peruvian Mastick-Tree, Schinus	
Petty-Whin	Genista
Physic-nut	Jatropha
Pigeon-Pea	Cytisus
Pimpernel	Anagallis
Pine-apple	Bromelia
Pine-Tree	Pinus
Pink	Dianthus
Pistacia-Tree	Pistacia
Plane-Tree	Platanus
Plantain	Plantago
Plowman's-Spikenard,	Gonyza
Plum-Tree	Prunus
Poison Oak	Rhus
Polypody	Polypodium
Pomegranate	Punica
Pond-weed	Potamogeton
Poplar-Tree	Populus
Poppy	Papaver
Potatoe	Solanum
Prickly Poppy	Argemone
Primrose	Primula
Prince's-Feather	Amaranthus
Privet	Ligustrum
Puccoon	Sanguinaria
Pumkin	Cucurbita
Purslane	Portulaca
Purslane-Tree	Portulacaria

Q

Quaking-grass	—	Briza
Quill-wort	—	Isoetes
Quince-Tree	—	Pyrus

R

Radish	—	Raphanus
Rag-wort	—	Senecio
Rampions	—	Campanula
Ramsons	—	Allium
Rape	—	Brassica
Raspberry	—	Rubus
Ray-grass	—	Lolium
Red Cedar	—	Juniperus
Reed-grass	—	Arundo
Rest-harrow	—	Ononis
Rhubarb	—	Rheum
Rice	—	Oryza
Rocamboles	—	Allium
Rocket	—	Hesperis
Rose	—	Rosa
Rose-bay	—	Nerium
Rose Hibiscus	—	Hibiscus
Rose Campion	—	Agrostemma
Rose of Jericho	—	Anastatica
Rosemary	—	Rosmarinus

I N D E X.

Rose-root —	Rhodiola
Rue —	Ruta
Rupture-wort —	Herniaria
Rush —	Juncus
Rye —	Secale

S

Saffron Crocus —	Crocus
Sage —	Salvia
St. Andrew's Cross —	Ascyron
St. Barnaby's Thistle —	Centaurea
St. Foin —	Hedysarum
St. John's Bread —	Cerastonia
Sallow —	Salix
Salt-wort —	Salsola
Samphire —	Crithmum
Sand-box-tree —	Hura
Sandwort —	Arenaria
Sanicle —	Sanicula
Sapota —	Achras
Sarpaparilla —	Smilax
Sassafras-Tree —	Laurus
Savin —	Juniperus
Savory —	Satureja
Saw-wort —	Serratula
Saxifrage —	Saxifraga
Scabious —	Scabiosa
Scorpion-grass —	Myofotis
Scorpion Senna —	Coronilla
Scotch Fir —	Pinus
Scurvy-grass —	Cochlearia
Sea Buckthorn —	Hippophae
Sea Colewort —	Crambe
Sea Holly —	Eryngium
Sea Milk-wort —	Glaux
Sea Hard-grass —	Rotbollia
Self-heal —	Prunella
Sensitive Fern —	Onoclea
Sensitive Plant —	Mimosa
Service-Tree —	Sorbus
Shallot —	Allium
Sheep's-scabious —	Jaſione
Shepherd's-needle —	Scandix
Shepherd's-purse —	Thlaspi
Shrubby Horse-tail —	Ephedra
Shrubby St. Peter's-wort, Lonicera	
Side-saddle-flower —	Sarracenia
Skirret —	Sium
Skull-cap —	Scutellaria
Sloe-Tree —	Prunus
Snake-Melon —	Cucumis
Snap-dragon —	Antirrhinum
Sneeze-wort —	Achillea
Snow-drop —	Galanthus
Snow-drop Tree —	Haleſia
Snow-flake —	Leucojum
Soap-berry —	Sapindus

Soap-wort —	Saponaria
Soft-grass —	Holcus
Sorrel —	Rumex
Southernwood —	Artemisia
South-Sea Tea —	Ilex
Sow-thistle —	Sonchus
Spanish Hedge-nettle —	Praſium
Sparrow-wort —	Pafferina
Speedwell —	Veronica
Spear-wort —	Ranunculus
Spignel —	Athamanta
Spinach —	Spinacia
Spindle-Tree —	Euonymus
Spleen-wort —	Asplenium
Spruce-fir-tree —	Pinus
Spurge —	Euphorbia
Spurge-Laurel —	Daphne
Spurry —	Spergula
Squash —	Cucurbita
Squill —	Scilla
Squirting Cucumber —	Momordica
Staff-Tree —	Celaſtrus
Star-Apple —	Chryſophyllum
Star-headed Chickweed, Callitriche	
Star of Bethlehem —	Ornithogalum
Star-Thistle —	Centaurea
Staves-acre —	Delphinium
Stichwort —	Stellaria
Stock —	Cheiranthus
Stonecrop —	Sedum
Strawberry —	Fragaria
Strawberry-blite —	Blicum
Strawberry-Tree —	Arbutus
Sugar-Cane —	Saccharum
Sulphur-wort —	Peucedanum
Sultan —	Centaurea
Sumach —	Rhus
Summer Cypress —	Chenopodium
Sun-dew —	Droſera
Sun-flower —	Helianthus
Superb Lily —	Glorioſa
Supple-Jack —	Rhamnus
Swallow-wort —	Aſclepias
Sweet-Briar —	Rofa
Sweet Flag —	Acorus
Sweet Myrrh —	Scandix
Sweet Pea —	Lathyrus
Sweet William —	Dianthus
Swines-Creſs —	Cochlearia
Sycamore —	Acer
Syrian Rue —	Peganum
Syringa —	Philadelphus

T

Tacamahac —	Populus
Tallow-Tree —	Croton
Tamarind-Tree —	Tamarindus

I N D E X.

Tamarisk	—	Tamarix
Tangier Pea	—	Lathyrus
Tanfy	—	Tanacetum
Tare	—	Ervum
Tarragon	—	Artemisia
Tea	—	Thea
Teasel	—	Dipsacus
Thistle	—	Carduus
Thorn-apple	—	Datura
Thrift	—	Statice
Throatwort	—	Trachelium
Thyme	—	Thymus
Tick-feed	—	Corispermum
Timothy-grass	—	Phleum
Toad-flax	—	Antirrhinum
Tobacco	—	Nicotiana
Toothach-Tree	—	Zanthoxylum
Tooth-wort	—	Dentaria
Torch-thistle	—	Cactus
Touch-me-not	—	Impatiens
Tower-mustard	—	Turritis
Traveller's Joy	—	Clematis
Treacle-Mustard	—	Erysimum
Tree-Primrose	—	Oenothera
Trefoil	—	Trifolium
Trumpet-flower	—	Bignonia
Tuberose	—	Polyanthus
Tulip	—	Tulipa
Tulip-tree	—	Liriodendron
Tupelo	—	Nyssa
Turnip	—	Brassica
Turnsole	—	Heliotropium
Turpentine-Tree	—	Pistacia
Tutsan	—	Hypericum
Twayblade	—	Ophrys

V

Valerian	—	Valeriana
Venus's Looking-Glass	—	Campanula
Venus's Navel-wort	—	Cynoglossum
Vervain	—	Verbena
Vernal-grass	—	Anthoxanthum
Vetch	—	Vicia
Vetchling	—	Lathyrus
Vine	—	Vitis
Violet	—	Viola
Viper's-bugloss	—	Echium
Viper's-grass	—	Scorzonera
Virgin's-bower	—	Clematis

W

Wake-Robin	—	Arum
Wall-Cress	—	Arabis
Wall-flower	—	Cheiranthus
Wall-Rocket	—	Sisymbrium
Wall-Rue	—	Asplenium
Walnut-Tree	—	Juglans
Water Chick-weed	—	Montia
Water-Cress	—	Sisymbrium
Water Honewort	—	Sison
Water-Leaf	—	Hydrophyllum
Water Lily	—	Nymphaea
Water Milfoil	—	Myriophyllum
Water Parsnip	—	Sium
Water Plantain	—	Alisma
Water Purlane	—	Peplis
Water Radish	—	Sisymbrium
Water Rocket	—	Sisymbrium
Water Violet	—	Hottonia
Way-faring Tree	—	Viburnum
Wheat	—	Triticum
Whin	—	Genista
White-Beam Tree	—	Crataegus
Whitlow-grass	—	Draba
Whortle-berry	—	Vaccinium
Widow-wail	—	Cneorum
Wild Cumin	—	Lagoecia
Wild Germander	—	Teucrium
Wild Service	—	Crataegus
Willow	—	Salix
Willow-herb	—	Epilobium
Winged-Pea	—	Lotus
Winter-berry	—	Prinos
Winter Cherry	—	Physalis
Winter-Cress	—	Erysimum
Winter-Green	—	Pyrola
Witch-Hazel	—	Hamamelis
Woad	—	Isatis
Wolfs-bane	—	Aconitum
Woodroof	—	Asperula
Wood-forrel	—	Oxalis
Worm-grass	—	Spigelia
Wormwood	—	Artemisia

Y

Yam	—	Dioscorea
Yarrow	—	Achillea
Yellow-Rattle	—	Rhinanthus
Yew-tree	—	Taxus

The Reader is desired to correct the following

E R R A T A.

For Brunfelsia read Brunsfelsia.

— *Gaura mutabilis read Oenothera anomala.*

— *Mesembryanthemum pinnatum read pinnatifidum.*
————— *tenuissimum read tenuifolium.*

— *Opercularia paleacea read paleata.*

— *Agrostis verticillata* — — ♀ *read* ⊙.

— *Androsace carnea* — — ⊙ — — ♀.

— *Aucuba japonica* — — ♀ — — ♀.

— *Epilobium montanum* — — ♂ — — ♀.

— *Helianthus giganteus* — — ♂ — — ♀.

— *Oxalis Dillenii* — — ♀ — — ⊙.


————— *lugubris* — — ♀ — — ⊙.


— *Prenanthes muralis* — — ⊙ — — ♀.

— *Ranunculus auricomus* — — ⊙ — — ♀.

— *Reseda lutea* — — ⊙ — — ♀.

— *Trifolium procumbens* — — ♀ — — ⊙.







3 2044 102 800 190



